

ELSCO INTERNATIONAL -- SUPER BLAST OFF 275 GALLON CONTAINER, SB-275

=====
MSDS Safety Information
=====

FSC: 7930
NIIN: 01-381-3353
MSDS Date: 01/11/1994
MSDS Num: BXDQG
Product ID: SUPER BLAST OFF 275 GALLON CONTAINER, SB-275
MFN: 01
Responsible Party
Cage: 52790
Name: ELSCO INTERNATIONAL
Address: 3407 E STREET
City: SAN
DIEGO CA 92102
Info Phone Number: 619-696-6609
Emergency Phone Number: 619-696-6609; 619-444-8889
Preparer's Name: EARL L SMITH
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 52790
Name: ELSCO INTERNATIONAL
Address: 3407 E ST
City: SAN DIEGO CA 92102
Phone: 619-696-6609; -8609 (FAX)

=====
Item Description Information
=====

Item Manager: GSA
Item Name: CLEANING COMPOUND,SOLVENT-DETERGENT
Unit of Issue: DR
Quantitative Expression: 00000000275GL
UI Container Qty: 1

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:SKIN ABSORPTION:COULD BE ABSORBED UNDER EXTREME HEAT. EYE:IRRITANT UPON DIRECT CONTACT. INGESTION:ALTHOUGH NON-TOXIC, DO NOT TAKE INTERNALLY. CHRONIC:WILL REMOVE OIL FROM SKIN.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravat

ed By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP)

(FP N). EYES:REMOVE CONTACTS, RINSE WITH FRESH WATER FOR AT LEAST 15 MINUTES.

SKIN:FLUSH WITH WATER. APPLY LOTION OR CREAM TO REPLENIS H BODY OILS.

INGESTION:DRINK LOTS OF WATER, LEMON JUICE OR MILK. NOTES TO PHYSICIAN:IF

SWALLOWED AND IRRITATION PERSISTS, INDUCE VOMITING.

=====

Handling and Disposal

=====

=====

Spill Release Procedures: PRODUCT IS BIODEGRADABLE. FLUSH WITH WATER AND DISPOSE OF ACCORDING TO LOCAL, STATE OR FEDERAL LAWS.

Neutralizing Agent: WATER OR CITRUS ACIDS.

Waste Disposal Methods: OBEY LOCAL, STATE AND FEDERAL LAWS FOR BIODEGRADABLE MATERIALS.

Handling And Storage Precautions: KEEP AWAY FROM EXTREME HEAT. DO NOT PUNCTURE CONTAINERS.

Other Precautions: DO NOT MIX WITH ACIDS OR BLEACHES AS PRODUCT WILL NEUTRALIZE ITSELF AND MAY POSSIBL

Y GIVE OFF TOXIC FUMES. CAUSES NO MORE DAMAGE THAN SOAP

IN EYES DURING BATHING. HOWEVER, TRY NOT TO SPRAY INTO EYES. PRODUCT WILL IRRITATE EYES.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: OC

Flash Point Text: NONE.

Extinguishing Media: MEDIA SUITABLE FOR SURROUNDING FIRE (FP N).

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMEN

T (FP N).

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED. WHAT YOU ARE CLEANING MAY GIVE OFF FUMES. IF SO TAKE PRECAUTIONS BY WEARING NIOSH/MSHA APPROVED MASK.

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: IMPERVIOUS GLOVES (FP N).

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment: IF SPRAYING IN STRONG WIND USE RUBBER APRON OR

OTHER PROTECTIVE CLOTHING.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: PH:10.5 (10 G/L H*2O).

=====
Physical/Chemical Properties
=====

B.P. Text: 215F,102C

Vapor Pres: NEAR WATER

Vapor Density: NEAR WATER

Spec Gravity: 1.054 (H*2O=1)

PH: SUPDAT

Evaporation Rate & Reference: 1.124 (H*2O=1)

Solubility in Water: 100%

Appearance and Odor: GREEN
AND PLEASANT.

Percent Volatiles by Volume: 0

=====
Reactivity Data
=====

Stability Indicator: NO

Stability Condition To Avoid: INDUSTRIAL BLEACHES OR ACIDS WILL NEUTRALIZE THIS PRODUCT.

Materials To Avoid: COMPATIBLE WITH ALL PRODUCTS EXCEPT INDUSTRIAL STRENGTH BLEACHES OR ACIDS.

Hazardous Decomposition Products: NONE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization:
NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Info

rmation

=====
=====
Other Information

=====
=====
Transportation Information

=====
Responsible Party Cage: 52790
Trans ID NO: 131787
Product ID: SUPER BLAST OFF 275 GALLON CONTAINER, SB-275
MSDS Prepared Date: 01/11/1994
Review Date: 09/11/1995
MF
N: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 1
=====

=====
Detail DOT Information

=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR
THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: SUPER BLAST OFF 275 GALLON CONTAINER, SB-275

Cage: 52790

Company Name: ELSCO INTERNATIONAL

Street: 3407 E ST

City: SAN DIEGO CA

Zipcode: 92102

Health Emergency Phone: 619-696-6609; 619-444=8889

Label Required IND: Y

Date Of Label Review: 04/05/1995

Status Code: C

Label Date: 04/05/1995

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Sig

nal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: ACUTE:SKIN ABSORPTION:COULD BE ABSORBED UNDER EXTREME HEAT. EYE:IRRITANT UPON DIRECT CONTACT. INGESTION:ALTHOUGH NON-TOXIC, DO NOT TAKE INTERNALLY. CHRONIC:WILL REMOVE OIL FROM SKIN.

=====
Disclaimer (provided with this information by the compiling agencies): This information is for

mulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civ

ilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.