

LILLY INDUSTRIES INCORP(FRMLY -- MR225 MOLD RELEASE AEROSOL CODE ID:187X102

=====
MSDS Safety Information
=====

FSC: 3680
NIIN: 00-237-3457
MSDS Date: 02/17/1995
MSDS Num: BXFXX
Product ID: MR225 MOLD RELEASE AEROSOL CODE ID:187X102
MFN: 05
Responsible Party
Cage: IO245
Name: LILLY INDUSTRIES INCORP(FRMLY RAM CHEM/WHITTAKER)
Addr
ess: 210 E ALONDRA BLVD
City: GARDENA CA 90248-2808
Info Phone Number: 310-352-3087/213-321-0710
Emergency Phone Number: 310-352-3087/800-424-9300(CHEMTREC)
Preparer's Name: LEN PULMAN
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: IO245
Assigned Ind: Y
Name: LILLY INDUSTRIES INC
Address: 210 E ALONDRA BLVD
City: GARDENA CA 90248
=====

=====
Contractor Summary
=====

Cage: 31068
Name: DUTCH VALLEY SUPPLY CO
Address: 970 PROGRESS CTR AVE
City: LAWRENCEVILLE GA 30043
Phone: (404-513-0612)
Cage: 0RCD8
Name: HOOSIER INDUSTRIAL SUPPLY
Address: 1223 CHICAGO AVE
City: GOSHEN IN 46527-0929
Phone: 219-533-8565
Cage: 0MTA9
Name: LILLY IND INC
Address: 210 E ALONDRA BLVD
City: GARDENA CA 90248
Phone: 310-352-3087
Cage: IO245
Name: LILLY INDUSTRIES INC
Addre

ss: 210 E ALONDRA BLVD
City: GARDENA CA 90248
Phone: 213-321-0710
Cage: 22401
Name: RAM CHEMICALS, WHITTAKER DIV/LILLY INDUSTRIES INC
Address: 210 E ALONDRA BLVD
City: GARDENA CA 90248-2808
Phone: 310-352-3087/800-424-9300(CHEMTREC)

=====
Item Description Information
=====

Item Manager: S9G
Item Name: PARTING COMPOUND, FOUNDRY MOLD
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: C
N
Quantitative Expression: 00000000015OZ
UI Container Qty: 0
Type of Container: AEROSOL CAN

=====
Ingredients
=====

Cas: 75-09-2
Name: PROPANE/ISOBUTANE BLEND
% Wt: 20
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 75-09-2
RTECS #: PA8050000
Name: METHYLENE CHLORIDE (DICHLOROME
THANE) (SARA III)
% Wt: 77
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 500 PPM; Z-2
ACGIH TLV: 50 PPM, A2; 9394
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

=====
Health Hazards Data
=====

LD50 LC50 Mixture: UNKNOWN
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: BASED ON PRESENCE OF COMPONENTS CHRONIC OVEREXPO T

O PROD

MAY CAUSE KIDNEY & LIVER INJURY. MAY ALSO CAUSE SKIN BURNS.

Signs And Symptoms Of Overexposure: KIDNEY & LIVER INJURY. SKIN BURNS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: NONE SPECIFIED BY MANUFACTURER. HOWEVER IN ALL CASES FOLLOW

APPROPRIATE AMERICAN RED CROSS 1ST AID & GET MED ATTN IMMEDIATE. IF SKIN

CONTACT MADE REMOVE CONTAMINATED CLOTHING/SHOES & FLUSH AREA IMMEDIATE W/ SOAP/WATER. EYE CONTACT: FLUSH W/WATER IMMEDIATE. INGEST: GET MED

ATTN IMMEDIATE.

=====
Handling and Disposal
=====

Spill Release Procedures: STAY UPWIND/AWAY FROM SPILL UNLESS WEARING APPROPRIATE
PROT EQPMT. STOP &/OR CONTAIN DISCHARGE W/O RISK. KEEP AWAY ALL IGN
SOURCES. VENTILATE AREA. USE NONSPARKING TOOLS. COVER W/INERT MATL TO REDUCE
FUMES. KEEP OUT OF DRAINS/SEWERS/WATERWAYS. CONTACT (SUPP)

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal

Methods: DO NOT FLUSH TO SEWER/WATERSHED/WATERWAY. DISPOSE OF
IAW LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLSD CNTNRS. PROD
CONTAINS METHYLENE CHLORIDE (77%) WHICH IS SUBJ TO REPORTING RQMTS OF SEC
313 EPCRA & 40CFR372.

Handling And Storage Precautions: AVOID PROLONGED/REPEATED BREATH OF VAP. KEEP
CNTNR COOL, DRY, AWAY FROM IGN SOURCES. USE/STORE W/ADEQ VENTI. DO NOT SMOKE IN
STORAGE AREAS. AVOID INHAL VAPOR

Other Precautions: AVOID PERSONAL CONTACT W/PROD; IF HAPPENS RE

MOVE SATURATED

CLOTH & FLUSH AREAS W/WATER. CNTNR MAY BE HAZ WHEN EMPTIED. SINCE EMPTIED
CNTNR RETAIN PROD RESIDUES (VAP/LIQ/SOLID) ALL HAZ PRECAUTIONS GIVEN IN MSDS
MUST BE OBSERVED.

=====
Fire and Explosion Hazard Information
=====

Lower Limits: 2.0

Upper Limits: 10.0

Extinguishing Media: USE CO2, DRY CHEM, FOAM. THE NAT FIRE PROT ASSOC CLASS B
EXTINGUISHER DESIGNED TO EXT FIRE ORIGINATING FROM BURNING LIQS.

Fire Fighting Procedures: WATERSPRAY MAY BE INEFFECTIVE. WATER MAY BE USED TO
COOL CLSD CNTNRS TO PREVENT PRESSURE BUILDUP/POSSIBLE AUTOIGN/EXPLO WHEN EXPO
TO EXTREME HEAT. FOG NOZ PREFERRED

Unusual Fire/Explosion Hazard: KEEP CNTNR TIGHTLY CLSD. ISOLATE FROM HEAT/ ELECT
EQPMT/SPARKS/OPN FLAME. CLSD CNTNR MAY EXPLO WHEN EXPO TO EXTREME HEAT. DO NOT
APPLY TO HOT SURFACES. NEVER USE (SUP)

=====
Control Measures
=====

Respiratory Protection: OUTDOOR/OPEN AREAS USE:MECH FILTER RESP TO REMOVE SOLID AIRBORNE PARTICLES OF OVERSPRAY DURING SPRAY APPLICATION.RESTRICTED VENTI USE:CHEM-MECHANICAL FILTERS TO REMOVE PARTICULATE & GAS/VAP.CONFINED AREAS USE:AIR LINE TYP RES/HOODS.(SUPP)

Ventilation: AS REQUIRED TO CNTRL VAP CONCEN.IF EXPO EXCEEDS TLV USE NIOSH-APPROVED RESP TO PREVENT OVEREXPO.PROVIDE VENTI IN (SUPPL)

Protective Gloves: NAT RUBB,NEOPRENE,BUNA N,NITRIL

E.

Eye Protection: NONE SPEC BY MFG.HOWEVER WEAR SAF GLASS.

Other Protective Equipment: APRON.

Work Hygienic Practices: WASH HANDS WELL BEF EAT/WASHRM.REMOVE CONTAMIN CLOTH IMMED & LAUNDER BEF REUSE.

Supplemental Safety and Health: FIRE/EXPLO HAZ:WELD/CUT TORCH ON/NEAR CNTNR(EVEN EMPTY)BECAUSE PROD(EVEN RESIDUE)MAY IGN EXPLO. SPILL:APPROPRIATE SPILL AGENCIES,AUTHORITIES. RESP:RESP PROT MAY BE NECESSARY IN ANY LATER MFG OPERATIONS IN WHICH PROD MAY BECOME AIRBORNE IN FORM OF VAP/DUST.

VENTI:VOL/PATTERN TO BE <TLV & REMOVE PROD FRM OPERATIONS.

Physical/Chemical Properties

HCC: V2

Boiling Point: =40.C, 104.F

Vapor Density: >AIR

Evaporation Rate & Reference: FASTER THAN BUTYL ACETATE

Percent Volatiles by Volume: 78.64

Reactivity Data

Stability

Indicator: YES

Stability Condition To Avoid: AVOID EXPO TO SPARKS/OPN FLAME/HOT SURFACES/ ALL SOURCES OF HEAT/IGN.

Materials To Avoid: STRONG OXIDIZING AGENTS-CONTACT WITH THESE MATERIALS MAY CAUSE FIRE/EXPLOSION & WITH STRONG ACIDS.

Hazardous Decomposition Products: MAY PROD HAZ FUMES WHEN HEATED TO DECOMP AS IN WELDING.FUMES MAY CONTAIN CARBON MONOXIDE,CARBON DIOXIDE,OXIDES OF NITROG

Hazardous Polymerization Indicator: NO

Toxicolog

ical Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: IO245

Trans ID NO: 59150

Product ID: MR225 MOLD RELEASE AEROSOL CODE ID:187X102

MSDS Prepared Date: 02/17/1995

Review Date: 10/01/1997

MFN: 5

Tech Entry NOS Shipping Nm: METHYLENE CHLORIDE,PROPANE AND ISOBUTANE.

Radioac

tivity: NOT RELEVANT

Net Unit Weight: 15 OZ

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: CN

Container QTY: 0

Type Of Container: AEROSOL CAN

Additional Data: VENDOR CAGE 31068 ADDED AT THE REQUEST OF DDRV.

Detail DOT Information

DOT PSN Code: DTJ

Symbols: D

DOT Proper Shipping Name: CONSUMER COMMODITY

Hazard Class: ORM-D

Label: NONE

Non Bulk Pack: 156,306

Bulk Pack: NONE

Max Qty

Pass: 30KGGROSS
Max Qty Cargo: 30KGGROSS
Vessel Stow Req: A

=====
Detail IMO Information
=====

IMO PSN Code: AKD
IMO Proper Shipping Name: AEROSOLS o
IMDG Page Number: 2102
UN Number: 1950
UN Hazard Class: 2(T)
IMO Packaging Group: -
Subsidiary Risk Label: T
EMS Number: 2-13
MED First Aid Guide NUM: 620

=====
Detail IATA Information
=====

IATA PSN Code: ANB
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, NON-FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.2
IATA Label: NON-FLAMMABLE GAS
Packing Note Passenger: 203
Max Quant Pass: 75 KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203

=====
Detail AFI Information
=====

AFI PSN Code: ANB
AFI Proper
Shipping Name: AEROSOLS, NON-FLAMMABLE, N.O.S.
AFI PSN Modifier: ,(EACH NOT EXCEEDING 1L CAPACITY)
AFI Hazard Class: 2.2
AFI UN ID NUM: UN1950
Special Provisions: P4
Back Pack Reference: A6.3

=====
HAZCOM Label
=====

Product ID: MR225 MOLD RELEASE AEROSOL CODE ID:187X102
Cage: IO245
Assigned IND: Y
Company Name: LILLY INDUSTRIES INC
Street: 210 E ALONDRA BLVD
City: GARDENA CA
Zipcode: 90248
Heal

th Emergency Phone: 310-352-3087/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 10/01/1997

Status Code: C

MFG Label NO: UNKNOWN

Label Date: 10/01/1997

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: BASED ON PRESENCE OF COMPONENTS CHRONIC OVEREXPO TO
PROD MAY CAUSE KIDNEY & LIVER INJURY

. MAY ALSO CAUSE SKIN BURNS. AVOID

PROLONGED/REPEATED BREATH OF VAP.KEEP CNTNR COOL,DRY,AWAY FRM IGN
SOURCES.USE

/STORE W/ADEQ VENTI.DO NOT SMOKE IN STORAGE AREAS.AVOID INHAL VAPORS FIRST
AID:IN ALL CASES FOLLOW APPROPRIATE AMERICAN RED CROSS 1ST AID & GET MED
ATTN IMMED. IF SKIN CONTACT MADE REMOVE CONTAMINATED CLOTHING/SHOES &
FLUSH AREA IMMED W/SOAP/WATER. EYE CONTACT:FLUSH W/WATER IMMED. INGEST:GET
MED ATTN IMMED.

=====

Dis
claimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all
liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.