

GRIGGS PAINT -- TT-P-1952D, TYPE I, 33538, YELLOW, 700Y47

=====  
MSDS Safety Information  
=====

FSC: 8010  
NIIN: 01-018-2722  
MSDS Date: 01/01/1994  
MSDS Num: BXGZN  
Product ID: TT-P-1952D, TYPE I, 33538, YELLOW, 700Y47  
MFN: 04  
Responsible Party  
Cage: DO312  
Name: GRIGGS PAINT  
Address: 3602 S 16TH PLACE  
City: PHOENIX  
AZ 85040  
Info Phone Number: 602-243-3293  
Emergency Phone Number: 800-424-9300 CHEMTREC/602-243-3293  
Preparer's Name: ROBERT COMMISSO  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: DO312  
Assigned Ind: Y  
Name: GRIGGS PAINT  
Address: 3602 S 16TH PL  
City: PHOENIX AZ 85040-1319

=====  
Co  
Contractor Summary  
=====

Cage: 58963  
Name: GRIGGS PAINT  
Address: 3602 S 16TH PLACE  
City: PHOENIX AZ 85040  
Phone: 602-243-3293  
Cage: DO312  
Name: GRIGGS PAINT  
Address: 3602 S 16TH PL  
City: PHOENIX AZ 85040-1319  
Phone: 602-243-3293

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: PAINT,TRAFFIC  
Unit of Issue: DR  
Quantitative Expres

tion: 00000000030GL

UI Container Qty: 0

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE: DIRECT

CONTACT MAY CAUSE IRRITATION. SKIN: NOT LIKELY

TO BE ABSORBED THROUGH SKIN. PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION. INHALATION: ADVERSE HEALTH EFFECTS FROM VAPORS/SPRAY MISTS IN POORLY VENTED AREAS MAY INCLUDE IRRITATION OF NOSE, THROAT & RESPIRATORY TRACT. HEADACHES AND NAUSEA MAY ALSO OCCUR.\*\*

Signs And Symptoms Of Overexposure: \*\* INGESTION: MAY CAUSE IRRITATION AND DAMAGE TO MUCOUS MEMBRANES.

Medical Cond Aggravated By Exposure: NONE KNOWN

First Aid: EYE: FLUSH WITH

WATER FOR 15 MINUTES. SEEK MEDICAL AID. SKIN: WASH

THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL AID IF IRRITATION PERSISTS.

INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL AID. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OF OXYGEN IF NEEDED. CALL PHYSICIAN.

=====  
Handling and Disposal  
=====

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. DIKE AND CONTAIN SP

ILLS WITH INERT MATERIAL. TRANSFER LIQUID TO CONTAINERS. KEEP SPILLS AND RUNOFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER.

Waste Disposal Methods: OBEY RELEVANT LOCAL, STATE AND FEDERAL LAWS. DO NOT CONTAMINATE ANY LAKES, PONDS, STREAMS OR UNDERGROUND WATER SUPPLIES. TREAT AS HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: AVOID FREEZING. AVOID CONTACT WITH MICROORGANISMS. KEEP CONTAINER CLOSED WHEN NO

T IN USE.

Other Precautions: CAUTION - MAY BE HARMFUL IF SWALLOWED. BREATHING VAPOR OR MIST MAY BE HARMFUL. USE WITH ADEQUATE VENTILATION. AVOID EYE AND SKIN CONTACT.

=====  
Fire and Explosion Hazard Information  
=====

Autoignition Temp Text: 475F

Lower Limits: 7.3%

Extinguishing Media: NONE KNOWN

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: PRODUCT WILL NOT BURN, BUT MAY SPATTER IF

TEMPERATURE EXCEEDS BOILING POINT. POLYMER FILMS ARE CAPABLE OF BURNING, GIVING OFF OXIDES OF CARBON/NITROGEN.

=====  
Control Measures  
=====

Respiratory Protection: IF EXPOSURE EXCEEDS PERMISSIBLE EXPOSURE LIMITS, USE APPROPRIATE NIOSH APPROVED RESPIRATORY EQUIPMENT.

Ventilation: LOCAL EXHAUST RECOMMENDED. MECHANICAL VENTILATION RECOMMENDED.

Protective Gloves: IMPERMIABLE GLOVES TO MINIMIZE CONTACT.

Eye Protection: CHEM SPLASH GOGGLE/FACE SHLD/SAFTY GLASS

Other Protective Equipment: EYE WASH FOUNTAIN AND SAFETY SHOWER.

Work Hygienic Practices: WASH HANDS BEFORE EATING.

=====  
Physical/Chemical Properties  
=====

HCC: N1

B.P. Text: 147 TO 212F

Vapor Density: >AIR

Spec Gravity: 1.6

PH: 9.2-9.

Viscosity: 80-90 KU

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in W

ater: 100%

Appearance and Odor: BLUE VISCOUS LIQUID WITH SLIGHT AMMONIA ODOR

Percent Volatiles by Volume: 37.9

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: FREEZING TEMPERATURES.

Materials To Avoid: NONE KNOWN

Hazardous Decomposition Products: NONE KNOWN

Hazardous Polymerization Indicator: NO

=====  
Toxicologic

al Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: DO312
Trans ID NO: 99129
Product ID: TT-P-1952D, TYPE I, 33538, YELLOW, 700Y47
MSDS Prepared Date: 01/01/1994
Review Date: 06/15/1995
MFN: 4
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 0

Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

D

etail IATA Information

=====  
IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail AFI Information

=====  
AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HAZCOM Label

=====  
Product ID: TT-P-1952D, TYPE I, 33538, YELLOW, 700Y47

Cage: DO312

Assigned IND: Y

Company Name: GRIGGS PAINT

Street: 3602 S 16TH PL

City: PHOENIX AZ

Zipcode: 85040-1319

Health Emergency Phone: 800-424-9300 CHEMTREC/602-243-3293

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: EYE: DIRECT CONTACT MAY CAUSE IRRITATION. SKIN: NOT  
LIKELY TO BE ABSORBED THROUGH SKIN. PROLONGED OR REPEATED C

ONTACT MAY CAUSE

IRRITATION. INHALATION: ADVERSE HEALTH EFFECTS FROM VAPORS/SPRAY MISTS I N  
POORLY VENTED AREAS MAY INCLUDE IRRITATION OF NOSE, THROAT & RESPIRATORY  
TRACT. HEADACHES AND NAUSEA MAY ALSO OCCUR.\*\*\*\* INGESTION: MAY CAUSE  
IRRITATION AND DAMAGE TO MUCOUS MEMBRANES.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should see

k competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.