

LOCTITE CORP -- 1 LTR 290 SEALING COMPOUND GREEN, 29043

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-050-8288
MSDS Date: 05/24/1993
MSDS Num: BXJXB
Product ID: 1 LTR 290 SEALING COMPOUND GREEN, 29043
MFN: 02
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MOUNTAIN RD
City: NEWINGTON
CT 06111
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BT
Quantitative Expression: 00000000250CC
UI Container Qty: 0

=====
Ingredients
=====

Cas: 25852-47-5
Name: POLYETHYLENE GLYCOL DIMETHACRYLATE; (POLYGLYCOL DIMETHACRYLATE)
% Wt: 90-95
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K

(FP N)

Cas: 80-15-9
RTECS #: MX2450000
Name: HYDROPEROXIDE, ALPHA, ALPHA-DIMETHYLBENZYL-; (CUMENE HYDROPEROXIDE) (SARA 313) (CERCLA)
% Wt: 3-5
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 81-07-2
RTECS #: DE4200000
Name: 1,2-BENZISOTHIAZOLIN-3-ONE,1,1-DIOXIDE; (SACCHARIN) (SARA 313) (CERCLA)
% Wt: 1-3
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 613-48-9
Name: N,N-DIALKYL TOLUIDINE
% Wt: 0.1-1
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

RTECS #: 9999999VO
Name: VOLATILE ORGANIC COMPOUND: 12.6%; 134.82 G/L (EPA METHOD 24)
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
=====

Health Hazards Data
=====

LD50 LC50 Mixture: LD50: (ORAL) > 10,000 MG/KG
Route Of Entry Inds - Inhalation:
NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: YES
OSHA: NO
Effects of Exposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.
Explanation Of Carcinogenicity: SACCHARIN: IARC MONOGRAPHS, SUPPLEMENT, VOL 7, PG 334, 1987: GROUP 2B.
Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS.
Medical Cond Aggravated By Exposure: NONE KNOWN.
First Aid: INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) (FP N). INGEST: DO NOT IND

UCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. SKIN: WASH THOROUGHLY WITH SOAP & WATER. EYES: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal

Methods: INCINERATE FOLLOWING EPA FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF LIFE. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: >200F, >93C

Upper Limits: 7%

Extinguishing Media

Media: MEDIA SUITABLE FOR SURROUNDING FIRE (FP N).

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: DOES NOT APPLY.

Protective Gloves: NEOPRENE, RUBBER OR BUTYL RUBBER.

Eye

Protection: ANSI APPROVED SAFETY GLASSES (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

B.P. Text: >300F, >149C

Vapor Pressure: <5 @ 80F

Spec Gravity: 1.07 @ 80F

Solubility in Water: SLIGHT

Appearance and Odor: GR

EEN LIQUID; MILD ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE.

Hazardous Decomposition Products: BY FIRE OR THERMAL DECOMPOSITION: IRRITATING ORGANIC VAPORS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT
=====

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 7K128

Trans ID NO: 103170

Product ID: 1 LTR 290 SEALING COMPOUND GREEN, 29043

MSDS Prepared Date: 05/24/1993

Review Date: 07/17/1997

MFN: 2

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: BT

Container

QTY: 0

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

=====
Product ID: 1 LTR 290 SEALING COMPOUND GREEN, 29043
Cage: 7K128
Company Name: LOCTITE CORP
Street: 705 N MT RD
City: NEWINGTON CT
Zipcode: 06111
Health Emergency Phone: 203-278-1280
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE
INDIVIDUALS.
SEE HEALTH HAZARDS.
=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of Am

erica and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.