AM MULTIGRAPHICS -- CYLINDER CLEANER,83-5-101395 -- 6850-00-066-6630

Product ID:CYLINDER CLEANER,83-5-101395 MSDS Date:03/01/1995 FSC:6850 NIIN:00-066-6630 MSDS Number: BXQZZ === Responsible Party === **Company Name: AM MULTIGRAPHICS** Address:1800 W CENTRAL ROAD City:MOUNT PROSPECT State:IL ZIP:60056-2293 Country:US Info Phone Num:708-870-5121/708-870-5087 Emergency Phone Num:708-870-5121 (DAY) 398-1900 (NIGHT) CAGE:0FTL5 === Contractor Identification === Company Name: AM MULTIGRAPHICS Address:1800 WEST CENTRAL ROAD City:MT. PROSPECT State:IL ZIP:60056 Country:US Phone:708-5121/ EVEN 708-398-1900 CAGE:0FTL5 Company Name: AM MULTIGRAPHICS Address:4301 W. BROAD STREET Box:City:RICHMOND State:VA ZIP:23230-3394 Country:US Phone:804-353-0111 CAGE:1A714 Company Name: AM MULTIGRAPHICS DIV OF AM INTL INC Address:431 LAKEVIEW CT Box:City:MOUNT PROSPECT State:IL ZIP:600

56-6048 Country:US Phone:847-375-1700 CAGE:09177 Company Name:TRIMAN INDUSTRIES INC Address:420 COMMERCE LN SUITE 8 Box:City:WEST BERLIN State:NJ ZIP:08091 Country:US Phone:856-767-7945 /FAX: 856-767-7154 CAGE:0ZBE8

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (SARA 313) CAS:1344-28-1 RTECS #:BD1200000 Fraction by Wt: 10 - 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name: ALUMINUM SULFATE CAS:10043-01-3 RTECS #:BD1700000 Fraction by Wt: 10 - 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9495 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SILICA, FUMED. CAS:7631-86-9 Fraction by Wt: 2 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 65 - 78% Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

====== Hazards Identification ======

\_\_\_\_\_

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: RESPIRATORY SYSTEM. ACUTE- EYE CONTACT MAY CAUSE IRRITATION. SKIN CONTACT MAY CAUSE MILD IRRITATION. IF SOLUTION DRIES, ALUMINA AND SILICA CAN CAUSE RESPIRATORY DISCOMFORT, HARMFUL IF SW ALLOWED, MAY CAUSE MILD STOMACH IRRITATION. CHRONIC- UNKNOWN. Explanation of C arcinogenicity:NONE Effects of Overexposure: IRRITATION Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING RESPIRATORY DISORDER MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE DRIED PRODUCT. First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. CALL PHYSICIAN.

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. EVACUATE PERSONNEL TO A SAFE AREA.

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED. PH ADJUSTMENT MAY BE REQUIRED. Neutralizing Agent:WEAK BASE

Handling and Storage Precautions:STORE IN CLOSED CONTAINER. KEEP FROM FREEZING.

Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

======= Exposure Controls/Personal Protection ==========

Respi

ratory Protection:NONE REQUIRED IN NORMAL USE. Ventilation:ADEQUATE Protective Gloves:LATEX RUBBER Eye Protection:CHEMICAL SPLASH GOGGLES/SAFETY GLASSES Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

HCC:C3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.15 pH:3 Evaporation Rate & amp; Reference: