View NSN Online: https://aerobasegroup.de/nsn/6750-01-033-8500

Product ID:123 7593 REVERSAL BATH AND REPLENISHER PROCESS E-6 AND E-6AR MSDS Date:06/10/1995 FSC:6750 NIIN:01-033-8500 **MSDS Number: BXRBS** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 С ountry:US Info Phone Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 55-60% Other REC Limits:NONE RECOMMENDED

Ingred

Name:SODIUM PROPIONATE CAS:137-40-6 RTECS #:UF7525000 Fraction by Wt: 15-20% Other REC Limits:NONE RECOMMENDED

Ingred Name:SUBSTITUTED PHOSPHONATE (PHOSPHONIC ACID (NITRILO TRIS(METHYLENE))TRI-) CAS:6419-19-8 RTECS #:SZ9860000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPIONIC ACID (CERCLA) CAS:79-09-4 RTECS #:UE5950000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM; 9495 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:STANNOUS CHLORIDE, SOLID CAS:7772-99-8 RTECS #:XP8700000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG SN/M3 ACGIH TLV:2 MG SN/M3

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: LOW HAZARD FOR RECOMMENDED HANDLING FOR INHALATION, SKIN CONTACT AND INGESTION. NO SPECIFIC HAZARD KNOWN FOR EYE CONT ACT; MAY CAUSE TRANSIENT IRRITATION.

CHRONIC: NONE SPECIFIED BY MANUFACTURER .

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
 OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
 Effects of Overexposure:EYES-IRRITATION, TEARING, REDNESS, DISCOMFORT.
 Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALED-IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL

ATTENTION IF SYMPTOMS PERSIST. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES, OCCASIONALLY LIFTING LIDS. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR O R PERSIST. SKIN-WASH WITH SOAP & WATER.SEEK MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTED-IF CONSCIOUS, DRINK 1-2 GLASSES WATER. SEEK MEDICAL ATTENTION.

Flash Point:NONE Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.

Fire Fighting Proc

edures:WEAR SELF-CONTAINED BREATHING APPARATUS AND

PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMI NATION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: USE WITH ADEQUATE VENTILATION. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP CONTAINER CLOSED.
Other Precautions: ECOLOGICAL DATA: MODERATE BOD AND MAY CAUSE OXYGEN DEPLETION IN AQUEOUS SYSTEMS. LOW POTENTIAL TO AFFECT AQUATIC ORGANISMS. LOW POTENTIAL TO AFFECT SECONDARY WASTE TREATMENT MICROBIAL METABOLISM, LOW POTEN
TIAL TO BIOACCUMULATE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation: GOOD GENERAL VENTILATION (10 ROOM AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS Protective Gloves: IMPERVIOUS-RUBBER.

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER, WASHING FACILITIES.

Work Hygienic Practices: WASH HANDS AFTER HANDL

ING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health CONCENTRATE. THIS MSDS REPRESENTS AN UPDATE OF PREVIOUS MSDS.

HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 MM HG Vapor Density:0.6 Spec Gravity:1.24 pH:6.0 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID; SLIGHTLY SOUR ODOR. Percent Volatiles by Volume:55-60

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES OF PHOSPHOROUS.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO LOCAL, STATE AND FEDERAL R EGULATIONS. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.