

CANON U.S.A., INC. -- F41-6912-000, CLC 500 STARTER (BLACK)

MSDS Safety Information

FSC: 6850

NIIN: 01-281-5705

MSDS Date: 12/01/1991

MSDS Num: BXYRZ

Product ID: F41-6912-000, CLC 500 STARTER (BLACK)

MFN: 02

Responsible Party

Cage: 08YZ7

Name: CANON U.S.A., INC.

Address: ONE CANON PLAZA

City: LAKE SUCC

ESS NY 11042

Info Phone Number: 516-488-6700

Emergency Phone Number: 516-488-6700/800-424-9300(CHEMTREC)

Proprietary Ind: Y

Review Ind: Y

Published: Y

Contractor Summary

Cage: 08YZ7

Name: CANON USA INC

Address: ONE CANON PLZ

City: NEW HYDE PARK NY 11042

Phone: 516-328-5000; 5600

Item Description Information

Item Manager: S9G

Item Name: DEVELOPER,INDIRECT ELECTROSTATIC PROCESS

Unit of Issue: EA

UI Container Qty: 0

Type of Container: UNKNOWN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixtu

re: PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED
Route Of Entry Inds - Inhalation: YES
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE-INHALATION:TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDL ING. CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE.
Explanation Of Carcinogenicity: MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.
Signs And Symptoms Of Overexposure: EYE IRRITATION. MFR GAVE NO FURTHER INFORMATION ON MSDS.
Medical Cond Aggravated By Exposure: MFR GAVE NO INFORMATION ON MSDS.
First Aid: INHALATION:REMOVE FROM EXPOSURE TO FRESH AIR. EYE:OPEN EYE AND FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER. INGESTION:DRINK SEVERAL GLASSES OF WATER.

CALL PHYS.

=====
Handling and Disposal
=====

Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.
Neutralizing Agent: MFR GAVE NO INFORMATION ON MSDS.
Waste Disposal Methods: NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. ENSURE COMPLIANCE WITH FEDERAL, STATE AND/OR LOCAL REGULATIONS.
Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN. KEEP FROM CONTACT WITH OXIDIZING MATERIALS.
Other Precautions: MFR GAVE NO INFORMATION ON MSDS.

=====
Fire and Explosion Hazard Information
=====

Extinguishing Media: WATER, DRY CHEMICAL, CO2.
Fire Fighting Procedures: NONE
Unusual Fire/Explosion Hazard: THIS MATERIAL, LIKE MOST ORGANIC MATERIALS IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

=====
Control Mea

sures

=====

Respiratory Protection: MFR GAVE NO INFORMATION ON MSDS.
Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.
Protective Gloves: NONE REQUIRED
Eye Protection: NONE REQUIRED
Other Protective Equipment: NONE.
Work Hygienic Practices: MFR GAVE NO INFORMATION ON MSDS.
Supplemental Safety and Health: MSDS RECEIVED FROM THE AIR FORCE (FOCAL POINT F). NSN IDENTIFIED BY FOCAL POINT F. PART NUMBER ON MSDS (F41-6902-000) DOES NOT MATCH THE ONE ON THE CTDF (F41-5102-700).

=====

Physical/Chemical Properties

=====

HCC: N1
NRC/State LIC No: NONE
M.P/F.P Text: >212F,>100C
Decomp Text: UNKNOWN
Spec Gravity: 1.0-4.5
Viscosity: UNKNOWN
Evaporation Rate & Reference: NEGLIGIBLE (N-BUAC = 1)
Solubility in Water: NOT SOLUBLE
Appearance and Odor: FINE POWDER, SLIGHT PLASTIC ODOR.
Percent Volatiles by Volume: NEGLIG
Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

Stability Indicator: YES
Stability Condition To Avoid: MFR GAVE NO INFORMATION ON MSDS.
Materials To Avoid: STRONG OXIDIZERS.
Hazardous Decomposition Products: AS WITH ANY OTHER ORGANIC MATERIAL DECOMPOSITION WILL PRODUCE CO2 AND CO.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

Transportation Information

=====

Responsible Party Cage: 08YZ7
Trans ID NO: 121705
Product ID: F41-6912-000, CLC 500 STARTER (BLACK)
MSDS Prepared Date: 12/01/1991
Review Date: 09/12/1995
MFN: 2
Net Unit Weight: UNKNOWN
Multiple KIT Number: 0

Review IND: Y
Unit Of Issue: EA
Container QTY: 0
Type Of Container: UNKNOWN

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR
THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====

HAZCOM Label

=====

Product ID: F41-6912-000, CLC 500 STARTER (BLACK)

Cage: 08YZ7

Company Name: CANON USA INC

Street: ONE CANON PLZ

City: NEW HYDE PARK NY

Zipcode: 11042

Health Emergency Phone: 516-488-6700/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 09/12/1995

Status Code: C

MFG Label NO: NONE

Label Date: 09/12/1995

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Si

gnal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: **TARGET-ORGANS:RESPIRATORY SYSTEM **

ACUTE-INHALATION:TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO
SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE
IRRITATI NG. SKIN:LOW HAZARD FOR INDUSTRIAL HANDLING. CHRONIC-NO DATA
AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE. KEEP OUT OF REACH OF
CHILDREN.

KEEP FROM CONTACT WITH OXIDIZING MATERIALS. IN CASE OF SPILL: SWEEP MATERIAL
ONTO PAPER AND PLACE IN FIBER CARTON.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
vi

ability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of sim

ilarity to a corresponding Department
of Defense or other government situation.