View NSN Online: https://aerobasegroup.de/nsn/6850-01-318-3904

Product ID:F41-6921-000, CLC-500/550 TONER RED (MAGENT MSDS Date:01/01/1987 FSC:6850 NIIN:01-318-3904 MSDS Number: BXVRQ === Responsible Party === **Company Name: CANON INC** Address:1128 MITA 3 CHOME MINATO KU City:TOKYO Country: JA Info Phone Num:03-758-2111 **Emergency Phone Num:NONE** CAGE:S45 46 === Contractor Identification === **Company Name: CANON INC** Address:11 28 MITA 3 CHOME MINATO KU Box:City:TOKYO Country: JA Phone:03-758-2111 CAGE:S4546

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE CAS:39382-25-7 Fraction by Wt: 85-95% Other REC Limits:NONE RECOMMENDED

Ingred Name:SALICYLIC ACID CHROMIUM (III) CHELATE CAS:72869-85-3 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGENTA PIGMENT Fracti on by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL RAT) = >5000 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE-INHALATION: TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDL ING. CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE. Explanation of Carcinogenicity: IN ADDITION TO THE ABOVE, PRODUCT IS NEGATIVE W/REGARD TO: ACGIH CANCER, CALIFORNIA CANCER & REPRODUCTIVE EFFECTS. Effects of Overexposure: EYE IRRITATION. Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS. First Aid: IF ANY SYMPTOMS OCCUR, GET IMMEDIATE MEDICAL ATTENTION. INH ALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. EYE: FLUSH W/PLENTY OF WATER FOR 15 MIN. SKIN: FLUSH W/WATER 15 MIN. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INGESTION: DRINK 1-2 GLASSES OF WATER. GET IMMEDIATE MEDICAL ATTENTION. Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON. Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS. ====== Handling and Storage ==== \_\_\_\_\_ Handling and Storage Precautions: AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. Other Precautions: MFR GAVE NO INFORMATION ON MSDS. Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation: USE GOOD GENERAL VENTILATION (10 CHANGES/HR). MATCH VENTILATION RATES TO CONDITIONS. Protective Gloves: IMPERVIOUS GLOVES Eye Protection: MINIMIZE EYE CONTACT Other Protective Equi

pment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER. PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE.
Work Hygienic Practices: FOLLOW GOOD INDUSTRIAL HYGIENE PRACTICE INCLUDING PREVENTING EYE CONTACT, MINIMIZING SKIN CONTACT & INHALATION.
Supplemental Safety and Health NONE
======================================
HCC:N1
======================================
Hazardous Decomposition Products: AS WITH ANY OTHER ORGANIC MATERIAL
DECOMPOSITION WILL PRODUCE CO2 AND CO. Conditions to Avoid Polymerization:WILL NOT OCCUR.
======================================
Waste Disposal Methods:INCINERATE OR LANDFILL, CAN BE INCINERATED WHEN IN COMPLIANCEWITH LOCAL REGULATIONS. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. EMPTY RECEPTACLE MAY BE RECYCLE D.
Disclaimer (provided with this information by the compiling agencies): This informati
on is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.