View NSN Online: https://aerobasegroup.de/nsn/6810-01-412-0075

FISHER SCIENTIFIC CO CHEMICAL DIV. -- ACETONE -- 6810-01-412-0075

Product ID:ACETONE MSDS Date:12/02/1994

FSC:6810

NIIN:01-412-0075

MSDS Number: BXWHG === Responsible Party ===

Company Name: FISHER SCIENTIFIC CO CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ ZIP:07410 Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100 OR 201-796-

7523

CAGE:1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802 Country:US

Phone:201-796-7100

CAGE:1B464

======= Composition/Information on Ingredients ========

Ingred Name: ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Flash Point Method:CC Flash Point:-4F,-20C Autoignition Temp: Autoignition Temp Text: 869F Lower Limits: 2.5 % Upper Limits:13 % Extinguishing Media: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL-**RESISTANT FOAM** Fire Fighting Procedures: MOVE CONTAINER FROM FIRE AREA IF CAN DO SO. APPLY COOLING WATER TO SIDES OF CONTAINERS THAT ARE EXPOSED TO FLAMES. STAY AWAY FROM ENDS OF TANKS. Unusual Fire/Explosion Hazard: VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL A CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. ====== Exposure Controls/Personal Protection ======== Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:F2 Boiling Pt:B.P. Text:133F,56C Melt/Freeze Pt:M.P/F.P Text:-139F,-95C Vapor Pres:180 Vapor Density:2.0 Spec Gravity:0.7899 Evaporation Rate & Evaporation R Solubility in Water: VERY SOLUBLE Appearance and Odor: CLEAR, COLORLESS, VOLATILE LIQUID WITH A CHARACTERISTIC SWEETISH ODOR Percent Volatiles by Volume:100 % ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ACIDS, AMINES, BROMINE, NITRIC ACID Stability Condition to Avoid: HEAT, OPEN FLAME Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unite

====== Fire Fighting Measures ===========

d States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.