

N/P -- SAF-T-LOK PRIMER -- 8030-00-935-5816

Product ID:SAF-T-LOK PRIMER

MSDS Date:01/01/1987

FSC:8030

NIIN:00-935-5816

MSDS Number: BXWLS

=== Responsible Party ===

Emergency Phone Num:804-279-4371

CAGE:4Z400

=== Contractor Identification ===

Company Name:SAF-T-LOK CHEMICAL CORPORATION

Address:300 EISENHOWER LANE NORTH

City:LOMBARD

State:IL

ZIP:60148

Country:US

Phone:708-971-2001

CAGE:4Z400

=====
Composition/Information o
n Ingredients =====

Ingred Name:1,1,1-TRICHLOROETHANE (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Other REC Limits:NONE SPECIFIED

ACGIH TLV:350 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

=====
Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:EXCESSIVE INHALATION OF VAPORS CAN
CAUSE NASAL AND RESPIRATORY IRRITATION. SEE SYMPTOMS.

Effects of Overexposure

:INHALATION: DIZZINESS, WEAKNESS, NAUSEA,

HEADACHE, POSSIBLY UNCONSCIOUSNESS. CONTACT WITH EYES: CAN CAUSE
SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION. SKIN:

PROLONGED OR REPEATED CONTACT CAN CAUSE IRRITATION & DERMATITIS.

INGESTION:GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====
First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED,
GIVE

ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION. DO NOT GIVE STIMULANTS. EYE CONTACT: FLUSH WITH WATER, SEE PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING, CALL PHYSICIAN. SKIN CONTACT: WASH WITH SOAP AND WATER.

=====
===== Fire Fighting Measures =====

Flash Point:>212F,>100C; SCC

=====
===== Accidental Release Measures =====

Spill Release Procedures:PROVIDE ADEQUATE VENTILATION. SOAK UP WITH SAND, CLAY, EARTH, OR OTHER ABSORBENT MATERIAL AND SHOVEL INTO CONTAINER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT USE IN POORLY VENTILATED OR CONFINED SPACES. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. STORE IN A COOL PLACE AWAY FROM HEAT AND FLAMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED, AN APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED.

Ventilation:LOCAL EXHAUST: YES. MECHANICAL (GENERAL): IF NEEDED.

Protective Gloves:POLYETHYLENE OR POLYVINYL

Eye Protection:SAFETY GLASSES, FACE SHIELD IF SPLASH

Other Protective Equipment:EYE WASH FOUNTAIN

Work Hygienic Practices:AVOID PROLONGED BREATHING OF VAPORS OR CONTACT WITH EYES. DO NOT TAKE INTERNALLY.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:T4

=====
===== Stability and Reactivity Data =====

Hazardous Decomposition Products:THER

MAL DECOMPOSITION RELEASES

HYDROGEN CHLORIDE & SMALL AMOUNTS OF PHOSGENE & CHLORINE.

===== Disposal Considerations =====

Waste Disposal Methods:CONTAMINATED ABSORBENT MAY BE DEPOSITED IN A
LANDFILL IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner wha
tsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.