

N/P -- GAGE BLOCK PRESERVATIVE -- 8030-01-014-5065

Product ID:GAGE BLOCK PRESERVATIVE

MSDS Date:01/01/1987

FSC:8030

NIIN:01-014-5065

MSDS Number: BXWLV

=== Responsible Party ===

CAGE:02637

=== Contractor Identification ===

Company Name:DOALL COMPANY

Address:254 N LAUREL AVE

City:DES PLAINES

State:IL

ZIP:60016-4321

Country:US

CAGE:02637

=====
===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT NAPHT

HA (PETROLEUM) MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 60%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),
HEAVY PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification

=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: MINOR IRRITATION. SKIN:
DEFATTING, AND/OR MINOR IRRITATION. SKIN ABSORTIONP: NOT EXPECTED
TO OCCUR.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:INHALATION-BREATHING DIFFICULTY.
INGESTION-NAUSEA, AND/OR DIARRHEA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====

===== First Aid Measures =====

First Aid:INHALE: REMOVE TO FRESH AIR. IF NECESSARY, SUPPORT BRTHG. GET
MEDICAL AID. EYE: FLUSH W/WATER FOR AT LEAST 15 MINUTES. IF
IRRITATION PERSISTS, GET MEDICAL AID. SKIN: WASH EXPOSED AREA WITH
MILD SOAP A ND WARM WATER ONLY. DO NOT USE HARSH SOAP OR SOLVENT.
SKIN ABSORPTION: GET MEDICAL ATTENTION. INGEST: KEEP WARM AND
QUIET. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

==

Flash Point:100F,38C; COC

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS: USE ABSORBANT MATERIAL. LARGE
SPILL: DIKE AND PUMP INTO DRUM. RESIDUE: MOP WITH SOAP AND WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE DRY IN A CLOSED CONTAINER IN A
COOL PLACE AWAY FROM ANY FIRE SOURCE.
Other Precautions:AVOID BREA
THING MIST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.
Ventilation:GENERAL MECHANICAL VENTILATION SHOULD BE ADEQUATE. IF
MISTING OCCURS, PROVIDE LOCAL VENTILATION.
Protective Gloves:NEOPRENE GLOVES THAT ARE IMPERMAEBLE.
Eye Protection:SAFETY GOGGLES OR FACE SHIELD.
Other Protective Equipment:AN EMERGENCY SHOWER & EYEWASH SHOULD BE
AVAILBLE IN WORK AREA.
Work Hygienic Practices:PRACTICE REASONABLE PERSONAL H

YGIENE. WASH

EXPOSED SKIN W/MILD SOAP & WARM WATER ONLY.

Supplemental Safety and Health

OIL SOAKED CLOTHING SHOULD BE CHANGED PROMPTLY AND LAUNDERED BEFORE RE-WEARING. ****MSDS STATES THAT SUBSTANCE IS NOT CLASSIFIED AS HAZARDOUS.*****

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:TREAT AS AN OILY WASTE AND DISPOSE OF I/A/W LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.