

LOCTITE CORP -- SMALL SCREW THREADLOCKER 222, 22231

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-069-3046
MSDS Date: 05/27/1992
MSDS Num: BXYRD
Product ID: SMALL SCREW THREADLOCKER 222, 22231
MFN: 03
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MOUNTAIN RD
City: NEWINGTON CT 0
6111
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BT
Quantitative Expression: 00000000050CC
UI Container Qty: 0

=====
Ingredients
=====

Cas: 25852-47-5
Name: POLYETHYLENE GLYCOL DIMETHACRYLATE; (POLYGLYCOL DIMETHACRYLATE)
% Wt: 55-60
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP)

N)

Cas: 9004-96-0
RTECS #: TQ9100000
Name: POLYGLYCOL OLEATE
% Wt: 35-40
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 81-07-2
RTECS #: DE4200000
Name: 1,2-BENZISOTHIAZOLIN-3-ONE,1,1-DIOXIDE; (SACCHARIN) (SARA 313) (CERCLA)
% Wt: 3-5
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 80-15-9
RTECS #: MX2450000
Name: HYDROPEROXIDE, ALPHA, ALPHA-DIMETHYLBENZYL-; (CUMENE HYDROPEROXIDE) (SARA 313) (CERCLA)
% Wt: 1-3
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 67-56-1
RTECS #: PC1400000
Name: METHYL ALCOHOL (METHANOL) (SARA 313) (CERCLA). LEL: 6%. UEL: 36%
% Wt: 1-3
OSHA PEL: 200 PPM, S
ACGIH TLV: 200 PPM; 250 STEL, S
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 112945-52-5
RTECS #: VV7310000
Name: SILICA, AMORPHOUS FUMED; (SILICA, AMORPHOUS TREAT

ED)
% Wt: 1-3
OSHA PEL: 6 MG/M3
ACGIH TLV: 10 MG/M3

Cas: 613-48-9
Name: N,N-DIALKYL TOLUIDINE
% Wt: 0.1-1
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 13463-67-7
RTECS #: XR2275000
Name: TITANIUM OXIDE; (TITANIUM DIOXIDE)
% Wt: 0.1-0.5
OSHA PEL: 15 MG/M3 TDUST
ACGIH TLV: 10 MG/M3 TDUST

RTECS #: 9999999VO
Name: VOLATILE ORGANIC COMPOUND: 13.2%; 138.6 G/L (EPA METHOD 24)
OSHA PEL: N/K (FP N)
ACGIH TLV: N
/K (FP N)
=====

Health Hazards Data
=====

LD50 LC50 Mixture: LD50: (ORAL) >5000 MG/KG
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: YES
OSHA: NO
Effects of Exposure: MILD EYE IRRITANT. MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.
Explanation Of Carcinogenicity: SACCHARIN: IARC MONOGRAPHS, SUPPLEMENT, VOL 7, PG 334, 1987: GROUP 2B.
Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.
Medical Cond Aggravated By Exposure: NONE KNOWN.
First Aid: INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) (FP N). INGEST: DO NOT INDUCE VOMITING. KEEP INDIVIDUALS CALM. OBTAIN MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.
=====

Handling and Disposal
=====

=====
Spill Release Procedures: SOAK UP WITH AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: INCINERATE FOLLOWING EPA, FEDERAL, STATE AND LOCAL REGULATIONS.
Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF LIFE.
Other Precautions: AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.
=====

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC
Flash Point Text: >200F,>93C
Lower Limits: SEE ING 5
Upper Limits: SEE ING 5
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).
Unusual Fire/Explosion Hazard: NONE.
=====

Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).
Ventilation: DOES NOT APPLY.
Protective Gloves: RUBBER OR PLASTIC GLOVES.
Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.
=====

==
Physical/Chemical Properties
=====

HCC: V7
B.P. Text: >300F,>149C
Vapor Pres: <5 @ 80F
Spec Gravity: 1.05 @ 80F
Solubility in Water: SLIGHT
Appearance and Odor: PURPLE LIQUID; MILD ODOR.
=====

Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: NONE.
Hazardou

s Decomposition Products: HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL
DECOMPOSITION: IRRITATING ORGANIC VAPORS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

=====
Product ID: SMALL SCREW THREADLOCKER 222, 22231

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 06/14/1995

Status Code: C

Label Date: 06/14/1995

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivit

y Hazard: None

Hazard And Precautions: ACUTE: MILD EYE IRRITANT. MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. CHRONIC: CANCER HAZARD. CONTAINS SACCHARIN WHICH IS LISTED AS A BLADDER CARCINOGEN (FP N).

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expresses

any opinion, intent, or implied
warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility

for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.