

NILES CHEMICAL PAINT CO. -- XE-8402A 383 BROWN TYPE II -- 8010-01-160-6746

=====
Product Identification
=====

Product ID:XE-8402A 383 BROWN TYPE II
MSDS Date:05/25/1995
FSC:8010
NIIN:01-160-6746
Kit Part:Y
MSDS Number: BYCNS
=== Responsible Party ===
Company Name:NILES CHEMICAL PAINT CO.
Address:225 FORT STREET
Box:307
City:NILES
State:MI
ZIP:49120
Country:US
Info Phone Num:616-683-3377
Emergency
Phone Num:219-236-5856
Preparer's Name:MIKE LICHTOWICH
CAGE:02388

==== Contractor Identification ====

Company Name:NILES CHEMICAL PAINT
Address:225 FORT STREET
Box:307
City:NILES
State:MI
ZIP:49120
Country:US
Phone:616-683-3377/219-236-5856
CAGE:02388

=====
Composition/Information on Ingredients
=====

Ingred Name:DIATOMACEOUS SILICA
CAS:14464-46-1
Fraction by Wt: 26%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:0.08 MG/M3

Ingred Name:PM ACETATE (VP = 3.7 MMH

G @ 20C)
CAS:108-65-6
RTECS #:AI8925000
Fraction by Wt: 6%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:NOT EST.

Ingred Name:POLYESTER RESIN
Fraction by Wt: 14%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BUTYL ACETATE (VP = 10 MMHG @ 20C)
CAS:123-86-4
RTECS #:AF7350000
Fraction by Wt: 9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:150 PPM
ACGIH TLV:150 PPM/STEL 200 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ISOBUTYL KETONE (SARA 313) (VP = 15 @ 20C)
CA
S:108-10-1
RTECS #:SA9275000
Fraction by Wt: 9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM/STEL 150 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (SARA 313) (VP = 71.2 MMHG @ 20C)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM
ACGIH TLV:200 PPM/STEL 300 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:GREEN PIGMENT (AS CR) (SARA 313)
CAS:1308-38-9
RTECS #:GB6475000
Fraction b

y Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1.0 MG/M3
ACGIH TLV:0.5 MG/M3

Ingred Name:XYLENE (VP = 7.0 @ 20C)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 6%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM/STEL 150 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:MAGNESIUM FERRITE
CAS:12068-86-9
Fraction by Wt: 8%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:NOT EST.

Ingred Name:PROPRIETARY INGREDIENTS (NON HAZ.)
Fraction by Wt: BALANC
E
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:NOT EST.

Ingred Name:BLACK PIGMENT
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: