

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- BRITE EYES WET LOOK PREMIUM  
GRADE FLOOR FINISH #5215 -- 7930-01-381-3388

===== Product Identification =====

Product ID:BRITE EYES WET LOOK PREMIUM GRADE FLOOR FINISH #5215

MSDS Date:02/24/1995

FSC:7930

NIIN:01-381-3388

MSDS Number: BYCTS

=== Responsible Party ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH

ST

City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Phone:215-922-1200

CAGE:93607

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: PROP.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NA

ACGIH TLV:NA

Ingred Name:ACRYLIC ACID POLYMER

Fraction by Wt: PROP.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:NOT EST.

Ingred Name:2-(2-METHOXYETHOXY)-ETHANOL (LD50 ORAL=9.21G/KG)

CAS:111-77-3

RTECS #:KL6125000

Fraction by Wt: PROP.

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYETHYLENE EMULSIONS

CAS:67892-91-5

Fraction by Wt: PROP.

Other REC Limits:NONE RECOMMENDED

J9800000

Fraction by Wt: PROP.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3000 MG/KG

ACGIH TLV:3000 MG/KG

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: MAY IRRITATE. INGESTION:  
MAY BE HARMFUL IF SWALLOWED.

Medical Cond Aggravated by Exposure:NONE

=====  
===== First Aid Measures =====

F

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID.

SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL  
AID. INGESTION: INDUCE VOMITING. GET MEDICAL AID.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:NONE TO BOILING

Lower Limits:NA

Upper Limits:NA

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:RECONTAINERIZE BY MOPPING,

WET VACUUM OR

SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS  
OF SLIPPERY FLOORS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE BETWEEN 40-120F.

Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE &  
STORAGE BY SERVICE PERSONNEL ONLY.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED

Ventilation:LOCAL

Protective Gloves:NOT REQUIRE

D  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:=WATER  
Vapor Density:=WATER  
Spec Gravity:1.032  
pH:8.5  
Evaporation Rate & Reference:=WATER  
Solubility in Water:DISPERSES  
Appearance and Odor:OPAQUE, WHITE, THIN LIQUID W/CHARACTERISTIC ACRYLIC  
ODOR

===== Stability and Reactivity Data =====

Stability Indi  
cator/Materials to Avoid:YES  
STRONG ACIDS & OXIDIZERS  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:CARBON OXIDES & ACRYLATES

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatso  
ever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.