View NSN Online: https://aerobasegroup.de/nsn/3439-01-381-5148 TECHNOLOGIES, INC., ALLOYS DIV. -- AI-1007 CHROMIUM MILLER THERMAL INTL. CARBIDE-NICHROME -- 3439-01-381-5148 Product ID:AI-1007 CHROMIUM CARBIDE-NICHROME MSDS Date:09/27/1991 FSC:3439 NIIN:01-381-5148 MSDS Number: BYFDF === Responsible Party === Company Name: MILLER THERMAL TECHNOLOGIES, INC., ALLOYS INTL. DIV. Address: 1901 ELLIS SCHOOL ROAD City:BAYTOWN State:TX ZIP :77521-1215 Country:US Info Phone Num:713-426-5535 Emergency Phone Num:713-426-5535 CAGE:06677 === Contractor Identification === Company Name: MILLER THERMAL TECHNOLOGIES, INC., ALLOYS INTL. DIV. Address:1901 ELLIS SCHOOL ROAD Box:City:BAYTOWN State:TX ZIP:77521-1215 Country:US Phone:713-426-5535 CAGE:06677 Ingred Name:NICKEL (SARA 313) (CERCLA) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 20% Other REC Limits:NONE RECOMMENDE D OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9495 Ingred Name:CHROMIUM (SARA 313) (CERCLA) CAS:7440-47-3 RTECS #:GB4200000 Fraction by Wt: 69% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:0.5 MG/M3; 9495 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name:CARBON Fraction by Wt: 11% Other REC Limits:NONE RECOMMENDED Ingred Name: PER MSDS HAZARDOUS MIXTURES OF OTHER LIQ/SOLID/GASES: NONE

TO MFG'S KNOWLEDGE.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic: EFFECTS ASSOCIATED W/OVEREXPOSURE TO METAL DUSTS MAY INCLUDE RESPIRATORY IRRIT, CONJUCTIVITIS, PNEUMOCONISIS, ETC. Explanation of Carcinogenicity: CONTAINS NICKEL & CHROMIUM. Effects of Overexposure: RESPIRATORY IRRITATION, CONNUCTIVITIS, PNEUMOCONISIS, ETC. Medical Cond Aggravated b v Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: IF IRRITATION OCCURS FLUSH EYES, WASH SKIN, REMOVE TO FRESH AIR, AS APPLICABLE. CONTACT PHYSICIAN. Flash Point:NONE Extinguishing Media: CALSS D FIRE: DO NOT USE WATER. USE DRY CHEMICAL, DRY SAND OR CO2 TO SMOTHER FIRE. Fire Fighting Procedures: FIRE MAY BE ISOLATED & ALLOWED TO BURN ITSELF OUT.D O NOT DISTURB BURNING METAL WHILE EXTINGUISHING FIRE.FIREFIGHTERS SHOULD WEAR SCBA & PROTECTIVE CLOTH/EQPMT. Unusual Fire/Explosion Hazard: EXPLOSIONS MAY BE INITIATED BY EXPOSING ANY CONCENTRATED DUST SUSPENSION ENCLOSED INDUSTRIAL AREA TO SPARK OR FLAME REGARDLESS OF CHEM NATURE OF DUST. Spill Release Procedures: AVOID AIRBORNE DUST GENERATION WHERE POSSIBLE USE VAC SUCTION TO CLEAN SPILL MATL.USE HIGH EFFICIEN CY PARTICULATE ARRESTING(HEPA)FILTER IF VAC EXHAU IS DISCHARGED INTO WORKPLACE.USE DUST SUPPRESSANT W HERE SWEEPING NECESSARY.PERSONAL SAFETY(SUPPLEME)

Handling and Storage Precautions: AVOID & CONTROL OPERATIONS WHICH CREATE DUSTING.KEEP IN CLOSED CONTAINERS.DO NOT STORE NEAR STRONG OXIDIZERS.

Other Precautions:NONE.HOWEVER WARNING LABEL SUBMITTED W/MSDS:MAY CAUSE ALLERGIC RX.AVOID PROLONGED SKIN CONTAC

T & INHALING DUST.POSSIBLE CANCER HAZARD.

Respiratory Protection: INDUSTRY AREAS USE NIOSH APPROVED SCHEDULE 21C RESPIRATOR.

Ventilation:LOCAL EXHAUST RECOMMENDED WHERE DUSTING MAY OCCUR. MECHANICAL (GENERAL):USE FOR GENERAL AREA CONTROL.

Protective Gloves:FOR EXTENDED USAGE.

Eye Protection:SAF GLASSES OR GOGGLES.

Other Protective Equipment: WORK CLOTHES.DO NOT WEAR CONTACT LENSES.

Work Hygienic Practices:WASH HANDS

AFTER HANDLING.

Supplemental Safety and Health

SPILL:RECOMMENDATION DESCRIBED ELSEWHERE ON MSDS APPLY TO EXPO DURING SPILL CLEANUP PROCEDURES.

HCC:N1 Spec Gravity:4.11 Solubility in Water:INSOLUBLE. Appearance and Odor:GRAY POWDER, NO ODOR.

Stability Indicator/Materials to Avoid:YES ACIDS, STRONG OXIDIZERS, STRONG BASES & MOISTURE. Stability Condition t o Avoid:GENERATION OF AIRBORNE DUST. Hazardous Decomposition Products:NONE.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.