

LPS LABORATORIES,INC. -- ELECTRO 140 CONTACT CLEANER,00905

=====

MSDS Safety Information

=====

FSC: 6850

NIIN: 01-418-1699

MSDS Date: 11/01/1993

MSDS Num: BYFDX

Product ID: ELECTRO 140 CONTACT CLEANER,00905

MFN: 01

Responsible Party

Cage: 66724

Name: LPS LABORATORIES,INC.

Address: 4647 HUGH HOWELL ROAD

City: TUCK

ER GA 30085-5052

Info Phone Number: 404-934-7800

Emergency Phone Number: 404-934-7800/800-424-9300(CHEMTREC)

Preparer's Name: JOHN ROUDEBUSH

Review Ind: Y

Published: Y

=====

Contractor Summary

=====

Cage: 66724

Name: LPS LABORATORIES, INC.

Address: 4647 HUGH HOWELL ROAD

City: TUCKER GA 30085-5052

Phone: 404-934-7800

=====

Item Description Informa  
tion

=====

Item Manager: S9G

Item Name: CLEANING COMPOUND,SOLVENT

Specification Number: NONE

Type/Grade/Class: NONE

Unit of Issue: CN

Quantitative Expression: 00000000005GL

UI Container Qty: 0

Type of Container: CAN

=====

Ingredients

=====

Cas: 64475-85-0

RTECS #: PY8240000

Name: MINERAL SPIRITS/ISOPARAFFINIC HYDROCARBON SOLVENT

% Wt: 70 - 90

Oth

er REC Limits: NONE RECOMMENDED  
OSHA PEL: 5 MG/M3 AS OIL MIST  
ACGIH TLV: 5 MG/M3 AS OIL MIST

-----  
Cas: 56539-66-3  
Name: 3-METHOXY-3-METHYL-1-BUTANOL  
% Wt: 10 - 30  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

=====

Health Hazards Data

=====

=====

Handling and Disposal

=====

=====

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC  
Flash Point Text: 144F,62C  
Lower Limits: 1.2%  
Upper Limits: 13.1%  
Extinguishing Media: CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE A DIRECT  
STREAM OF WATER. PRODUCT WILL FLOAT AND MAY REIGNITE.  
Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CO  
NTAINED BREATHING APPARATUS. COOL CONTAINER WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard: CONTAINERS EXPOSED TO FIRE MAY RUPTURE.

Control Measures

=====

=====

Physical/Chemical Properties

=====

HCC: V4  
NRC/State LIC No: NOT RELEVANT  
B.P. Text: 345F,174C  
M.P/F.P Text: UNKNOWN  
Decomp Text:

UNKNOWN  
Vapor Pres: 1 @ 68F  
Vapor Density: 5.9  
Spec Gravity: 0.795  
Viscosity: UNKNOWN  
Solubility in Water: 10-30%  
Appearance and Odor: CLEAR, COLORLESS LIQUID - MILD ODOR  
Percent Volatiles by Volume: 100  
Corrosion Rate: UNKNOWN

=====  
Reactivity Data

=====  
Stability Indicator: YES  
Stability Condition To Avoid: HIGH HEAT, FLAMES, ELECTRIC ARCS, HOT SURFACES  
Materials To Avoid: OXIDIZING AGENTS  
=====

=====  
Toxicological Information

=====  
=====

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

=====  
Responsible Party Cage: 66724  
Trans ID NO: 135573  
Product ID: ELECTRO 140 CONTACT CLEANER,00905  
MSDS Prepared Date: 11/01/1993  
Review Date: 02/22/1996  
MFN: 1  
Radioactivity: NOT RELEV

ANT  
Net Unit Weight: 33.2 LBS  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: CN  
Container QTY: 0  
Type Of Container: CAN

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code:  
ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY  
THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: ELECTRO 140 CONTACT CLEANER,00905  
Cage: 66724  
Company Name: LPS LABORATORIES, INC.  
Street: 4647 HUGH HOWELL ROAD  
City: TUCKER GA  
Zipcode: 30085-5052  
Health Emergency Phone: 404-934-7800/800-424-9300(CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 02/22/1996  
Status Code: C  
MFG Label NO: UNKNOWN  
Label Date: 02/22/1996  
Originat

ion Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: WARNING  
Health Hazard: Moderate  
Contact Hazard: Moderate  
Fire Hazard: Moderate  
Reactivity Hazard: None  
Hazard And Precautions: TARGET ORGANS:EYES, SKIN, CNS, RESPIRATORY & GI TRACTS. ACUTE- EYES:SLIGHT IRRITATION. SKIN:REPEATED/PROLONGED CONTACT MAY CAUSE DRYING, DERMATITIS. INHALE:MAY CAUSE CNS DEPRESSION. ORAL:MAY CAUSE GASTRIC IRRITATION. ASPIRATION HAZARD. CHRONIC- DERMATITIS. STORE IN COOL, VENTILATED AREA AWAY FROM SOURCES OF IGNITION & INCOMPATIBLES. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND. FIRST AID- GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. SEEK IMMEDIATE MEDICAL ATTENTION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this information who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.