

LPS LABORATORIES,INC. -- ELECTRO 140 CONTACT CLEANER,00955

=====  
MSDS Safety Information  
=====

FSC: 6850  
NIIN: 01-418-1700  
MSDS Date: 11/01/1993  
MSDS Num: BYFDY  
Product ID: ELECTRO 140 CONTACT CLEANER,00955  
MFN: 01  
Responsible Party  
Cage: 66724  
Name: LPS LABORATORIES,INC.  
Address: 4647 HUGH HOWELL ROAD  
City: TUCK  
ER GA 30085-5052  
Info Phone Number: 404-934-7800  
Emergency Phone Number: 404-934-7800/800-424-9300(CHEMTREC)  
Preparer's Name: JOHN ROUDEBUSH  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 66724  
Name: LPS LABORATORIES, INC.  
Address: 4647 HUGH HOWELL ROAD  
City: TUCKER GA 30085-5052  
Phone: 404-934-7800

=====  
Item Description Informa  
tion  
=====

Item Manager: S9G  
Item Name: CLEANING COMPOUND,SOLVENT  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: DR  
Quantitative Expression: 00000000055GL  
UI Container Qty: 0  
Type of Container: DRUM

=====  
Ingredients  
=====

Cas: 64475-85-0  
RTECS #: PY8240000  
Name: MINERAL SPIRITS/ISOPARAFFINIC HYDROCARBON SOLVENT  
% Wt: 70 - 90  
Ot

her REC Limits: NONE RECOMMENDED

OSHA PEL: 5 MG/M3 AS OIL MIST

ACGIH TLV: 5 MG/M3 AS OIL MIST

Cas: 56539-66-3

Name: 3-METHOXY-3-METHYL-1-BUTANOL

% Wt: 10 - 30

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Health Hazards Data

Handling and Disposal

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point Text: 144F,62C

Lower Limits: 1.2%

Upper Limits: 13.1%

Extinguishing Media: CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND MAY REIGNITE.

Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-C

ONTAINED BREATHING APPARATUS. COOL CONTAINER WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: CONTAINERS EXPOSED TO FIRE MAY RUPTURE.

Control Measures

Physical/Chemical Properties

HCC: V4

NRC/State LIC No: NOT RELEVANT

B.P. Text: 345F,174C

M.P/F.P Text: UNKNOWN

Decomp Text:

UNKNOWN

Vapor Pres: 1 @ 68F

Vapor Density: 5.9

Spec Gravity: 0.795

Viscosity: UNKNOWN

Solubility in Water: 10-30%

Appearance and Odor: CLEAR, COLORLESS LIQUID - MILD ODOR

Percent Volatiles by Volume: 100

Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: HIGH HEAT, FLAMES, ELECTRIC ARCS, HOT SURFACES

Materials To Avoid: OXIDIZING AGENTS

====

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 66724

Trans ID NO: 135574

Product ID: ELECTRO 140 CONTACT CLEANER,00955

MSDS Prepared Date: 11/01/1993

Review Date: 02/22/1996

MFN: 1

Radioactivity: NOT RELE

VANT  
Net Unit Weight: 366.4 LBS  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: DR  
Container QTY: 0  
Type Of Container: DRUM

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED  
BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: ELECTRO 140 CONTACT CLEANER,00955  
Cage: 66724  
Company Name: LPS LABORATORIES, INC.  
Street: 4647 HUGH HOWELL ROAD  
City: TUCKER GA  
Zipcode: 30085-5052  
Health Emergency Phone: 404-934-7800/800-424-9300(CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 02/22/1996  
Status Code: C  
MFG Label NO: UNKNOWN  
Label Date: 02/22/1996  
Origi

nation Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Health Hazard: Moderate

Contact Hazard: Moderate

Fire Hazard: Moderate

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYES, SKIN, CNS, RESPIRATORY & GI TRACTS. ACUTE- EYES:SLIGHT IRRITATION. SKIN:REPEATED/PROLONGED CONTACT MAY CAUSE DRYING, DERMATITIS. INHALE:MAY CAUSE CNS DEPRESSION. ORAL:MAY CAUSE GASTRIC IRRITATION. ASPIRATION HAZARD. CHRONIC- DERMATITIS. STORE IN COOL, VENTILATED

AREA AWAY FROM SOURCES OF IGNITION & INCOMPATIBLES. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND. FIRST AID- GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. SEEK IMMEDIATE MEDICAL ATTENTION.

=====

Disclaimer (provided with this information by the compiling

agencies): This

information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or

viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person

utilizing this in

struction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify

and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department

of Defense or other government situation.