View NSN Online: https://aerobasegroup.com/nsn/3439-00-541-1762

Product ID:STAINLEND 347 5/64 COVERED WELDING ELECTRODES MSDS Date:11/15/1991 FSC:3439 NIIN:00-541-1762 MSDS Number: BYFFT === Responsible Party === Company Name:ARCOS CORP WIRE DRAWING PLANT SUB OF ARCOS CORP Address:#1 ARCOS DRIVE City:MT CARMEL State:PA ZIP:17851

Country:US Info Phone Num:717-339-5200 Emergency Phone Num:717-339-5200/800-424-9300(CHEMTREC) CAGE:19270 === Contractor Identification === Company Name:ARCOS ALLOYS DIVISION OF HOSKINS MFG. CO. Address:#1 ARCOS DRIVE Box:City:MT CARMEL State:PA ZIP:17851 Country:US Phone:570-339-5200; 717-339-5200 CAGE:19270

Ingred Name:CHROMIUM (SARA 313) (CERCLA) CAS:7440-47-3 RTECS #:GB4200000 Fraction by Wt: 21% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:0.5 MG/M3; 9495 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:MANGANESE (SARA 313) CAS:7439-96-5 RTECS #:OO9275000 Fraction by Wt: 2.5% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9495

Ingred Name:NICKEL (SARA 313) (CERCLA) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 11% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHALATION OF WELDING FUMES MAY CAUSE NERVOUS SYSTEM AND MUSCLE IRREGULARITIES, IRRITATION OF EYES, NOSE, THROAT, AND RESPIRATORY SYSTEM, METAL FUME FEVER. CHRONIC: INHALATION OF FUMES MAY CAUS E CANCER, SIDEROSIS , FLUOROSIS AND

AFFECT LUNG FUNCTION.

Explanation of Carcinogenicity:CONTAINS NICKEL AND CHROMIUM WHICH ARE LISTED BY BOTH IARC AND NTP.

Effects of Overexposure:INHALATION: NAUSEA, DIZZINESS, DRYNESS OF NOSE AND THROAT, COUGHING, WHEEZING AND SHORTNESS OF BREATH. EYES: REDNESS, TEARING, BLURRED VISION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: REMOVE TO FRESH AIR

. RESUSCITATE IF NEEDED. EYES:

FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. SEE DOCTOR.

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NON-FLAMMABLE; BUT SPARKS AND WELDING ARC MAY IGNITE COMBUSTIBL

ES DURING USE.

Spill Release Procedures: PICK UP RODS. SWEEP UP OR MOP. PLACE RESIDUE IN A CONTAINER FOR DISPOSAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:REMOVE ANY COMBUSTIBLES FROM WORK AREA: SPARKS OR WELDING ARC COULD IGNITE NEARBY COMBUSTIBLES. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR WELDING FUMES OR SUPPLIED AIR RESPIRATOR IN CONFINED SPACES OR WHERE FUME CONCENTRATION EXCEEDS REGULATORY LIMITS. Ventilation: USE MECHANICAL OR LOCAL EXHAUST OR BOTH TO MAINTAIN LEVELS OF FUMES BELOW REGULATORY LIMITS. Protective Gloves:WELDERS WORK GLOVES Eye Protection:WELDERS HELMET WITH CORRECT LENSES Other Protective Equipment: CLOTHING TO PROTECT ENTIRE BO DY FROM SPARKS. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING. DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health HCC:N1 Appearance and Odor: COVERED WELDING ELECTRODES ARE SOLID WIRE WITH A FLUX COATING. Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: METALS, CHROMATES, FLUORIDES, COMPLEX METALLICS, OXIDES OF CARBON, OZONE, OXIDES OF NITROGEN. Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defen

se. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.