

ANSUL FIRE PROTECTION, WORMALD U.S.INC. -- CARBON DIOXIDE (FOR FIRE EXTINGUISHER) --
4210-01-374-8128

===== Product Identification =====

Product ID:CARBON DIOXIDE (FOR FIRE EXTINGUISHER)
MSDS Date:01/12/1996
FSC:4210
NIIN:01-374-8128
MSDS Number: BYFGQ
=== Responsible Party ===
Company Name:ANSUL FIRE PROTECTION, WORMALD U.S.INC.
Address:ONE STANTON STREET
City:MARINETTE
State:WI
ZIP:54143-2542
Co
untry:US
Info Phone Num:715-735-7411X3562/580 TOM LAWSON
Emergency Phone Num:800-424-9300(CHEMTREC)
CAGE:03670

=== Contractor Identification ===

Company Name:ANSUL INC
Address:ONE STANTON STREET
Box:City:MARINETTE
State:WI
ZIP:54143-2542
Country:US
Phone:715-735-7411
CAGE:03670

===== Composition/Information on Ingredients =====

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5000 PPM
ACGIH TLV:5000PPM/3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:CONTACT W/CO2 SNOW (DRY ICE) CAN
PRODUCE CHILLING SENSATIONS & DISCOMFORT,FROSTBITE.
SKIN:EVAPORATION OF LIQ FRM SKIN CAN PRODUCE CHILLING
SENSATIONS.FROSTBITE CAN OCCUR.AVOID CO2 SNOW (DRY ICE). INHAL:VAP
HEAVIER THAN AIR;CAN CAUSE SUFFOCATION BY REDUCI
NG OXY AVAILABLE
FOR BREATH.BREATH VERY HI VAP CONCEN (SUPPLE)
Explanation of Carcinogenicity:PER MSDS:CHEMICAL LISTED AS CARCINOGEN
OR POTENTIAL:NTP/IARC/OSHA:NO.
Effects of Overexposure:CHILLING SENSATIONS, DISCOMFORT, FROSTBITE.
SUFFOCATION BY REDUCING OXY AVAILABLE FOR BREATHING.
LIGHTHEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, MUSCULAR TREMORS,
WEAKNESS, ACROCYANOSIS. UNCONSCIOUSNESS OR EVEN DEATH.
Medical Cond Aggravated by Exposure:RESPIRATORY PROBLEMS.

=====
===== First Aid Measures =====

First Aid:EYE:IMMED FLUSH W/PLENTY OF WATER FOR @LEAST 15MINS WHILE
HOLDING LIDS OPEN.REDNESS/ITCHING/BURNING SENSATION DEVELOPS GET
MED ATTN.TREAT FOR FROSTBITE IF NECESSARY. SKIN:WASH MATL OFF SKIN
W/COPIOUS AMTS OF SOAP/WATER FOR @LEAST
15MINS.REDNESS/ITCHING/BURNING SENS DEVELOPS GET MED ATTN.TREAT FOR
FROSTBITE IF NECESSARY. INHAL:REMOVE TO FRESH AIR.COUGH/OTHER RESP
SYMPTOMS OCCUR CONSULT MED (SUPPLE)

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:NOT APPLICABLE PER MSDS. HOWEVER, USE APPROPRIATE
FIRE EXTINGUISHING MEDIA FOR SURROUNDING CONDITIONS.
Fire Fighting Procedures:NONE, THIS IS AN EXTINGUISHING AGENT.
Unusual Fire/Explosion Hazard:THOUGH GAS CYLINDERS ARE EQUIPPED
W/PRESSURE & TEMP RELIEF DEVICES, THEY SHOULD BE REMOVED FROM HIGH
TEMPERATURES OR FIRE TO AVOID RISK OF RUPTURE.

=====
===== Accidental Release Meas

ures =====

Spill Release Procedures:EVACUATE AREA. VENTILATE TO OUTSIDE ATMOSPHER.
COOL OR REMOVE HOT, METAL SURFACES OR SOURCE OF NON-EXTINGUISHED
FLAMES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE CNTNRS IN CLEAN DRY WELL-VENTI
AREA,AWAY FRM HEAT >120F.STORE AS COMPRESSED GAS IN DOT APPROVED
VESSELS.CYL/CARTRIDGE NOT ATTACHED TO(OTHR PREC)

Other Precautions:HNDLG/STORG:SY MUST BE SAF CAPPED TO PROT
AGAINST
VIOLENT VESSEL MOVEMENT/FORCE OF ESCAPING GAS IF ACTUATE/SEAL
PUNCTURED.NOTE:AS USED IN ANSUL EXTINGUISHERS/CARTRIDGES/CYL CO2 IS
GAS COMPRESSED UNDE R PRESSURES UP TO 860 PSI@70F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NECESSARY IF CONTROLS ARE ADEQUATE.
IF TLV IS EXCEEDED OR IF EXPOSURE IS PROLONGED A SELF-CONTAINED
BREATHING APPARATUS IS RECOMMENDED.

Ventilation:LOCAL EXHAUST:RECOMMENDED IN CONFI
NED SPACES. MECHANICAL
(GENERAL):RECOMMENDED.

Protective Gloves:FOR CONTACT W/DRY ICE.

Eye Protection:CHEM GOGG,FULL FACESHIELD.

Other Protective Equipment:PROTECTIVE CLOTHING FOR CONTACT W/DRY ICE.

Work Hygienic Practices:FOLLOW GOOD WORK HYGENIC PRACTICES.

Supplemental Safety and Health

HEALTH HAZ:CAN CAUSE LIGHTHEADEDNESS,GIDDINESS,SHORTNESS OF
BREATH,MUSCULAR TREMORS,WEAKNESS,ACROCYANOSIS.ALSO UNCONSC OR EVEN
DEATH. 1ST AID:PERSONNEL.NOT BREATH GIVE ART RESP PREFERABLY
MOUTH-T

O-MOUT H.BREATH DIFFICULT GIVE OXY.CONSULT MEDPERSONNEL.

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:SUBLIMES

Vapor Pres:830 @20C

Vapor Density:1.5

Spec Gravity:1.98

Evaporation Rate & Reference:N/A, GAS @ROOM TEMP

Solubility in Water:APPREC 88ML/100MLH2O

Appearance and Odor:COLORLESS GAS W/NO ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid

:YES
REACTS VIGOROUSLY W/ (AL + NA₂CO₂), CS₂O, LI, K, MG(C₂H₅)₂, (MG + NA₂O), KHC₂, NA, NA₂C₂.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE W/LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner what soever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.