

MINE SAFETY APPLIANCES CO -- 96329 CALIBRATING GAS, 2% METHANE IN AIR --
4920-01-023-6525

===== Product Identification =====

Product ID:96329 CALIBRATING GAS, 2% METHANE IN AIR

MSDS Date:03/04/1993

FSC:4920

NIIN:01-023-6525

Kit Part:Y

MSDS Number: BYGYX

=== Responsible Party ===

Company Name:MINE SAFETY APPLIANCES CO

Address:201 N BRADDOCK AVE

Box:426

City:PITTSBURGH

State:PA

ZIP:15230

Country:US

Info Phone Num:412-967-3000

Emergency Phone Num:412-967-3000

CAGE:40912

=== Contractor Identification ===

Company Name:JEFCO PRECISION FASTENERS INC

Address:10 QUAKEROAK ROAD

Box:UNKNOW

City:LEVITTOWN

State:PA

ZIP:19057

Country:US

Phone:215-949-3433

Contract Num:SP0490-01-M-XJ07

CAGE:0PES2

Company Name:MINE SAFETY APPLIANCE (REPLACED BY CAGE 55799)

Address:201 N BRADDOCK AVENUE

Box:426

City:PITTSBURGH

State:PA

ZIP:15230

Country:US

Phone:412-967-3000

CAGE:40912

Company Name:MINE SAFETY APPLIANCE

S CO; INSTRUMENT DIV
Address:1000 CRANBERRY WOODS DR
Box:City:CRAMBERRY TWP
State:PA
ZIP:16066-5296
Country:US
Phone:724-733-9270
CAGE:1CS58

=====
Composition/Information on Ingredients
=====

Ingred Name:METHANE
CAS:74-82-8
RTECS #:PA1490000
Fraction by Wt: 2.0%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:ASPHYXIANT; 9192

Ingred Name:AIR, COMPRESSED
CAS:25635-88-5
Fraction by Wt: BALANCE
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:METHANE IS A SIMPLE ASPHYXIANT, ACGIH
1992-93.
Explanation of Carcinogenicity:COMPONENT GASES ARE NOT LISTED BY NIOSH,
RTECS, OSHA, IARC OR NTP.
Effects of Overexposure:THE SIGNS AND SYMPTOMS OF OVEREXPOSURE ARE
UNKNOWN FOR 2% METHANE IN AIR.
Medical Cond Aggravated by Expos
ure:MFR GAVE NO INFORMATION ON MSDS.

=====
First Aid Measures
=====

First Aid:NONE

=====
Fire Fighting Measures
=====

Extinguishing Media:THIS CALIBRATION GAS MIXTURE IS NOT FLAMMABLE.
Fire Fighting Procedures:GAS UNDER PRESSURE.
Unusual Fire/Explosion Hazard:GAS UNDER PRESSURE, 115 PSIG AT 70F. DO
NOT EXCEED 120F.

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILAT

E AREA.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED
AREA. DO NOT STORE ABOVE 120F TEMPERATURE.

Other Precautions:AVOID BREATHING GAS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:DUE TO THE LIMITED AMOUNT OF GAS IN THE
CYLINDER, AND THE LOW RELEASE RATE EMPLOYED IN INSTRUMENT
CALIBRATION, R

RESPIRATORY PROTECTION IS NOT INDICATED UNDER
CONDITIONS OF INTENDED USE.

Ventilation:MECHANICAL VENTILATION IS SUITABLE.

Protective Gloves:MFR GAVE NO INFORMATION ON MSDS.

Eye Protection:MFR GAVE NO INFORMATION ON MSDS.

Other Protective Equipment:MFR GAVE NO INFORMATION ON MSDS.

Work Hygienic Practices:AVOID BREATHING GAS. USE IN WELL VENTILATED
AREAS. FOLLOW CALIBRATION PROCEDURE IN THE MSA INSTRUCTION MANUAL.

Supplemental Safety and Health
OTHER P/N: 454380 (FROM TIR)

=====
Physical/Chemical Properties
=====

HCC:G3

NRC/State Lic Num:NONE

Vapor Density: