

VAN WATERS AND ROGERS INC -- SODIUM BICARBONATE -- 6810-00-241-1143

=====  
Product Identification  
=====

Product ID:SODIUM BICARBONATE

MSDS Date:07/21/1993

FSC:6810

NIIN:00-241-1143

MSDS Number: BYRQN

=== Responsible Party ===

Company Name:VAN WATERS AND ROGERS INC

Address:6100 CARILLON PT

City:KIRKLAND

State:WA

ZIP:98033

Country:US

Info Phone Num:206-889-3400

Emergency Phone Num:206-889-3400/800-42

4-9300(CHEMTREC)

CAGE:0STM5

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:VOPAK USA INC

Address:6100 CARILLON POINT

Box:City:KIRKLAND

State:WA

ZIP:98033-7357

Country:US

Phone:425-889-3400/425-889-3617

CAGE:0STM5

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM BICARBONATE

CAS:144-55-8

RTECS #:VZ095

0000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 4220 MG/KG. (RTECS)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, RESPIRATORY & GI TRACT. ACUTE- MAY CAUSE EYE IRRITATION. DUSTS MAY CAUSE IRRITATION OF RESPIRATORY TRACT. SODIUM BICARBONATE IS A SAFE FOOD INGREDIENT.

NO SIGNIFICANT TOXICITY IS EXPECTED. CHRONIC- LARGE DOSES CAN PRODUCE SYSTEMIC ALKALOSIS IN PATIENT WITH RENAL INSUFFICIENCY.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, COUGHING, REDNESS OF EYES AND PAIN, BLURRED VISION, NAUSEA, VOMITING, ABDOMINAL PAIN

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS OR EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE.

==

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF NEEDED. EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SKIN:FLUSH WITH PLENTY OF WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECESSARY. ORAL:IF CONSCIOUS, DRINK PLENTY OF WATER. TREATMENT FOLLOWS STANDARD PROTOCOLS AND IS OTHERWISE SYSTOMATIC AND SUPPORTIVE.

===== Fire Fighting Measures =====

Flash Point:NONE

E

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP MATERIAL AS MUCH AS POSSIBLE FOR SALVAGE OR DISPOSAL. WASH AWAY RESIDUE WITH WATER. VENTILATE AREA.

Neutralizing Agent:WEAK ACID

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN DRY PLACE. KEEP CONTAINER TIGHTLY CLOSED AWAY FROM INCOMPATIBLE MATERIALS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:AVOID BREATHING DUST. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE NORMALLY REQUIRED. IF WORKPLACE EXPOSURE LIMIT IS EXCEEDED (DUST TLV OF 10 MG/M3), A NIOSH-APPROVED DUST RESPIRATOR OR AIR SUPPLIED RESPIRATOR IS ADVISED.

Ventilation:ADEQUATE

Protective Gloves:PLASTIC GLOVE RECOMMENDED

Eye Protection:DUST-RESISTANT GOGGLES

Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER, NORMAL WORK CLOTHING COVERING ARMS AND LEGS

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:B3

NRC/State Lic Num:NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES

Spec Gravity:2.20

pH:9.3 1%

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:9% @ 68F (20C)

Appearance and Odor:WHITE GRANULAR POWDER - ODORLESS

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

ACIDS

Stabi

lity Condition to Avoid:EXCESSIVE HEAT, MOISTURE  
Hazardous Decomposition Products:CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE  
AND FEDERAL REGULATIONS. LANDFILL METHOD IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner wha  
tsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.