View NSN Online: https://aerobasegroup.de/nsn/6750-01-041-8684

N/P -- 116 2510, COLOR DEVELOPER, PROCESS E-6, PAR -- 6750-01-041-8684 Product ID:116 2510, COLOR DEVELOPER, PROCESS E-6, PAR MSDS Date:01/01/1987 FSC:6750 NIIN:01-041-8684 Kit Part:Y **MSDS Number: BYRTN** === Responsible Party === CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 24 2-2424 CAGE:19139

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 80-8575%

Ingred Name:POTASSIUM PHOSPHATE, TRIBASIC CAS:7778-53-2 RTECS #:TC8450000 Fraction by Wt: 10-15%

Ingred Name:POTASSIUM HYDROXIDE (CERCLA) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 1-5% OSHA PEL:C 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9495 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150 000 Fraction by Wt: 1-5%

Ingred Name:(NITRILOTRIS(METHYLENE)TRIPHOSPHONIC ACID, POTASSIUM SALT CAS:2235-43-0 Fraction by Wt: 1-5%

First Aid:INHALATION:IF SYMPTOMATIC, REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION. EYES:FLUSH W/PLENTY OF WATER FOR 15 MIN. GET IMMEDIATE MEDICAL ATTENTION. SKIN:WASH W/SOAP & WATER. GET MEDIC AL ATTENTION IF SYMPTOMS OCCUR. INGESTION:DO NOT INDUCE VOMITING. DRINK GLASS OF WATER. SEEK MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE

Spill Release Procedures: MAY REQUIRE NEUTRALIZATION IF PH 12.5. FLUSH TO SEWER W/LARGE AMOUNT OF WATER. OTHERWISE, ABSORB

SPILL W/ VERMICULITE OR OTHER INERT MATERIAL & PLACE IN CONTAINER FOR CHEMICAL WASTRE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATIO

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

Handling and Storage

Precautions: KEEP CONTAINER CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES (ACIDS). **Other Precautions:NONE** Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation: USE GOOD GENERAL VENTILATION (10 CHANGES/HR). MATCH VENTILATION RATES TO CONDITIONS. Protective Gloves: IMPERVIOUS GLOVES Eye Protection: SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES Other Protective Equipment: FACE SHIELD, EYE BATH, WASHING FACILITIES, SAFETY SHOWER. PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE. Work Hygienic Practices: EK: ? HMIS: USE GOOD INDUSTRIAL HYGIENE PRACTICES, MINIMIZE PERSONAL CONTACT, WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health ITEM IS 9 PARTS KIT.IT CONSISTS OF:DEVL(PART A&B),BLEACH(PART A&B), FIRST DEVL, FIXER, CONDITIONER, REVERSAL BATH AND STABILIZER; THIS NSN REPLACES NSN 6750-01-042-0872.THIS PART PACKAGED IN A 23 FLD OZ PO LY BOTTLE WHICH MAY BE MARKED WITH CAT # "11 6 2510".THIS IS COLOR DEVELOPER, PART A; SOLUTION #:5147; KEY1:C2; MORE ADDLNL. Hazardous Decomposition Products:OXIDES OF PHOSPHORUS Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. MAY REQUIRE NEUTRALIZATRION ID PH12.5. FLUSH TO SEWER W/LAR GE AMOUNTS OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to the ir particular situation.