View NSN Online: https://aerobasegroup.de/nsn/6850-01-423-1618

CANON INC, GOVERNMENT MARKETING CENTER -- 852 8945, KODAK MONOCOMPONENT 30 TONER -- 6850-01-423-1618

Product ID:852 8945, KODAK MONOCOMPONENT 30 TONER

MSDS Date:06/21/1995

FSC:6850

NIIN:01-423-1618

MSDS Number: BYTDP === Responsible Party ===

Company Name: CANON INC, GOVERNMENT MARKETING CENTER

Address:5701-J GENERAL WASHINGTON DR

City:ALEXANDRIA

State:VA ZIP:2231 2-2408 Country:US

Info Phone Num:703-642-8060

Emergency Phone Num:703-642-8060

CAGE:4J871

=== Contractor Identification === Company Name:CANON USA INC

Address:2110 WASHINGTON BLVD SUITE 150

Box:City:ARLINGTON

State:VA

ZIP:22204-5799 Country:US

Phone:703-807-3191

CAGE:4J871

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVI

CE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871 ======= Composition/Information on Ingredients ========= Ingred Name: STYRENE ACRYLATE COPLOYMER Fraction by Wt: 40-50% Other REC Limits: NONE RECOMMENDED Ingred Name: IRON OXIDE CAS:1317-61-9 Fraction by Wt: 40-50% Other REC Limits: NONE RECOMMENDED OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3 Ingred Name: STYRENE POLYMER Fraction by Wt: 5-15% Other REC Limits: NONE RECOMM **ENDED** LD50 LC50 Mixture: KODAK SUPPLIED NO LD50 FOR THE PRODUCT. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: LOW HAZARD FOR RECOMMENDED HANDLING. EYE:NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION: EXPECTED TO BE LOW INGESTION HAZARD. Explanation o f Carcinogenicity: IN ADDITION TO THE ABOVE, PRODUCT IS

f Carcinogenicity: IN ADDITION TO THE ABOVE, PRODUCT IS NEGATIVE W/REGARTD TO: ACGIH CANCER, CALIFORNIA CANCER & REPRODUCTIVE EFFECTS.

Effects of Overexposure:INHALATION:LOW HAZARD. EYE:IRRITATION. SKIN:IRRITATION, POSSIBLE ALLERGIC REACTION. INGESTION:LOW HAZARD.

Medical Cond Aggravated by Exposure: KODAK GAVE NO INFORMATION ABOUT CONDITIONS THAT MAY BE AGGRAVATED.

First Aid:IF SYMPTOMS OCCUR, GET IMMEDIATE MEDI

CAL ATTENTION.
INHALATION:IF SYMPTOMATIC, MOVE TO FRESH AIR. EYE:FLUSH W/PLENTY OF WATER FOR 15 MIN. SKIN:FLUSH W/WATER 15 MIN. REMOVE CONTAMINATED CLOTHING & LAUN DER BEFORE REUSE. INGESTION:DRINK 1-2 GLASSES OF
WATER. GET IMMEDIATE MEDICAL ATTENTION.
======================================
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE
DUST- AIR MIXTURES.
========= Accidental Release Measures ==========
Spill Release Procedures:FLUSH TO SEWER W/LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL W/VERMICULITE OR OTHER INERT MATERIAL & PLACE IN CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATIO N. Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.
============ Handling and Storage =============
Handling and Storage Precautions:KEEP CONTAI NER CLOSED.
Other Precautions:AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE SHOULD BE NEEDED.  Ventilation:USE GOOD GENERAL VENTILATION (TYPICALLY 4-6 ROOM CHANGES/HR). MATCH VENTILATION RATES TO CONDITIONS.  Protective Gloves:IMPERVIOUS GLOVES TO MINIMIZE CONTACT  Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES  Other Protective Equipment:PROTECTIVE C  LOTHING APPROPRIATE FOR THE RISK  OF EXPOSURE PLUS EYE BATH, WASHING FACILITIES, SAFETY SHOWER.  Work Hygienic Practices:KODAK:? (DLA-HMIS:USE GOOD INDUSTRIAL HYGIENE PRACTICES. MINIMIZE PERSONAL CONTACT. WASH THOROUGHLY AFTER HANDLING.)  Supplemental Safety and Health  KAN 966201; J-0530.000. THIS MATERIAL HAS NOT BEEN TESTED FOR ENVIRONMENTAL EFFECTS.
========= Physical/Chemical Properties ==========

HCC:N1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:NOT GIV ΕN

Melt/Freeze Pt:M.P/F.P Text:>212F,>100C

Vapor Pres:NEGLIGIBLE Vapor Density:NOT GIVEN

Spec Gravity: 1.4-1.6

Evaporation Rate & Description R

Solubility in Water: NEGLIGIBLE

Appearance and Odor:SOLID (POWDER) BLACK, SLIGHT ODOR

Percent Volatiles by Volume: NEGLIG

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS

Stability Condition to Avoid:STABLE UNDER NORMAL CONDITIONS OF USE.

Hazardous Decompositi

on Products:MFR GAVE NO INFORMATION OF MSDS. Conditions to Avoid Polymerization:WILL NOT OCCUR.

======= Disposal Considerations ============

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPLIANCE W/LOCAL REGULATIONS. CONTRACT W/LICENSCE CHEMICAL DISPOSAL AGENCY. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.