

DOW CORNING CORP -- LOW TEMP BEARING GREASE-MED 33 EXT,DC 33 LIGHT --
9150-00-445-7819

===== Product Identification =====

Product ID:LOW TEMP BEARING GREASE-MED 33 EXT,DC 33 LIGHT

MSDS Date:03/12/1990

FSC:9150

NIIN:00-445-7819

MSDS Number: BYTKP

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900

Preparer's Name:JACK SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

=====
Composition/Information on Ingredients
=====

Ingred Name:2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASILOXANE

CAS:33204-76-1

RTECS #:GZ4390000

Fraction by Wt: 121C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL.

WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND

NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. TOXIC FUMES MAY

BE FO

RMED.

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP UP EXCESS GREASE. PICK-UP RESIDUE WITH
NON-FLAMMABLE ABSORBENT MATERIAL SUCH AS DIATOMACEOUS EARTH, SAND
OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER
DISPOSAL. CLEAN AREA WITH SOAPY WATER.

Neutralizing Agent:NOT RELEVANT

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLES. KEEP

CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF
CHILDREN.

Other Precautions:TRACES OF BENZENE AND FORMALDEHYDE MAY FORM IF HEATED
IN AIR ABOVE 300F/149C. PROVIDE VENTILATION. DO NOT GET IN EYES.

MINIMIZE SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. LAUNDER
CONTAMINATED CLOTH ING BEFORE REUSE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:ADEQUATE

Protective Gloves:WASH HANDS SEVE

RAL TIMES EACH DAY.

Eye Protection:CHEMICAL GOGGLES/FACE SHIELD RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

DIFFERENT PERCENTAGE. FOR PREVIOUS FORMULATION/PERCENTAGE, SEE PNI A OR B, SAME NSN.

===== Physical/Chemica

I Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Vapor Pres: