

BTR VALVE SEALANTS INC -- BTR 421 SEALANT (STICK GRADE) -- 9150-00-261-8293

=====
Product Identification
=====

Product ID:BTR 421 SEALANT (STICK GRADE)

MSDS Date:05/01/1995

FSC:9150

NIIN:00-261-8293

MSDS Number: BYXSK

=== Responsible Party ===

Company Name:BTR VALVE SEALANTS INC

Address:430 N LEXINGTON AVE

City:PITTSBURGH

State:PA

ZIP:15208-2521

Country:US

Info Phone Num:412-247-3235/244-5251

Emer

gency Phone Num:412-247-3839/244-5251

CAGE:80318

=== Contractor Identification ===

Company Name:BTR VALVE SEALANTS INC

Address:140 THOMAS RD

Box:City:SULPHUR SPRINGS

State:TX

ZIP:75482

Country:US

Phone:903-439-6465

CAGE:80318

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, WHITE

CAS:8042-47-5

RTECS #:PY8047000

Fraction by Wt: 50-60%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PETROLATUM

CAS:8009-03-8

RTECS #:SE6780000

Fraction by Wt: 15-20%

Othe

r REC Limits:NONE RECOMMENDED

Ingred Name:LITHIUM HYDROXYSTEARATE
CAS:7620-77-1
Fraction by Wt: 15-20%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ORGANOPHILIC CLAY
CAS:71011-27-3
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM STEARATE
CAS:1592-23-0
RTECS #:WI3000000
Fraction by Wt: 2-6%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhal
ation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL:NONE EXPECTED. INGEST:NEGLIGIBLE
EFFECT.MAY ACT AS LAXATIVE. SKIN:NEGLIGIBLE EFFECT. EYES:NEGLIGIBLE
EFFECT.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC
INGREDS:OSHA/NTP/IARC:NONE.
Effects of Overexposure:MAY ACT AS LAXATIVE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====
=====

First Aid:EYES:FLUSH EYES FOR 15MINS W/CLEAR WATER.CONTACT PHYSICIAN.
SKIN:WASH THOROUGHLY W/SOAP/WATER. INHAL:VAP PRESSURE IS VERY
LOW.VAP INHAL IS NOT CONSIDERED A PROBLEM UNDER NORMAL USAGE
CONDITIONS. INGES T:IF SWALLOWED DO NTO INDUCE VOMITING.CONSULT
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:395F,202C
Extinguishing Media:DRY CHEMICAL POWDER, CARBON DIOXIDE, CHEMICAL FOAM.
Fire Fighting Proc

cedures:WEAR SELF-CONTAINED BREATHING APPARATUS WHEN
FIGHTING FIRE IN CONFINED AREAS.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE MATL. ADD SUITABLE ABSORBANT TO
SPILL AREA. CLEAN SPILL AREA W/DETERGENT SOLUTION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN SEALED CONT
AINERS TO AVOID

CONTAMINATION W/FOREIGN PARTICLES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATORY PROTECTION NOT NEEDED UNDER NORMAL
USAGE CONDITIONS.

Ventilation:ADEQUATE VENTILATION IN ACCORDANCE W/GOOD ENGINEERING
PRACTICE IS SUFFICIENT.

Protective Gloves:RESISTANT GLOVES AS NEEDED.

Eye Protection:SAFETY GLASSES AS STD SAFETY PRECAUTION.

Other Protective Equipment:NONE NORMA
LLY NEEDED.

Work Hygienic Practices:WASH HANDS AFT HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:NIL

Spec Gravity:0.92 @75F

Evaporation Rate & Reference:NIL, ETHER=1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CREAM-COLORED, GREASE-LIKE MATL IN STICK FORM, MILD
HYDROCARBON OIL/SOAP ODOR.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability

Indicator/Materials to Avoid: YES

AVOID CONTACT W/STRONG OXIDIZERS.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: INCOMPLETE COMBUSTION MAY PRODUCE
CARBON MONOXIDE, CARBON DIOXIDE & ASPHYXIANTS.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE IN A FURNACE OR OTHERWISE DISPOSE OF
IN ACCORDANCE W/ALL APPLICABLE LOCAL, STATE AND FEDERAL
REQUIREMENTS & REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.