View NSN Online: https://aerobasegroup.com/nsn/8040-01-208-6003

DEXTER AEROSPACE MATERIAL DIVI -- HYSOL EA 960F QT SYSTEM, AS9042016

MSDS Safety Information

FSC: 8040

NIIN: 01-208-6003 MSDS Date: 02/01/1995 MSDS Num: BYXXZ

Product ID: HYSOL EA 960F QT SYSTEM, AS9042016

MFN: 06 Kit Part: Y

Responsible Party Cage: 33564

Name: DEXTER AEROSPACE MATERIAL DIVISION

Address: 2850

WILLOW PASS ROAD

Box: 312

City: PITTSBURG CA 94565-0031 Info Phone Number: 510-458-8000

Emergency Phone Number: 800-424-9300(CHEMTREC)

Preparer's Name: MSDS DEPT

Proprietary Ind: Y Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 33564

Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address: 2850 WILLOW PASS ROAD

Box: 312

City: BAY POINT CA 94565-3299

=======

Contractor Summary

Cage: 33564

Name: DEXTER CORPORATION ADHESIVE & DEXTERS SYSTEMS

Address: 2850 WILLOW PASS ROAD

Box: 312

City: BAY POINT CA 94565-3299

Phone: 202-483-7616

Cage: 3D523

Name: WATKINS AND ASSOCIATES INC

Address: 5395 WEBB PKY City: LILBURN GA 30047 Phone: 770-279-9200

Item Description Information

Item Manager: GSA Item Name: ADHESIVE

Unit of Issue: KT UI Container Qty: 0

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: MIXTURE HAS NOT BEEN TESTED AS A WHOLE.

Route Of Entry

Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: THIS MATERIAL MAY BE CORROSIVE TO EYES & 2000 SKIN. BRIEF CONTACT MAY CAUSE CHEMICAL BURNS. VAPORS & 2000 SMISTS WILL IRRITATE NOSE & 2000 STATE OF THROAT. REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN BURNS, POSSIBLE ALLE RGIC SENSITIZATION.

Explanation Of Carcinogenicity: NEITHER THIS MATERIAL NOR ANY OF IT'S COMPONENTS IS CONSIDERED A CARCINOGEN

Signs And Symptions Of Overexposu

re: SKIN OR EYE IRRITATION. CHEST DISCOMFORT.

Medical Cond Aggravated By Exposure: SKIN SENSITIZATION.

First Aid: EYE:FLUSH W/WATER FOR 15MINS. IF IRRIT PERSISTS GET MED ATTN.

SKIN:WASH THOROUGHLY W/SOAP & DATTN. IF IRRIT PERSISTS GET MED ATTN.

INHAL:REMOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSIST GET MED ATTN. I

NGEST:DRINK PLENTY OF WATER. GET MED ATTN IMMED.

Handling and Disposal

======

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. ABSORB SPILL W/SORBENT MATERIAL (VERMICULITE OR SAND) SCRAPE UP OR SHOVEL INTO DOT-PPROVED WASTE CONTAINERS.

Neutralizing Agent: NA

Waste Disposal Methods: NOT RCRA HAZ WASTE.HOWEVER, INCINERATION IN EPA APPROVED WASTE INCINERATOR IS PREFERRED.CHEM ADDITIONS/ PROCESSING/OTHERWISE ALTERING MATL MAY MAKE WASTE MANAGEMENT INFOR HEREIN INCOMPLETE/INACCURATE/INAPPROPRIATE.CONSULT STATE/LOC REGULATIONS.

Handling And Storage Precautions: PRODUCT MAY BE STORED AT ROOM TEMPERATURE FOR UP TO 12 MONTHS. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions: FOLLOW CURING SCHEDULE/MIXING RATIOS AS RECOMMENDED IN PRODUCT LITERATURE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE SO OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL. DON'T CUT, GRIND, WELD OR DRILL ON/NEAR CONTAINER.

Fire and Explosion Hazard Infor

mation

Flash Point Text: NOT TESTED Lower Limits: NOT TESTED Upper Limits: NOT TESTED

Extinguishing Media: DRY CHEMICAL, OR HALON FIRE EXTINGUISHER, OR WATER SPRAY,

FOAM OR FOG.

Fire Fighting Procedures: WEAR SCBA & DO NOT PROVIDE ADEQUATE PROTECTION FOR FIREFIGHTERS OR EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-

SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

Control Measures

Respiratory Protection: IF LOCAL EXHAUST VENTILATION INADEQUATE, A RESPIRATOR

EQUIPPED W/ORGANIC VAPOR CARTRIDGES MAY BE APPROPRIATE.

Ventilation: LOCAL EXHAUST VENTILATION AT THE POINT OF USE. Protective Gloves: BUTYL RUBBER, PVC, NITRILE RUBBER GLOVES

Eye Protection: SAFETY GLASSES W/SIDE SHIELD; CHEM GOGGL

F

Other Protective Equipment: LONG SLEEVED SHIRT/PANTS. AN EYEWASH AND SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING MATERIALS. Supplemental Safety and Health: VISCOSITY: 500-3500 BROOKFIELD SPDL 5. FAILURE TO OBSERVE PRECAUTIONS IN MIXING/HEATING MAY RESULT IN EXCESSIVE HEAT BUILD-UP CAUSING AN EXOTHERM. THE EXOTHERM HAS POTENTIAL FOR RELEASE OF TOXIC GASES.

Physica

I/Chemical Properties ______ B.P. Text: 400F,204C Vapor Pres: NIL Vapor Density: 4.0 Spec Gravity: 1.0 VOC Grams/Liter: 10 Solubility in Water: APPRECIABLE Appearance and Odor: OFF-WHITE PASTE Corrosion Rate: NA ______ Reactivity Data ______ Stability Indicator: YES Stability Condition To Avoid: AVOID MIXING PARTS A&B IN BATCHES >1LB & HEATING MIX TURE UNLESS CURING SURFACES TO BE BONDED. Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS. Hazardous Decomposition Products: CO, NOX, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS. Hazardous Polymerization Indicator: YES Conditions To Avoid Polymerization: NO INFORMATION PROVIDED BY MFG. _____ Toxicological Information ______ ====== **Ecological Information** _____ MSDS Transport Information _____ ______ Regulatory Information _____ _____ Other Information ______ Other Information: VOC = &It;10 G/L ESTIMATE _____ Transportation Information ______ Responsible Party Cage: 33564 Trans ID NO: 115317 Product ID: HYSOL EA 960F QT SYSTEM, AS9042016 MSDS Prepared Date: 02/01/1995 Review Date: 03/06/1997 MFN: 6 Multiple KIT Number: 0 Kit Part IND: Y Review IND: Y Unit Of Issue: KT Container QTY: 0

Detail DOT Inform

ation

DOT PSN Code: DXA

Symbols: G

DOT Proper Shipping Name: CORROSIVE SOLIDS, N.O.S.

Hazard Class: 8 UN ID Num: UN1759 DOT Packaging Group: III Label: CORROSIVE

Packaging Exception: 154

Non Bulk Pack: 213 Bulk Pack: 240

Max Qty Pass: 25 KG Max Qty Cargo: 100 KG Vessel Stow Req: A

Detail IMO Information

IMO PSN Code: ESJ

IMO Pro

per Shipping Name: CORROSIVE SOLID, N.O.S. o

IMDG Page Number: 8151

UN Number: 1759 UN Hazard Class: 8

IMO Packaging Group: I/II/III Subsidiary Risk Label: -

EMS Number: 8-15

MED First Aid Guide NUM: 760

Detail IATA Information

IATA PSN Code: HMK IATA UN ID Num: 1759

IATA Proper Shipping Name: CORROSIVE SOLID, N.O.S. *

IATA UN Class: 8

IATA Label: CORROSIVE UN Packing Group: III

Packi

ng Note Passenger: 822 Max Quant Pass: 25KG Max Quant Cargo: 100KG Packaging Note Cargo: 823

Detail AFI Information

AFI PSN Code: HMK AFI Symbols: *

AFI Proper Shipping Name: CORROSIVE SOLID, N.O.S.

AFI Hazard Class: 8
AFI UN ID NUM: UN1759
AFI Packing Group: III
Special Provisions: P5

Back Pack Reference: A12.4

HAZCOM Label

===

Product ID: HYSOL EA 960F QT SYSTEM, AS9042016

Cage: 33564

Company Name: DEXTER CORPORATION ADHESIVE & DEXTERS SYSTEMS

Street: 2850 WILLOW PASS ROAD

PO Box: 312

City: BAY POINT CA Zipcode: 94565-3299

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998 Origination Code: G

Hazard And Precautions: MATERIAL IS CORROSIVE TO EYES & DESCRIPTION OF SKIN. BRIEF CONTACT

M

AY CAUSE CHEMICAL BURNS. VAPORS & DISTS WILL IRRITATE NOSE & DISTRICT THROAT.

REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN BURNS AND POSSIBLE ALLERGIC S ENSITIZATION.

SKIN & Amp; EYE IRRITATION. CHEST DISCOMFORT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoev

er expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and ass

ume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.