

LUBRICATION TECHNOLOGY INC -- MCG 106 CRISTO-LUBE

MSDS Safety Information

FSC: 9150

NIIN: 01-324-4677

MSDS Date: 02/02/1994

MSDS Num: BZLNF

Product ID: MCG 106 CRISTO-LUBE

MFN: 01

Responsible Party

Cage: 0JRD3

Name: LUBRICATION TECHNOLOGY INC

Address: 310 MORTON ST

City: JACKSON OH 45640

Info

Phone Number: 614-286-2644

Emergency Phone Number: 614-286-2644

Item Description Information

Item Manager: S9G

Item Name: GREASE,AIRCRAFT AND INSTRUMENT

Specification Number: NONE

Type/Grade/Class: NONE

Unit of Issue: TU

Quantitative Expression: 00000000002OZ

UI Container Qty: 1

Type of Container: TUBE

Ingredients

Name: NON-HAZARDOUS INGREDIENTS

% Wt: 100

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 (RAT) > 40000 MG/KG

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: NONE.

CHRONIC: NONE. MILD IRRITANT TO THE SKIN UPON
PROLONGED EXPOSURE FOR SOME INDIVIDUALS. DECOMPOSITION PRODUCTS FORMED AT
HIGH TEMPERATURES MAY CAUSE "POLYMER FEVER".
Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR
GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Signs And Symptions Of Overexposure: SKIN-IRRITATION.
Medical Cond Aggravated By Exposure: NONE KNOWN.
First Aid: SKIN-WASH WITH SOAP & WATER. EYES-FLUSH WITH LOTS OF WATER FOR
15 MINTES.
INGESTED-NONE NOTED. INHALED-REMOVE TO FRESH AIR.

=====
Handling and Disposal
=====

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR
SALVAGE OR DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
ENVIRONMENTAL REGULATIONS.
Handling And Storage Precautions: STORE IN A COOL, DRY PLACE AWAY FROM
FLAMMABLE AND EXPLOSIVE MATERIALS.
Other Precautions: DO NOT CONTAMINATE SMOKING MATERIAL. TOXIC VAPORS MAY EVOLVE
ABOVE 290C (554F); PROVIDE ADEQUATE VENTILATION IF USED ABOVE THIS
TEMPERATURE.

=====
Fire and Explosion Hazard Information
=====

Extinguishing Media: NONE SPECIFIED BY MANUFACTURER. DLA-: USE MEDIA
APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL
PROTECTIVE GEAR.
Unusual Fire/Explosion Hazard: DECOMPOSITION AT TEMPERATURES ABOVE 290C MAY
CAUSE THE EVOLUTION OF TOXIC GASEOUS FLUORINE COMPOUNDS.

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED.
Ventilation: USE ADEQUATE MECHANICAL VENTILATION TO MAINTAIN EXPOSURE BELOW
TLV(S).
Protective Gloves: PLASTIC DISPOSABLE

LE RECOMMENDED.
Eye Protection: SAFETY GLASSES W/SIDE SHIELDS.
Other Protective Equipment: PLASTIC OR FABRIC APRON OR LABORATORY COAT
RECOMMENDED.
Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING,
OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health: MSDS PRESENTED BY CAGE 0PGK2 FOR CONTRACT
NUMBER SP0451-96-QU792 AND/OR SP0451-96-MQ019.

=====

Physical/Chemical Properties

=====

HCC: V6
B.P. Text: UNKNOWN
Melt/Freeze Pt: >200.C, 392.F
Decomp Temp: >290.C, 554.F
Vapor Pres: 10 NEG 4
Vapor Density: UNKNOWN
Spec Gravity: 1.990
Viscosity: UNKNOWN
Evaporation Rate & Reference: UNKNOWN
Solubility in Water: INSOLUBLE
Appearance and Odor: WHITE, ODORLESS.
Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

Stability In
dicator: YES
Stability Condition To Avoid: AVOID HEATING ABOVE 290C (554F).
Materials To Avoid: STRONG OR HOT AQUEOUS ALKALI AND LEWIS ACIDS ABOVE 100C
(212F).
Hazardous Decomposition Products: TOXIC HYDROGEN FLUORIDE AND CARBON DIOXIDE
FROM THERMAL DECOMPOSITION IN AIR.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: AVOID HEATING ABOVE 290C (554F).

=====

Toxicological Information

=====

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Inf

ormation
=====

Transportation Information
=====

Responsible Party Cage: 0JRD3
Trans ID NO: 125469
Product ID: MCG 106 CRISTO-LUBE
MSDS Prepared Date: 02/02/1994
Review Date: 06/11/1996
MFN: 1
Net Unit Weight: 2 OUNCES
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: TU
Container QTY: 1
Type Of Container: TUBE

=====

Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Informati
on

=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label
=====

=

Product ID: MCG 106 CRISTO-LUBE
Cage: 0JRD3
Company Name: LUBRICATION TECHNOLOGY INC
Street: 310 MORTON ST
City: JACKSON OH
Zipcode: 45640
Health Emergency Phone: 504-366-9105
Label Required IND: Y
Date Of Label Review: 06/11/1996
Status Code: C
Label Date: 06/11/1996
Year Procured: 1996
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: None
Contact Hazard: Slight
Fire Hazard: None
Reactivity Hazard: None

Hazard And Precautions: MILD IRRITANT TO THE SKIN UPON PROLONGED EXPOSURE FOR SOME INDIVIDUALS. DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES MAY CAUSE "POLYMER FEVER". TARGET ORGANS: SKIN. IN CASE OF SPILL: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL. FIRST AID: SKIN-WASH WITH SOAP & WATER. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES. INHALED-REMOVE TO FRESH AIR.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this information on who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.