

DEVOE COATINGS CO DIV OF GROW GROUP INC -- #138C0927 HEAVY DUTY EPOXY CLEAR CONVERTER -- 8010-01-397-3822

===== Product Identification =====

Product ID:#138C0927 HEAVY DUTY EPOXY CLEAR CONVERTER

MSDS Date:09/17/1993

FSC:8010

NIIN:01-397-3822

Kit Part:Y

MSDS Number: BZLSB

=== Responsible Party ===

Company Name:DEVOE COATINGS CO DIV OF GROW GROUP INC

Address:4000 DUPONT CIR

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Info Phone Num:502-897-9861

Emergency Phone Num:800-424-9300

Preparer's Name:LOUIS F. HOLZKNECHT

CAGE:1HK86

=== Contractor Identification ===

Company Name:DEVOE COATINGS CO

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Phone:502-897-9861

CAGE:1HK86

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC AMINE ADDUCT (SARA 313) (LD50 ORAL RAT >1600
MG/KG)

Fraction by Wt: 30.0%

Oth

er REC Limits:NONE RECOMMENDED

OSHA PEL:5 PPM (SKIN)

ACGIH TLV:5 PPM (SKIN)

Ingred Name:AMINE COMPOUND (LD50 ORAL RAT 5 MG/KG)

Fraction by Wt: 45.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:AMORPHOUS SILICA

CAS:63231-67-4

RTECS #:VV7322000

Fraction by Wt: 10.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TOTAL DUST

ACGIH TLV:NOT EST.

Ingred Name:HIGH FLASH AROMATIC NAPHTHA (VP = 10)(LD50 >5 GM/KG ORAL
RAT, LC50 RAT 8 HRS >3670 PPM)

CAS:64742-95-6

Fraction by Wt: 15.0%

Other R

EC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:100 PPM

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA 313) (CERCLA)(VP =
100)(LD50 ORAL RAT 7.5 GM/KG, LC50 64000 PPM RAT 4 HRS)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 15 MIN. GET MED AID. SKIN:

WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES. GET MED AID IF IRRIT
PERSISTS. INGESTION: CALL DR. IMMED. DON'T INDUCE VOMITING. CHEM
PNEUMONITIS W/ASPIRATION OF VOMITUS, POSSIBLY FATAL. INHAL: GET
FRESH AIR IF TROUBLE BREATHIN

G. IF CONTINUED TROUBLE BREATHING GET

IMMED MED AID. BREATHING STOPPED, RESTORE BREATHING W/CPR. GET
IMMED MED AID.

===== Fire Fighting Measures =====

Flash Point:128F,53C

Lower Limits:1.0

Extinguishing Media:CO2, DRY CHEMICAL, FOAM (CLASS B FIRE).

Fire Fighting Procedures:FULL PROTEC EQUIP W/SCBA. WATER SPRAY MAY BE
INEFFECTIVE, FOG NOZZLES PREFERRED. COOL FIRE-HEAT EXPOSED CLSD
CNTNRS. PREVENT PRESSURE BUILD-UP/AUTOIGNITION.

Unusual Fire/Expl

osion Hazard:KEEP CNTNRS TIGHTLY CLSD. KEEP FROM HEAT/ELECTRICAL EQUIP/SPARKS/FLAME. CLSD CNTNRS MAY EXPLODE IN EXTREME HEAT. DON'T CUT/WELD ON/NEAR CNTNR AS MAY IGNITE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNIT SOURCES. AVOID BREATHING VAPORS. VENTILATE AREA. BEFORE CLEAN-UP REFER TO HAZ CAUTION INFO. CONTAIN SPILL/REMOVE W/INERT ABSORBENT/NONSPARKING TOOLS. STORE IN CLOSED CONTAINER UNTIL PROPE RLY DISPOSED O F.

===== Handling and Storage =====

Handling and Storage Precautions:ISOLATE FROM HEAT/SPARKS/FLAMES. DON'T SMOKE. PREVENT VAPOR BUILD-UP W/CONTINUOUS FLOW FRESH AIR. DON'T STORE >120F, NEAR FIRE/OPEN FLAME. STORE LG*

Other Precautions:AMTS IN BUILDINGS TO COMPLY W/OSHA 1910.106. KEEP CNTNR CLSD WHEN NOT USING. DON'T TRANSFER TO BOTTLES/UNLABELED CNTNRS. DON'T REUSE EMPTY CNTNRS. IF MAT'L PART OF 2 COMPONENT PROD, MIXTURE WILL HAVE HAZARD S OF BOTH COMPONENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DON'T BREATHE VAPORS/SPRAY MIST/SANDING DUST.NIOSH/MSHA APPROVED MECHANCL FILTER RESPRTR.IN RESTRICTED VENTILATION, NIOSH/MSHA APPROVED CHEM/MECHANCL FILTER FOR PARTICULATES/VAPOR.CONFINED AREAS, NIOS H/MSHA APPROVED AIR-SUPPLY RESPRTR/HOODS

Ventilation:GEN DILUTION/LOCAL EXHAUST VENT. TO KEEP AIR CONTAM CONC