

P-T TECHNOLOGIES INC -- PF DEGREASER SOLVENT

=====
MSDS Safety Information
=====

FSC: 7930
NIIN: 01-328-2030
MSDS Date: 12/13/1995
MSDS Num: BZNMF
Product ID: PF DEGREASER SOLVENT
MFN: 04
Responsible Party
Cage: 0JVH6
Name: P-T TECHNOLOGIES INC
Address: 108 4TH AVENUE, SOUTH
City: SAFETY HARBOR FL
34695
Info Phone Number: 800-441-7874/813-726-4644
Emergency Phone Number: 800-441-7874
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 0JVH6
Name: P-T TECHNOLOGIES INC
Address: 108 4TH AVENUE, SOUTH
City: SAFETY HARBOR FL 34695
Phone: 813-726-4644

=====
Item Description Information
=====

=====
Item Manager: GSA
Item Name: CLEANING COMPOUND,SOLVENT-DETERGENT
Specification Number: UNKNOWN
Unit of Issue: CN
Quantitative Expression: 00000000005GL
UI Container Qty: 1
Type of Container: METAL PAIL

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

=====
LD50 LC50 Mixture: ORAL LD50 (RAT) >5G/KG OF BODY WT.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE:IRRIT,TEARING,REDNESS.DOES NOT INJURY

EYE.SKIN:PROL/REPEAT CONTACT CAUSE DEFATTING/DRYING.CONT DRYNESS CAUSE
DERM.INHAL:EXCESSIVE VAP INHAL IRRIT RESP TRACT,NAU,DIZZ,HEAD.INGEST:PRODUCT
LOW ORODER OF ACUTE ORAL TOXICITY BUT INGEST OF LG QUANT MAY CAUSE
NAU,VOMIT,GAST

ROINTESTINAL IRRIT.ASPIRATED INTO LUNGS.

Signs And Symptions Of Overexposure: EYE-IRRITATING, TEARING, REDNESS.

SKIN-DEFATTING, DRYING, DERMATITIS. INHAL:IRRITATE RESPIRATORY TRACT, NAUSEA,
DIZZINESS, HEADACHE. LARGE QUANTITITES INGESTED NAUSEA, VOMITING,
GASTROINTESTINAL IRRIT ATION. ASPIRATION HAZARD INTO LUNGS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:FLUSH W/WATER FOR 15MINS.IRRIT PERSIST CONTACT PHYSICIAN.

SKIN:WASH THROUGHLY W/SOAP/WATER.R

EMOVE CONTAMN CLOTH. INHAL:IF AFFECTED BY

VAP GET TO FRESH AIR.IF BREATHING DIFFICULT SEE PHYSICIAN. ING EST:DO NOT
INDUCE VOMIT.PRODUCT CONTAINS HYDROCARBON.CONSULT PHYSICIAN.

=====
Handling and Disposal

=====
Spill Release Procedures: REMOVE IGN SOURCES.CONTAIN SPILL.RECOVER FREE

PRODUCT.ABSORB W/SUITABLE CHEM ABSORBENT FOR DISPOSAL VIA INCINERATION/BURIAL
IN APPROVED LANDIFLL.OBSERVE LO

C/STATE/FED REGS.WATER:REMOVE BY SKIMMING/USE
OF USITABL ABSORBENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: OBSERVE LOCAL, STATE AND FEDERAL REGULATIONS.

CERCLA:NOT REPORTABLE.RECOMMEND CONTACT LOC AUTHORITIES TO DETERMINE IF THERE
MAY BE OTHER LOCAL REPORTING REQMTS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN.UNKN

ELECTROSTATIC ACCUMULATION HAZ:USE PROPER GROUNDING PROCEDURES.STORAGE
TEMP:AMBIENT.

Other Precautions: KEEP AWAY FR

OM HEAT SOURCES/OPN FLAMES/OTHER IGN SOURCES.
PHOTOCHEMICALLY REACTIVE MATL PRESENT-YES, <10%.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC
Flash Point Text: 144F,62C
Autoignition Temp Text: 410F
Lower Limits: 1.3
Upper Limits: 8.9
Extinguishing Media: EXTINGUISH WITH CO2, FOAM OR DRY CHEMICAL. CLASS B FIRE PROCEDURES.
Fire Fighting Procedures: EXTINGUISH WITH CO2, FOAM, OR DRY CHEMICAL. CLASS B FIRE PROCEDURES.
Unusual Fire/Explosion Hazard: COMBUSTIBLE LIQUID. CAN FORM COMBUSTIBLE MIXTURES AT OR ABOVE FLASH POINT.

=====
Control Measures
=====

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.
Ventilation: NORMAL ROOM VENTI IS ADEQUATE.USE FANS OR OTHER MECHANICAL VENTILATION IN ENCLOSED AREAS WHERE LG QUANT OF PROD ARE USED
Protective Glov
es: SOLVENT RESISTANT GLOVES.
Eye Protection: SAFETY GLASSES.
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC: V4
B.P. Text: 380F,193C
Vapor Pres: <1
Vapor Density: >1
Spec Gravity: 0.76
VOC Grams/Liter: 756
Evaporation Rate & Reference: 3.2,(N-BUTYL ACETATE=100)
Solubility
in Water: NON-SOLUBLE
Appearance and Odor: COLORLESS LIQUID W/CHARACTERISTIC ODOR.
Percent Volatiles by Volume: 100

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: KEEP AWAY FROM HEAT SOURCES, OPEN FLAMES, OTHER IGNITION SOURCES.
Materials To Avoid: STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products: SMOKE, CARBON MONOXIDE AND CARBON DIOXIDE
Hazardous P

polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

R
egulatory Information
=====

=====
Other Information
=====

Other Information: OLITILE ORGANIC CONTENT AS LISTED ON MSDS, 756 G/LITER
(VAPOR PRESSURE OF VOC'S <1MMHG @20C).
=====

=====
Transportation Information
=====

Responsible Party Code: 0JVH6
Tr
ans ID NO: 125730
Product ID: PF DEGREASER SOLVENT
MSDS Prepared Date: 12/13/1995
Review Date: 06/17/1996
MFN: 4
Net Unit Weight: 31.5 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: CN
Container QTY: 1
Type Of Container: METAL PAIL
Additional Data: PER TIR:PRIMARY CNTNR CONTENT QUANT:18.92 LITERS. PER MSDS:DOT
PROPER SHIPPING NAME/ID#:NOT APPLICABLE, DOT HAZ CLASS:NOT HAZARDOUS.
=====

=====
Detail DOT Information
=====

=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: PF DEGREASER SOLVENT
Cage: 0JVH6
Company Name: P-T TECHNOLOGIES
INC
Street: 108 4TH AVENUE, SOUTH
City: SAFETY HARBOR FL
Zipcode: 34695
Health Emergency Phone: 800-441-7874
Label Required IND: Y
Date Of Label Review: 06/17/1996
Status Code: C
Label Date: 06/17/1996
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: EYE:IRRIT,TEAR,REDNESS.DOES NOT INJURY
EYE.SKIN:PROL/REPEAT CONTACT CAUSE DEFAT/DRY.CONT DRYN

ESS CAUSE

DERM.INHAL:EXCESSIVE VAP INHAL IRRIT RESP TRACT,NAU,DIZZ,HEAD.INGEST:PRODUCT
LOW ORODER OF ACUTE ORAL TOXICITY BUT INGEST OF LG QUANT MAY CAUSE
NAU,VOMIT,GASTROINTESTINAL IRRIT.ASPIRATED INTO LUNGS.TARGET
ORGANS:EYE/SKIN/RESP TRACT/GI TRACT. FIRST AID: EYE:FLUSH W/WATER FOR
15MINS.IRRIT PERSIST C ONTACT PHYSICIAN. SKIN:WASH THROUGHLY
W/SOAP/WATER.REMOVE CONTAMN CLOTH. INHAL:IF AFFECTED BY VAP GET TO FRESH
AIR.IF BREATHING DIFFICULT SEE PHYSICIAN. INGEST:DO NOT INDUCE VOM

IT.PRODUCT

CONTAINS HYD ROCARBON.CONSULT PHYSICIAN.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
n
or any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situa
tion.