

MOBIL OIL CORP -- MOBIL SHC 634 -- 9150-01-124-3316

===== Product Identification =====

Product ID:MOBIL SHC 634

MSDS Date:12/30/1992

FSC:9150

NIIN:01-124-3316

MSDS Number: BZPKL

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLONS ROAD

City:FAIRFAX

State:VA

ZIP:22037-0001

Country:US

Info Phone Num:800-662-4525/800-227-0707 X3265

Emergency Phone Num:609-737-4411/CHEMTREC 800-424-9300

Preparer's Name:ENVIR HEALTH/SAF DEPT

CAGE:3U728

=== Contractor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:MOBIL OIL CORPORATION

Address:BEAUMOUNT REFINERY INTERSTATE 10

Box:3311

City:BEAUMONT

State:TX

ZIP:77704

Country:US

Phone:609-737-4411/800-424-9300(CHEMTREC)

CAGE:19135

===== Composition/Information o

n Ingredients =====

Ingred Name:CONTAINS THE FOLLOWING BASE OILS (INGREDS #2 & 3)

Fraction by Wt: >95.00%

Other REC Limits:NONE RECOMMENDED

Ingred Name:1-DECENE, HOMOPOLYMER, HYDROGENATED

CAS:68037-01-4

Other REC Limits:NONE RECOMMENDED

Ingred Name:HEXANEDIOIC ACID, DITRIDECYL ESTER

CAS:16958-92-2

Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 410F,>210C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:0.6

Upper Limits:7.0

Extinguis

hing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG.

WATER/FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:COOL FIRE EXPO CNTNRS W/WATER.WATERSPRAY MAY BE USED TO FLUSH SPILLS AWAY FRM EXP.FIRE IN ENCLSD AREAS MUST USE SCBA.PREVENT RUNOFF FRM FIRE CONTROL/DIL(SUPPLE)

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:REPORT AS REQUIRED TO APPROPRIATE AUTHORITIES.IMMED REPORT TO UC COASAT GUARD

800-424-8802 IF SPILL

COULD REACH WATERWAY(INTERM DRY CREEKS).ACCIDENT/RD SPILL CALL CHEMTREC.ADSORB ON FIRE RETARDANT TRE ATED SAWDUST/DIATOMACEOUS EARTH,ETC.SHOVELUP(SUPP)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS REQUIRED.

Other Precautions:PRODUCT ASSESSED IAW OSHA 29CFR1910.1200 & DETERMINED NOT TO BE HAZARDOUS.

===== Exposure Contr

ols/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY
CONDITIONS OF USE & W/ADEQUATE VENTILATION.

Ventilation:USE IN WELL VENTILATED AREA.

Protective Gloves:FOLLOW GOOD PERSONAL HYGIENE PRACTICES.

Eye Protection:NOR INDUSTRIAL EYE PROTECTION PRACTICES.

Other Protective Equipment:NO SPECIAL EQPMT REQUIRED.

Work Hygienic Practices:GOOD PERSONAL HYGIENE PRACTICES HSOULD ALWAYS
BE FOLLOWED.

Supplemental Safety and Health

FIREFIGHT:FRM ENTERING

STREAM/SEWER/DRINKING WATER SUPPLY. SPILL:&DISPO

OF @APPROPRIATE WASTE DISPO FACILI IAW CURRENT APPLICABLE

LAWS/REGS/PROD CHARACTERISTIC @TIME OF DISPO. DISPO:USE OF THESE

METHO S SUBJ TO USER COMPLIANCE W/APPLICABLE LAWS/REGS/PROD

CHARACTERISTIC @TIME OF DISPO.USED PROD MAY BE REGULATED.NO SARA.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:414CS

@40C

Evaporation Rate & Reference:NP

Solubility in Water:NEGLIGIBLE

Appearance and Odor:STRAW LIQUID, MILD ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:EXTREME HEAT.

Hazardous Decomposition Products:CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT SUITABLE

FOR BURNING IN ENCLSD

CONTROLLED BURNER FOR FUEL VAL/DISPO BY SUPERVISED
INCINERATION.SUCH BURNING MAY BE LIMITED PURSUANT TO RCRA.PROD
SUITABLE FOR PROCESSING BY APPROVED RECYCLE FAC ILI/DISPO @GOVT
APPORVED WASTE DISPO FACILI(SUPP)

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this in
formation to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.