View NSN Online: https://aerobasegroup.de/nsn/5915-00-856-1754

Product ID:73514, INSULATING VARNISH MSDS Date:10/01/1993 FSC:5915 NIIN:00-856-1754 MSDS Number: BZQWP === Responsible Party === Company Name: RFI CORP SUB OF KDI CORP Address:100 PINE AIRE DR **City:BAY SHORE** State:NY ZIP:11706-1107 Country:US Info Phone Num:516-231-6400 **Emergency Phone Num:5** 16-231-6400 Preparer's Name: A.L.DRAKE CAGE:13619 === Contractor Identification === **Company Name: INSULATING MATERIALS INC** Address:1 CAMPBELL RD Box:1404 City:SCHENECTADY State:NY ZIP:12306-9701 Country:US Phone:518-395-3300 CAGE:08800 Company Name: RFI CORP SUB OF KDI CORP Address:100 PINE AIRE DR Box:City:BAY SHORE State:NY ZIP:11706-1107 Country:US CAGE:13619

Ingred Name:VINYL TOLUENE CAS:25013-15-4 RTECS #:WL5075000 Fraction by Wt: 30-60% Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:50 PPM/100 STEL;9495

Ingred Name:DIVINYL BENZENE CAS:1321-74-0 RTECS #:CZ9400000 Fraction by Wt: 105% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM; 9495

Ingred Name:ETHYL STYRENE CAS:28106-30-1 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inha lation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION:HARMFUL IF SWALLOWED. ASPIRATION CAN BE A HAZARD. SKIN:MODERATE IRRITATION. INHALATION:RESPIRTATORY IRRITATION. EYE:MODERATE IRRITATION. CHRONIC-DERMATITIS, RESPIRATORY AILMENTS, CNS DAMAGE, CORNEAL DAMAGE.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE

CARCINOGENIC.

Effects of Overexposure:INGESTION:VOMEITIN, NAUSEA, DIARRHEA, ASPIRATION INTO LUNGS. SKIN:IRRITATION, BURNS, DERMATITIS. INHALATION:RESPIRATORY IRRITATION, HEADACHE, DIZZINESS, NAUSEA, INCOORDINATION, IRRITATION OF MOUTH, NO SE, THROAT. EYE:IRRITATION, BURNS.

Medical Cond Aggravated by Exposure:RESPIRATORY, PULMONARY DISORDERS, CNS DISORDERS.

First Aid: IF IRRITATION PERSISTS OR IS SEVERE, GET

MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE 1-2 GLASSES OF MILK OR WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point Method: PMCC Flash Point:122F,50C Autoignition Temp:Autoign ition Temp Text:NF Lower Limits:1.1 Upper Limits:5.2 Extinguishing Media: USE WATER FOG, FOAM, CARBON DIOXIDE OR DRY CHEMICAL. COOL EXPOSED CONTAINERS W/WATER SPRAY. Fire Fighting Procedures:WEAR POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS. POLYMERIZATION MAY TAKE PLACE DUE TO HEAT OF FIRE, CAUSING CONTAINERS TO VIOLENTLY RUPTURE. Unusual Fire/Explosion Hazard: EVACUATE AREA & FIGHT FIRE FROM A SAFE DISTANCE. TOXIC VAPORS MAY BE EMITTED IN A FIRE. CONTAINERS CAN BUILD UP PRESSURE IF EXPOSED TO HEAT. Spill Release Procedures: WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL & PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE EQUIPMENT. REMOVE SOURCES OF IGNITION. WARN OTHER WORKERS OF SPILL. INCREASE AREA VENTILATION. Neutralizing Agent: MFR GAVE NO INFORMATION OF MSDS. Handling and Storage Precautions: USE GROU ND STRAP. USE INERT GAS BLANKET. STORE UPRIGHT IN A COOL PLACE BELOW 85F/30C. AVOID BREATHING VAPORS. AVOID CONTACT W/SKIN & EYES. Other Precautions: USE ONLY IN A WELL VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE TO PREVENT CONTACT W/INCOMPATIBLES. CURE ONLY WHERE APPROPRIATE VENTILATION EXISTS. KEEP AWAY FROM FOOD &

SMOKING MATERIAL. WA SH HANDS BEFORE EATING & SMOKING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE

IN A WELL VENTILATED AREA. USE APPROVED NIOSH RESPIRATORY PROTECTION IF TLV IS EXCEEDED OR OVER EXPOSURE IS LIKELY. IF EXPOSED TO A HIGH VAPOR CONCENTRATION, LEAVE AREA AT ONCE. Ventilation: USE ONLY IN WELL VENTILATED AREA. MECHANICAL (GENERAL) VENTILATION. Protective Gloves:NEOPRENE Eye Protection: SAFETY GLASSES Other Protective Equipment: RUBBER APRON Work Hygienic Practices: MFR GAVE NO INFORMATION OF MSDS. Supplemental Safety and Health THIS MSDS OBTAINED BY DDRV & ENTERED AT THEIR REQUEST. CONTACT W/MFR OBTAINED INFORMATION THAT THIS MATERIAL IS USED IN THEIR PLANT TO ENCAPSULATE THE ITEM & THE MATERIAL IS POLYMERIZED BEFORE LEAVING THEIR PLANT. IT IS NO LONGER A FLAMMABLE LIQUID AND THE ITEM QUALIFIES AS AN ARTICLE UNDER OSHA.

HCC:N1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:NF Vapor Pres:NF Vapor Density:NF Spec Gravity:0.95 Appearance and Odor:LIQUID

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT W/BAISC, ACID OR OXIDIZING AGENTS, METALIC SALTS SUCH AS ALUMINUM CHLORIDE.
Stability Condition to Avoid:KEEP AWAY FROM HEAT, SSPARKS, FLAME, TEMPERATURES OVER 85F.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE Conditions to Avoid Polymerization:TEMPERATURES OVER 85F

Waste Disposal Methods: DISPOSAL

SHOULD BE MADE I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for th e suitability of this information to their particular situation.