View NSN Online: https://aerobasegroup.de/nsn/6750-01-376-5887

EASTMAN KODAK COMPANY -- 156 9201 KODAK EKTACOLOR RA BLEACH FIX & RPLENSHR NR, PART B -- 6750-01-376-5887

============= Product Identification =================

Product ID:156 9201 KODAK EKTACOLOR RA BLEACH FIX & RPLENSHR NR, PART B

MSDS Date:04/19/1996

FSC:6750

NIIN:01-376-5887

MSDS Number: BZRBJ === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650

C

ountry:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

Composition/Information on Ingredients ======== Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 60-65% Other REC Limits: NONE RECOMMENDED Ingred Name: FERRIC AMMONIUM ETHYLENEDIAMINETETRAACETIC ACID CAS:21265-50-9 Fraction by Wt: 35-40% Other REC Limits: NONE RECOMMENDED Ingred Name: DIAMMONIUM ETHYLENEDIAMINE TETRAACETIC ACID CAS:20824-56-0 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED ========== Hazards Identification =============== Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. MAY CAUSE TRANSIENT EYE IRRITATION. LOW SKIN OCONTACT HAZARD FOR RECOMMENDED HANDLING. EXPECTED TO BE A LOW INGESTION HAZARD FOR RECOMM ENDED HANDLING. CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUS CARCINOGENS. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT **PECT**

Effects of Overexposure:TRANSIENT EYE IRRITATION.

First Aid:INHALATION: IF SYMPTOMATIC MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTONS PERSIST. EYES: ANY MATERIAL THAT CONTACTS EYE SHOULD BE WASHED OUT IMMEDIATELY W/WATER. GET MEDICAL ATTENTION. SKIN: WAS H W/SOAP & WATER. GET MEDICAL ATTENTIONIF SYMPTOMS OCCUR. **INGE**

STION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. Flash Point:NONE,NON-COMBUST Lower Limits: NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media: WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL, ALCOHOL FOAM. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard: NONE SPECIFIE D BY MANUFACTURER. ========== Accidental Release Measures ================ Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER, IF ALLOWABLE. OTHERWISE, ABSORB WITH VERMICULAITE OR OTHER INERT MATERIAL, THEN PLACE IN CONTAINER FOR CHEMICAL WASTE. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage =========================== Handling and Storage Precautions: USE ONLY WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions: KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS Protective Gloves: IMPERVIOUS GLOVES. Eye Protection: SAFETY GLASSES W/SIDE SHIELDS, GOGGLES. Other P rotective Equipment: EYEBATH, WASHING FACILITIES, SAFETY SHOWER. Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health KEY1:N1. ========= Physical/Chemical Properties =========== HCC:N1 Boiling Pt:>100.C, 212.F B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres:18MM @20C Vapor Density:0.6 Spec Gravity:1.22 pH:7.0

Evap

oration Rate & Drawn; Reference: NOT GIVEN
Solubility in Water:COMPLETE.
Appearance and Odor: DARK BROWN LIQUID, WITH SLIGHT AMMONIA ODOF
Percent Volatiles by Volume:60-65

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, BASES, SODIUM HYPOCHLORITE (BLEACH).
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
OXIDES OF NITROGEN, AMMONI
A, CHLORAMINE.

====== Disposal Considerations ==========

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER. NO CHEM SUBJECT TO REPORTING REQMTS OF SEC 313 OR TITLE III OF SARA & 40CFR PART 372.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.