

N/P -- OMEGA 3812SN 313-2 -- 8010-00-926-1488

Product ID:OMEGA 3812SN 313-2

MSDS Date:01/01/1987

FSC:8010

NIIN:00-926-1488

MSDS Number: BZSWK

=== Responsible Party ===

CAGE:0B509

=== Contractor Identification ===

Company Name:FINE ORGANICS CORP

Address:6935 W. 62D STREET

Box:City:CHICAGO

State:IL

ZIP:60638

Country:US

Phone:312-586-8000 FAX: 312-586-8004

CAGE:0B509

=====
===== Composition/Information on Ingredients =====

==

Ingred Name:METHYLENE CHLORIDE (SARA 313) (CERCLA)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 55.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL (CARBOLIC ACID). (SARA 302/313) (CERCLA)

CAS:108-95-2

RTECS #:SJ3327000

Fraction by Wt: 16.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:5 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA 313) (CERCLA)

CAS:7775-

11-3
RTECS #:GB2955000
Fraction by Wt: 1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:0.05 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SKIN/EYES: CAUSES SEVERE BURNS,
NS DEPRESSION. CHRONIC: MAY AFFECT HEART/LIVER/KIDNEYS.
Explanation of Carcinogenicity:NTP: SODIUM CHROMATE. IARC: SODIUM
FILMATE, GROUP 1, METHYLENE CHLORIDE, LISTED 2B.
Effects of Overexposure:HIGH VAPOR CONCENTRATIONS IRRITATE
EYES/NOSE/THROAT/RESP TRACT. MAY CAUSE HEADACHE/DIZZINESS/LOSS
CONSCIOUSNESS. CAUSES IRRIT &/OR BURNS TO EYES. INGEST: MAY LEAD TO
PULMINARY INJURY.
Medical Cond Aggravated by Exposure:PREEXISTING LIVER/KIDNEY DISEASE.
CARDIAC DISORDERS. RESPIRATORY LUNG DISEASE.

=====
First Aid Measures
=====

First Aid:SEEK MEDICAL AID IN ALL CASES. INHAL: GET TO FRESH AIR. GIVE
ARTIF RESPIRATION IF BREATHING STOPS. EYES: FLUSH W/WATER >15 MIN
W/IN 1 MIN PERIOD OF CONTACT. SKIN: REMOVE CONTAM CLOTHES. WASH
W/WATER. INGESTION: DON'T INDUCE VOMITING. GIVE PLENTY WATER.
SMALL AMTS MAY BE LETHAL.

=====
Fire Fighting Measures
=====

Flash Point:NONE TO BOIL

=====
Accidental Release Measures
=====

Spill Release Procedures:O

UTDOORS: ADD SAND/EARTH/OTHER SUITABLE

ABSORBENT. KEEP OUT OF SEWERS/WATER SOURCES BY DIKING/IMPOUNDING.

INDOORS: ELIMINATE ALL IGNIT SOURCES, REMOVE W/ABSORBENT MATERIAL.

Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE >80F OR