View NSN Online: https://aerobasegroup.de/nsn/6810-00-559-9889

MAGNOLIA CHEMICALS AND SOLVENTS -- 40% MORPHOLINE -- 6810-00-559-9889

Product ID:40% MORPHOLINE MSDS Date:08/12/1995 FSC:6810 NIIN:00-559-9889 MSDS Number: CBQKJ === Responsible Party === Company Name: MAGNOLIA CHEMICALS AND SOLVENTS Address:1020 SAMS AVENUE Box:10276 **City:NEW ORLEANS** State:LA ZIP:70181-0278 Country:US Info Phone Num:713-235-6432/512-459-6543 Emer gency Phone Num:914-831-3400 Chemtrec Ind/Phone:(800)424-9300 CAGE:0LNB7 === Contractor Identification === Company Name: MAGNOLIA CHEMICALS AND SOLVENTS Address:1020 SAMS AVENUE Box:10276 City:NEW ORLEANS State:LA ZIP:70181-0278 Country:US Phone:504-733-6600 CAGE:0LNB7 Company Name:SDB CONSULTANTS LTD Address:401 WHITNEY AVE SUITE 120 Box:City:GRETNA State:LA ZIP:70056 Country:US Phone:504-366-9105 CAGE:0PGK2

Ingred Name:MORPH

OLINE CAS:110-91-8 RTECS #:QD6475000 Minumum % Wt:40. Maxumum % Wt:42. Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 20 PPM ACGIH TLV:S, 20 PPM; 9596

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 1.05 G/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: EXPOSURE MAY CAUSE SEVERE EYE, SKIN, RESPIRATORY TRACT IRRITATION. MAY CAUSE C HEMICAL BURNS TO SKIN AND EYES, BLINDNESS. INGESTION MAY CAUSE BURNS TO MUCOUS MEMBRANES OF MOUTH/THROAT/STOMACH. A SPIRATION MAY CAUSE LUNG DAMAGE. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE DERMATITIS, LUNG DAMAGE. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure: EYES-IRRITATION, PAIN, BLINKING/TEARS, EXTREME REDNESS & SWELLING, BURNS, BLINDNESS. SKIN-IRRITATION .PAIN.EXCESS REDNESS & SWELLING, CHEMICAL BURNS, BLISTERS, TISSUE DESTRUCTION.INHALED-NASAL DISCHARGE, COUGHIN G, DISCOMFORT IN NOSE/THROAT.INGESTED-BURNING OF MOUTH/THROAT.ABDOMINAL/CHEST PAIN, NAUSEA, VOMITING, DIARRHEA, THIRST......

Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS. OVEREXPOSURE TO VAPOR, DUST, MIST MAY AGGRAVATE EXISTING RESPIRATORY CONDITIONS, SUCH AS, ASTHMA, BRONCHITIS, INFLAMMATORY/FIBROTIC RESPIRATORY DISEASE.

=====

First Aid:IN ALL CASES GET IMMEDIATE MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES, LIFT LIDS. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. ADMINISTER OX YGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-IF EVACUATION OF STOMACH NECESSARY, USE METHOD LEAST LIKELY TO CAUSE ASPIRATION. CONTACT POISON CONTROL CENTER & OBTAIN IMMEDIATE MEDICAL ATTENTION! Flash Point Method:TCC Flash Point:195F,91C Lower Limits:5 **Upper Limits:16** Extinguishing Media:WATER SPRAY, DRY CHEMICAL, ALCOHOL RESISTANT FOAM, CARBON DIOXIDE. Fire Fighting Procedures: WATER MAY BE INEFFECTIVE ON FLAMES BUT SHOULD BE USED TO COOL FIRE-EXPOSED CONTAINERS AND PROVIDE PROTECTION FOR PERSONS ATTEMPTING TO STOP THE LEAK. Unusual Fire/Explosion Hazard: MATERIAL MAY RELEASE VAPORS THAT TRAVEL LONG DI STANCES, IGNITE AND FLASH BACK. CONTAINERS MAY EXPLODE IN FIRE. USE NON-SPARKING TOOLS. Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. BARRICADE IMMEDIATE AREA. STAY UPWIND. WEAR PROPER PERSONAL PROTECTIVE GEAR. CONTAIN SPILL IF FEASIBLE. REMOVE WITH INERT ABSORBENT. PREVENT ENTRY IN TO SEWERS AND WATERWAYS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. _____ Handling and Storage Precautions: STORE IN A COOL, DRY PLACE AWAY FROM SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. GROUND & BOND WHEN TRANSFERRING CONTENTS. Other Precautions: USE NON-SPARKING TOOLS. MATERIAL MAY BE AT ELEVATED TEMPERATURE AND/OR PRESSURES. EXERCISE CARE WHEN OPENING BLEEDERS AND SAMPLING PORTS. Respiratory Protection: IF ENGINEERING CONTROLS FAIL **OR NON-ROUTINE USE** OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134. Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves:NEOPRENE, NITRILE. Eye Protection: GOGGLES W/FACESHIELD. NO CONTACT LENSES. Other Protective Equipment: IF HANDLING LARGE QUANTITIES: IMPERVIOUS

SUITE, GLOVES, RUBBER BOOTS. PROVIDE EYE WASH STATION AND SA

FETY SHOWER IN AREA Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health NONE.

HCC:B2 Boiling Pt:=171.C, 339.8F Melt/Freeze Pt:=-28.C, -18.4F Vapor Pres:7 Vapor Density:3 Spec Gravity:1.0017 pH:11.2 Viscosity:2.2 CST @20C Solubility in Water:APPRECIABLE (>10%) Appearance and Odor:COLORLESS LIQUID. AMMONIA-LI KE ODOR.

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, STRONG OXIDIZING AGENTS, NITRITES.
Stability Condition to Avoid:AVOID HEAT. DO NOT ADD OR FORMULATE WITH NITRITES. THIS MATERIAL REACTS VIOLENTLY WITH ACIDS.
Hazardous Decomposition Products:TOXIC LEVELS OF AMMONIA, COMBUSTION PRODUCTS OF NITROGEN, CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES AND KETONES.
Conditions to Avoid Polymerization:DO NOT OCCUR

Waste Disposal Methods:HAS RCRA CHARACTERISTIC OF IGNITABILITY (D001) AS PURCHASED. UNDER RCRA IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE, AT TIME OF DISPOSAL, WHETHER PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no

manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.