View NSN Online: https://aerobasegroup.de/nsn/5610-00-618-0260

## CROSSFIELD PRODUCTS CORP -- DEX-O-TEX QUIK-SET POWDER -- 5610-00-618-0260

Product ID:DEX-O-TEX QUIK-SET POWDER

MSDS Date:01/19/1995

FSC:5610

NIIN:00-618-0260

MSDS Number: CBQKR === Responsible Party ===

Company Name: CROSSFIELD PRODUCTS CORP

Address:3000 HARCOURT ST City:RANCHO DOMINGUEZ

State:CA ZIP:90221 Country:US

Info Phone Num:310-886-9100

**Emergency Phone Num** 

:310-886-9100

Preparer's Name: R L MEYER

CAGE:60782

=== Contractor Identification ===

Company Name: CROSSFIELD PRODUCTS CORP.

Address:3000 EAST HARCOURT ST.

Box:City:COMPTON

State:CA ZIP:90221 Country:US

Phone:310-886-9100

CAGE:60782

======= Composition/Information on Ingredients ========

Ingred Name: SILICATE, PORTLAND CEMENT; (PORTLAND CEMENT)

CAS:65997-15-1

RTECS #:VV8770000

OSHA PEL:50 MPPCF; Z-3 ACGIH TLV:10 MG/M3 TDUST

Ingred Name: SILICA, CRYSTALLINE - QUARTZ; (CRYSTALLINE SIL

ICA) CAS:14808-60-7 RTECS #: VV7330000 **OSHA PEL:SEE TABLE Z-3** ACGIH TLV:0.1 MG/M3 RDUST Ingred Name:PUMICE CAS:1332-09-8 OSHA PEL:N/K ACGIH TLV:N/K =========== Hazards Identification ========================== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES | IARC:YES | OSHA:NO Health Hazards Acute and Chronic:ACUTE:WET CEMENT MAY CAUSE ALKALI BURNS AND DRY THE SKIN. CHRONIC:FREE SILICA D **UST MAY CAUSE DELAYED** LUNG INJURY. Explanation of Carcinogenicity: SILICA, CRYSTALLINE-QUARTZ: IARC MONO, SUPP. VOL 7, PG 341, 1987: GROUP 2A. NTP 7TH ANNUAL RPT ON CARCINS, 1994: (SUPDAT) Effects of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: DUST MAY CAUSE EYE AND NOSE INFLAMMATION. ------ First Aid Measures ------First Aid:INHAL:MOVE SUBJECT TO FRESH AIR. EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES & CALL PHYSICIAN. SKIN: WASH WITH SOAP AND WATER, INGEST: CALL PHYSICIAN. Extinguishing Media: NOT APPLICABLE. MEDIA SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures: NONE. USE NIOSH/MSHA APPROVED SCBA & FULL

PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: SWEEP OR VACUUM USING GOOD VENTILATION. Neutralizing

======================================
Handling and Storage Precautions:STORE IN DRY AREA. AFTER HANDLING, WASH THOROUGHLY. Other Precautions:PROTECT SKIN FROM CONTACT OF WET CEMENT. MAKE SURE
TLV OF SIO*2, IS NOT EXCEEDED.
======= Exposure Controls/Personal Protection =========
Respiratory Protection:IF ENVIRONMENT IS DUSTY, USE NIOSH/MSHA APPROVED RESPIRATOR.
Ventilation:GOOD VENTILATION. LOCAL EXHA UST:YES. MECHANICAL
(GENERAL):YES - FOLLOW OSHA STANDARD. Protective Gloves:RUBBER GLOVES.
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES . Other Protective Equipment:ANSI APPROVED EMERGENCY EYE WASH & DELUGE SHOWER .
Work Hygienic Practices:AFTER HANDLING, WASH THOROUGHLY.
Supplemental Safety and Health EXPLAN OF CARCIN:ANTIC TO BE CARCINOGEN.
========= Physical/Chemical Properties ===========
Solubility in Water:SLIGHT Appearance and Odor:GRAY POWDER - NO ODOR.
==
========= Stability and Reactivity Data ============
Stability Indicator/Materials to Avoid:YES NONE.
Stability Condition to Avoid:KEEP DRY TILL USED. Hazardous Decomposition Products:NONE.
======== Disposal Considerations =============
Waste Disposal Methods:DISPOSE OF IN SANITRAY LANDFILL IN ACCORDANCE WITH STATE, LOCAL AND FEDERAL REGULATIONS ON SOLID WASTES.
Disclaimer (provided with this information by the compiling agencies): This information is

Agent: NONE SPECIFIED BY MANUFACTURER.

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.