

BADGER POWHATAN -- DRY CHEMICAL FIRE EXTINGUISHER, PRESSURIZED CYLINDER --
4210-00-965-1108

=====
Product Identification
=====

Product ID: DRY CHEMICAL FIRE EXTINGUISHER, PRESSURIZED CYLINDER

MSDS Date: 01/12/1994

FSC: 4210

NIIN: 00-965-1108

MSDS Number: CBQML

=== Responsible Party ===

Company Name: BADGER POWHATAN

Address: ROUTE 29 NORTH

Box: 7146

City: CHARLOTTESVILLE

State: VA

ZIP: 22906

Country: US

Info

Phone Num: 804-973-4361

Emergency Phone Num: 804-973-4361/800-424-9300(CHEMTREC)

CAGE: 6L214

=== Contractor Identification ===

Company Name: BADGER FIRE PROTECTION INC

Address: 4261 SEMINOLE TRAIL

Box: City: CHARLOTTESVILLE

State: VA

ZIP: 22901

Country: US

Phone: 804-973-4361

CAGE: 6L214

=====
Composition/Information on Ingredients
=====

Ingred Name: NONE SPECIFIED BY MANUFACTURER.

Other REC Limits: NONE RECOMMENDED

=====
Hazards Identification
=====

Ro

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NOT APPLICABLE. CHRONIC: NOT APPLICABLE.
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:IN THE EVENT OF PHYSICAL INJURY, TAKE APPROPRIATE FIRST AID OR MEDICAL MEASURES.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Unusual Fire/Explosion Hazard:THIS CYLINDER CONTAINS DRY CHEMICAL (REGULAR, ABC OR PURPLE-K). SEE THE NATIONAL FIRE PROTECTION ASSOCIATION BOOKLET NFPA NO. 10.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CYLINDERS AND CARTRIDGES SHOULD BE REFILLED ONLY BY TRAINED AND QUALIFIED PERSONNEL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:HANDLE, TRANSPORT AND STORE CAREFULLY AND SECURELY TO AVOID ACCIDENTAL KNOCKING OVER OR OTHER SEVERE PHYSICAL IMPACT. DO NOT EXPOSE TO DIRECT HEAT.
Other Precautions:DO NOT OVER-PRESSURIZE. IF THE CYLINDER IS DISCHARGED, AVOID BREATHING THE CONTENTS OR CONTACT WITH SKIN.

=====
===== Exposure Controls/Personal Protection =====

Ventilation:NA
Protective Gloves:WEAR GLOVES WHEN HANDLING CYLINDERS.

Eye Protection:WEAR SAFETY GLASSES.

Other Protective Equipment:SAFETY SHOES ARE RECOMMENDED WHEN HANDLING CYLINDERS.

Work Hygienic Practices:NONE ESTABLISHED.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:NA

pH:NA

Viscosity:NA

Evaporation Rate & Reference:NA

Solubility in Water:NA

Appearance and O

dor:NA

Percent Volatiles by Volume:NA

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NOT APPLICABLE.

Stability Condition to Avoid:DIRECT HEAT, SEVERE PHYSICAL IMPACT OR OVER PRESSURIZATION.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.