

EMERSON CUMING INC. SUB OF W R GRACE AND CO. -- MOLD RELEASE 122 S -- 6850-01-028-4642

=====
Product Identification
=====

Product ID:MOLD RELEASE 122 S

MSDS Date:02/03/1997

FSC:6850

NIIN:01-028-4642

MSDS Number: CBQNM

=== Responsible Party ===

Company Name:EMERSON CUMING INC. SUB OF W R GRACE AND CO.

Address:55 HAYDEN AVE

City:LEXINGTON

State:MA

ZIP:02173

Country:US

Info Phone Num:800-832-4929/ F

AX 781-863-1436

Emergency Phone Num:781-861-6660/800-424-9300(CHEMTREC)

Preparer's Name:DAVID HAAS

CAGE:0B562

=== Contractor Identification ===

Company Name:DEANCO INC

Address:7933 QUEENAIR DR

Box:City:GAITHERSBURG

State:MD

ZIP:20879-4137

Country:US

Phone:301-948-5444

CAGE:9K946

Company Name:EMERSON & CUMING

Address:55 HAYDEN AVE

Box:City:LEXINGTON

State:MA

ZIP:02173

Country:US

Phone:617-861-6600

CAGE:0B562

Company Name:EMERSON & CUMING,INC., DIV OF W.R.GRACE AND CO.

Address:61 HOLTON STREET

Box

:City:WOBURN
State:MA
ZIP:01180
Country:US
Phone:800-225-1936
CAGE:0JMR7
Company Name:RICHEY ELECTRONICS
Box:UNKNOW
CAGE:08CK6

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICONE RESIN
Fraction by Wt: 90 - 95%
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMORPHOUS SILICA
Fraction by Wt: 93C
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICAL.
USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS. IF LARGE QUANTITIES ARE INVOLVED, FIGHT FIRE FROM A SAFE DISTANCE.
Unusual Fire/Explosion Hazard:DECOMPOSITION PRODUCTS MAY BE TOXIC.
AEROSOL CANS MAY RUPTURE VIOLENTLY.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. REMOVE FLAMES.
VENTILATE AREA. USE NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH.
PLACE IN CONTAINER FOR DISPOSAL. WASH SPILL SITE WITH SOAP AND WATER.
Neutralizing Agent:NOT RELEVANT

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN VENTILATED AREA. KEEP AWAY FROM FLAME & INCOMPATIBLE MATERIALS.
Other Precautions:AVOID EYES AND SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:ADEQUATE
Protective

e Gloves:NEOPRENE, NITRILES FOR REPEATED CONTACT
Eye Protection:SAFETY GLASSES
Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER AND
EYEWASH FACILITY
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. WASH BEFORE EATING OR DRINKING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V2
NRC/State Lic Num:NOT RELEVANT
Vapor Pres:NEGLIGIBLE
Spec Gravity:0.94 - 1.04
Viscosity:NOT REL
EVANT
Solubility in Water:INSOLUBLE
Appearance and Odor:PINK GREASE-LIKE PASTE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG ALKALIS
Stability Condition to Avoid:EXCESSIVE HEAT, FLAMES
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
SILICONE OXIDES AND OTHER ORGANIC SUBSTANCES

===== Disposal Considerations =====

Waste Disposal Me
thods:CONTRACT WITH LICENSED CHEMICAL WASTE DISPOSAL
SERVICE. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
REGULATIONS. DO NOT INCINERATE AEROSOL CANS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person u
tilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.