

SANCHEM INC -- NO-OX-ID, A SPECIAL -- 9150-01-395-9135

===== Product Identification =====

Product ID:NO-OX-ID, A SPECIAL
MSDS Date:06/21/1989
FSC:9150
NIIN:01-395-9135
MSDS Number: CBRDB
=== Responsible Party ===
Company Name:SANCHEM INC
Address:1600 S CANAL
City:CHICAGO
State:IL
ZIP:60616
Country:US
Info Phone Num:312-733-6100
Emergency Phone Num:312-733-6100
CAGE:56086
=== Contractor Identifica
tion ===
Company Name:SANCHEM INC
Address:1600 S. CANAL ST
Box:City:CHICAGO
State:IL
ZIP:60616
Country:US
Phone:312-733-6100
CAGE:56086

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED PARAFFIN WAX,PETROLEUM;(PETROLEUM WAX)
CAS:64742-51-4
Fraction by Wt: 20%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SOLVENT DEWAXED RESIDUAL OIL (PETROLEUM);(REFINED PETROLEUM OILS)
CAS:64742-62-7
Fraction by Wt: 21%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SOLVE

NT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC;(MINERAL SPIRITS RULE 66)

CAS:64742-88-7

Fraction by Wt: 8%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:MINERAL OIL, PETRO DISTILLATES, SOLV-DEWAXED HEAVY NAPHTHENIC(SEV) SOLV-REFINING &/HYDROTREATED);(REFINED PETROLEUM OIL)

CAS:64742-63-8

RTECS #:PY8038001

Fraction by Wt: 15%

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:FATTY ACID ESTER

CAS:61791-48-8

Fraction by Wt: 1%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:PARAFFIN; (PARAFFIN WAX)

CAS:80

02-74-2

RTECS #:RV0350000

Fraction by Wt: 20%

OSHA PEL:2 MG/M3 (FUME)

ACGIH TLV:2 MG/M3 (FUME)

Ingred Name:PARAFFIN WAXES AND HYDROCARBON WAXES, MICROCRYST;(MICROCRYSTALLINE WAX)

CAS:63231-60-7

Fraction by Wt: 15%

OSHA PEL:N/K

ACGIH TLV:N/K

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute an

d Chronic:MAY CAUSE MINOR SKIN IRRITATION.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====

First Aid:SKIN: WASH W/SOAP & WATER. INGEST: INDUCE VOMITING. EYE:
FLUSH W/POTABLE WATER FOR AT LEAST 15 MINS. SEE MD. INHAL: REMOVE
TO FRESH AIR. SUPPORT BREATHING(GIVE O*2/ARTF RESP).

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:250F,121C
Lower Limits:0.9%
Upper Limits:6.0%
Extinguishing Media:DRY CHEMICAL, FOAM, SAND.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP & WASH AREA DOWN WITH SOAP & WATER.
STORE IN SEALED DRUMS FOR DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=
=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM OPEN
FLAMES AND HEAT.
Other Precautions:NONE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED(MFR). USE NIOSH/MSHA APPROVED
RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.
Ventilation:NONE SPECIFIED BY MANUFACTURER.
Protective Gloves:RUBBER GLOVES.
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS.
Othe

Protective Equipment:EMERGENCY EYEWASH & DELUGE SHOWER MEETING
ANSI DESIGN CRITERIA.

Work Hygienic Practices:WASH HANDS BEFORE EATING.

Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC:V1

Boiling Pt:B.P. Text:450F,232C

Melt/Freeze Pt:M.P/F.P Text:>140F,>60C

Spec Gravity:0.06(H*20=1)

Solubility in Water:DOES NOT DISSOLVE

Appearance and Odor:LIGHT TO DARK BROWN GREASE, ODORLESS.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.

Stability Condition to Avoid:OPEN FLAME OR EXCESSIVE HEAT. STRONG
OXIDIZING MATERIALS.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

=====
Disposal Considerations
=====

Waste Disposal Methods:NORMAL SCAVENGER. DISPOSE OF IN ACCORDANCE
W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling
agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.