

TEXACO REFINING AND MARKETING INC. -- 00489 AEO PREMIUM AD 120 -- 9150-00-168-6889
===== Product Identification =====

Product ID:00489 AEO PREMIUM AD 120

MSDS Date:12/08/1995

FSC:9150

NIIN:00-168-6889

MSDS Number: CBRWD

=== Responsible Party ===

Company Name:TEXACO REFINING AND MARKETING INC.

Address:1111 RUSK STREET

City:HOUSTON

State:TX

ZIP:77002-3310

Country:US

Info Phone Num:713-650-5206

Emer

gency Phone Num:713-650-5206, CHEMTREC 800-424-9300

CAGE:2R503

=== Contractor Identification ===

Company Name:TEXACO REFINING AND MARKETING INC

Address:1111 RUSK ST

Box:City:HOUSTON

State:TX

ZIP:77002-3310

Country:US

Phone:713-650-5206

CAGE:2R503

===== Composition/Information on Ingredients =====

Ingred Name:LUBRICATING OILS (PETROLEUM), C>25, HYDROTREATED BRIGHT
STOCK-BASED OR MINERAL OIL

CAS:72623-83-7

Fraction by Wt: 50-65%

Other REC Limits:NONE RECOMMENDED

Ingred Nam

e:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DDEWAXED
(SEVERE), HEAVY PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038501

Fraction by Wt: 20-35%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SOLVENT REFINED HEAVY PARAFFINIC PETROLEUM DISTILL

Fraction by Wt: 3-10%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SOLVENT DEWAXED RESIDUAL OIL (PETROLEUM)

CAS:64742-62-7

Fraction by Wt: 1-3%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of

Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CONTACT MAY CAUSE MINIMAL EYE

IRRITATION. PROLONGED CONTACT WITH SKIN MAY CAUSE IRRITATION.

INHALATION OF UNUSUALLY HIGH CONCENTRATIONS OF VAPOR OR MIST MAY
CAUSE IRRITATION OF NOSE & THROAT, CNS EFFECTS. INGESTION OF LARGE
AMOUNTS MAY CAUSE GI TRACT IRRITATION. CHRONIC: NO KNOWN ADVERSE
EFFECTS.

Explanation of Carcinogenicity:USED GASOLINE MOTOR OIL IS A POSSIBLE

SKIN CANCER HAZARD BASED ON ANIMAL STUDIES.

Effects of Overexposure:EYES-IRRITATION. SKIN-IRRITATION, DEFATTING.

INHALED-IRRITATION OF NOSE & THROAT, NAUSEA, HEADACHE, DROWSINESS.
INGESTED-ABDOMINAL DISCOMFORT, NAUSEA, DIARRHEA.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS
(DERMATITIS) MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:SKIN-WASH WITH SOAP & WATER. GET MEDICAL ATTENTION IF

IRRITATION DEVELOPS. INHALATION-REMOVE TO FRESH AIR & RESTORE
BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE-FLUSH WITH WATER
FOR 15 MINUTES, HOLD LIDS OPEN. GET MEDICAL ATTENTION.
INGESTION-IF CONSCIOUS, GIVE 1-2 GLASSES WATER. DO NOT INDUCE
VOMITING. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:490F,254C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY

CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPOR. WAE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (PPE). CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. PREVENT ENTRY INTO SEWERS A ND WATERWAYS. AVOID CONTACT WITH SKIN, EYES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MINIMAL FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION.

Other Precautions:PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES
T
HAT CAN NOT BE DECONTAMINATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES OR AN ATMOSPHERE-SUPPLYING RESPIRATOR IF REQUIRED. PROTECTION IS NOT REQUIRED UNDER NORMAL USE CONDITIONS.

Ventilation:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE. MECHANICAL EXHAUST RECOMMENDED IF USED IN ENCLOSED AREA.

Protective Gloves:CHEMICAL RESISTANT GLOVES (NITRILE BEST)

Eye Protection:WEAR CHEMICAL SAFETY GOGGLES

Other Protective Equipment:WEAR PROTECTIVE CLOTHING, APRON AND BOOTS AS REQUIRED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DIRNKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

THIS PRODUCT IS CLASSIFIED AS AN OIL UNDER SECTION 311 OF THE CLEAN WATER ACT. SPILLS ENTERING SURFACE WATERS OR ANY WATER COURSES OR SEWERS ENTERING/L

LEAKING TO SURFACE WATERS THAT CAUSE A SHEEN MUST
BE REPORTED TO THE NATIONAL RESPONSE CENTER. 800-424-8602

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.8899

Viscosity:24.3 CST@100C

Appearance and Odor:RED LIQUID; ODOR NOT DETERMINED.

Corrosion Rate:UNKNOWN

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE.

Hazardous Decompo

sition Products:CARBON MONOXIDE, CARBON DIOXIDE,

IRRITATING ALDEHYDES & KETONES, CMPDS OF NITROGEN, SULFUR, CALCIUM,
ZINC, PHOSPHOROUS.

Conditions to Avoid Polymerization:DOES NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT DOES NOT MEET CRITERIA FOR RCRA
HAZARDOUS WASTE IN PURCHASED FORM. UNDER RCRA, IT IS THE USER'S
RESPONSIBILITY TO DETERMINE AT THE TIME OF DISPOSAL WHETHER A
MATERIAL MEETS RCRA CRITERIA FOR H
AZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their

particular situation.