

AIR PRODUCTS AND CHEMICALS INC. -- CARBON DIOXIDE, DRY ICE (SOLID ONLY) --
4210-00-288-7219

===== Product Identification =====

Product ID: CARBON DIOXIDE, DRY ICE (SOLID ONLY)

MSDS Date: 02/16/1981

FSC: 4210

NIIN: 00-288-7219

MSDS Number: CBRYQ

=== Responsible Party ===

Company Name: AIR PRODUCTS AND CHEMICALS INC.

Address: 7201 HAMILTON BLVD

Box: 538

City: ALLENTOWN

State: PA

ZIP: 18195-1501

Country: US

Info

Phone Num: 215-481-4911

Emergency Phone Num: 800-623-9374

CAGE: 00742

=== Contractor Identification ===

Company Name: AIR PRODUCTS AND CHEMICALS INC

Address: 7201 HAMILTON BLVD

Box: City: ALLENTOWN

State: PA

ZIP: 18195-1501

Country: US

Phone: 800-345-3148 / 800-752-1597

CAGE: 00742

Company Name: BADGER FIRE PROTECTION INC

Address: 4261 SEMINOLE TRAIL

Box: City: CHARLOTTESVILLE

State: VA

ZIP: 22901

Country: US

Phone: 804-973-4361

CAGE: 6L214

Company Name: BADGER POWHATAN

Address: ROUTE 29 NORTH

Box: 7146

City: CHARLOTTES

VILLE
State:VA
ZIP:22906
Country:US
Phone:804-973-4361
CAGE:0FYK7

=====
Composition/Information on Ingredients
=====

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5000 PPM
ACGIH TLV:5000PPM/30000STEL;96

=====
Hazards Identification
=====

LD50 LC50 Mixture:TLV=5000PPM(TLV-STEL)-15000PPM,1.5%BYVOL
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO
IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CARBON DIOXIDE DOESN'T SUPPORT
LIFE.MAY PRODUCE IMMED HAZ ATMS.@CONC >1.5% MAY PRODUCE
HYPERVENTILLATION,HEAD,VISUAL DISTURB,TREMOR,LOSS OF
CONSC,DEATH.CONC >10% UNCONSC CAN OCCUR W/O WARNING,PREVENTI NG
SELF-RESCUE.@MUCH HIGHER CONC DISPLACES OXY IN AIR BELOW LEVELS
NECESSARY TO SUPPORT LIFE.CO2 MINOR BUT (SUPPLEMENTA)
Effects of Overexposure:CONC 3-6%-HEADACHES, DYSPNEA,
PERSPIRATION.6-10%-HEADACHES, DYSPNEA, PERSPIRATIO
N, TREMORS,
VISUAL DISTRUBANCE, UNCONSC. OVER 10%-UNCONSC.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:PERSONS SUFFERING FROM TOXIC EFFECT OF CO2 SHOULD BE MOVED TO
AREAS W/NORMAL ATM.SCBA MAY BE NECESSARY TO PREVENT TOXIC
EXPO/ASPHYXIATION OF RESCUE WORKERS.ASSISTED RESP/SUPPLEMEN OXY
SHOULD BE GIVEN IF NOT BREATHING.FROZEN TISSUES SHOULD BE
FLOODED/SOAKED W/TEPID WATER(

105-115F).DON'T USE HOT WATER.CRYOGENIC BURNS RESULT IN BLISTER/DEEPER TISSUE FREEZING SHOULD BE SEEN PROMPTLY BY PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CARBON DIOXIDE IS AN EXTINGUISHING AGENT FOR CLASS B & C FIRES.

===== Accidental Release Measures =====

Spill Release Procedures:SM QUANT VAPORIZE LEAVING CO2 SNOW(COMBINATION OF DRY ICE/WATER ICE WHERE ATM MOISTURE PRESENT).VENTI INDOOR AREAS WELL.VENTI WELL/AVOID CONTACT W/COLD VAP/DRY ICE.CO2 HEAVY GAS & WILL REMAIN LOW SPOTS W/O ASSIST VENTI.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:PREVENT SKIN CONTACT/ENTRAPMENT OF LIQ IN CLSD SYS.STORE/USE LIQ CNTNR/CYL IN WELL VENTI AREA.CYL CONTAIN GAS/LIQ CO2 @EXTREME LEVELS. HANDLE W/CARE.
Other Precautions:NEVER USE DIRECT FLAME TO HEAT CYL.USE CHECK VAL-PREVENTS BACKFLOW INTO STORAGE CNTNR.AVOID DRAG/ROLL/SLIDE CYL;USE SUITABLE HAND TRUCK.KEEP AWAY FROM HEAT SOURCES.DON'T STORE IN HEAVY TRAFFIC AREAS.AVOID EXPO TO SALT/OTHER CORR CHEM.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS IN OXYGEN-DEFICIENT ATM OR WHERE CARBON DIOXIDE EXCEEDS 1.5%.CAUTION!RESPIRATORS WILL NOT FUNCTION.USE MAY RESULT IN ASPHYXIATION.
Ventilation:NAT/MECH:GAS/VAP PRESENT.LOC:@PT SOURCES OF CO2 VAP.MECH(GEN):LOW LYING AREA NOT VENT.VENT SITUATED TO AVOID(WORKHYGPRA)
Protective Gloves:LOOSE FITTING/IMPERMEABLE(LEATHER)GLOVES
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NONE.
Work Hygienic Practices:VENTI:HIGHER THAN NORMAL CONC OF CO2 IN WORKAREA.REF:COMPRESSED GAS ASSOC PAMPHLET P-1 ADDN STORAGE RECOMMENDATIONS.
Supplemental Safety and Health

alth

APPEARANCE:IF PRESSURE SUDDENLY RELIEVED LIQ RAPIDLY COOLS AS IT
EVAPORATES & SUBLIMES FORMING DRY ICE @-109.3F. HEALTH
HAZ:IMPORTANT CONSTITUENT OF STM AVG ABOUT 0.03% OR 300 PPM BY
VOL.@HIGHER CONC AFFECTS RESP RATE. DISPO:VENT TO ATM SLOWLY
PREVENTING RAPID DEPRESSUREIZATION RESULTING IN SOLID CO2 FORM
LONGER TO VAP

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-109F,-78C

Melt/Freeze Pt:M.P/F.P Text:-70F,-57C

Decom

p Temp:Decomp Text:NP

Vapor Pres:831PSIA

Vapor Density:0.115

Spec Gravity:1.53 @68F,1ATM

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:87.8% @1ATM & 68F.

Appearance and Odor:COLORLESS,ODORLESS GAS OR LIQUID.STORED IN CNTNR
UNDER OWN VAP PRESSURE(SUPPLEM

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

IF MOISTURE IS PRESENT MATLS MUST RESIST CARBONIC ACID.

Stability Condition to Avoid:NONE.

Hazardous

Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:DON'T ATTEMPT TO DISPO OF RESIDUE IN COMPRESSED
GAS CYL.RETURN TO AIR PROD W/RESIDUAL PRESSURE/CYL VALVE TIGHTLY
CLSD/VALVE CAP ON.DISPO BULK QUANT FROM REFRIG STORAGE TK DISPO
OUTSIDE IN WELL VENTI L OCATION AWAY FROM WORKAREA,VAP CAN
DISPERSE(SUPPL)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for

use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.