View NSN Online: https://aerobasegroup.com/nsn/6850-00-880-7616

Product ID:VISILOX V-724 MSDS Date:12/18/1995 FSC:6850 NIIN:00-880-7616 **MSDS Number: CBSCK** === Responsible Party === Company Name: RHONE-POULENC INC Address:125 BLACK HORSE LN Box:125 **City: MONMOUTH JUNCTION** State:NJ ZIP:08852 Country:US Info Phone Num:201-821-3586 Emergency Phone Num:201-821-3586 CAGE:0A5D1 = == Contractor Identification === Company Name:NORTH AMERICAN CARBON INC. Address: ELK RUN AVE Box:436 City:PUNXSUTAWNEY State:PA ZIP:15767 Country:US Phone:814-938-7450 CAGE:41629 Company Name: RHONE-POULENC INC Address:125 BLACK HORSE LN Box:125 **City: MONMOUTH JUNCTION** State:NJ ZIP:08852 Country:US Phone:201-821-3586 CAGE:0A5D1 

Ingred Name:POLY (DIMETHYLSILOXANE)/DIMETHYLPOLYSILOXANE FLUID CAS:63148-62-9 RTECS #:JJ6484500 Fract ion by Wt: 90 - 95% Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA, AMORPHOUS (FUMED) CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5 - 10% Other REC Limits:NONE RECOMMENDED OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE & GASTROINTESTINAL TRACT. ACUTE- EYE CONTACT MAY CAUSE SLIGHT IRRITATION & REDNESS. SKIN CONTACT IS NON-IRRITATING. INHALATION IS NOT LIKELY. LOW ACUTE ORAL TOXICITY. CHRONIC- UNKNOW N. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, EYE REDNESS Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING EYE PROBLEMS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET

MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS & ALERT, DRINK 1 -2 GLASSES OF WATER. GET MEDICAL ATTENTION. NEVER GIVE ANYTIHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point Method:COC Flash Point:>500F,>260C Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, SAND. Fir e Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:FORMALDEHYDE MAY BE FORMED.

Spill Release Procedures: ABSORB WITH AN INERT ABSORBENT. PLACE IN APPROPRIATE CLOSED CONTAINER FOR DISPOSAL. SPILL AREA MAY BE SLIPPERY. WASH WITH PAINT THINNER OR MINERAL SPIRITS, PROVIDED THAT THERE IS

GOOD VENTILATION AND NO SOURCES OF IGNITION Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE IN COOL (