

MINNESOTA MINING AND MFG AUTOM -- SPRAY TRIM ADHESIVE PART NO. 08074

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-995-7080
MSDS Date: 03/06/1992
MSDS Num: CBSDS
Product ID: SPRAY TRIM ADHESIVE PART NO. 08074
MFN: 01
Responsible Party
Cage: 52157
Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV
Address: 3M
CTR
City: ST PAUL MN 55144-1000
Info Phone Number: 612-733-1110
Emergency Phone Number: 612-773-1110
Preparer's Name: UNKNOWN
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 52157
Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV
Address: 3M CTR
City: ST PAUL MN 55144-1000
Phone: 612-737-4114
Cage: 050Q3
Name: NAPA, A DIVISION OF LINCOLN AUTOMOTIVE
Address:
s: ONE LINCOLN WAY
City: ST. LOUIS MO 63120-1578
Phone: 414-255-5520

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: CN
Quantitative Expression: 00000000024OZ
UI Container Qty: B

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:INHALATION OF VAPOR/MIST MAY CAUSE RESPIRATORY IRRITATION & TEMPORARY NERVOUS SYSTEM IMPAIRMENT.CONTACT MAY CAUSE SKIN & EYE IRRITATION.N-HEXANE MAY BE ABSORBED THROUGH SKIN IN HARMFUL

AMOUNTS.INGESTION IS NOT A LIKELY ROUTE OF EXPOSURE.CHRONIC:PROLONGED EXPOSURE MAY CAUSE DERMATITIS,NERVOUS SYSTEM DAMAGE.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptoms Of Overexposure: INHALED-RESPIRATORY IRRITATION, MILD LIGHT-HEADEDNESS, WEAKNESS, DIZZINESS, HEADACHE, NAUSEA, FACIAL NUMBNESS. SKIN-DEFATTING, IRRITATION, DERMATITIS. EYES-IRRITATION.

INGESTED-WHILE NOT A

LIKELY ROUTE; IF CONCENTRATED & SWALLOWED-ASPIRATION AND/OR GI TRACT IRRITATION MAY OCCUR-NAUSEA, VOMITING.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES-IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 10 MINUTES. CALL PHYSICIAN. SKIN-WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO UNCONTAMINATED AIR. CALL A PHYSICIAN IF NOT BREATHING. INGESTED-DO NOT INDUCE VOMITING! CONTACT POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

=====
Handling and Disposal
=====

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA.

WEAR APPROPRIATE PERSONAL PROTECTIVE GEAR. USE NON-SPARKING TOOLS. CONTAIN SPILL. COVER WITH ABSORBENT MATERIAL AS NEEDED. COLLECT SPILLED MATERIAL. PLACE IN A US DOT-APPROVED CONTAINER AND SEAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE

E ABSORBED AND PARTIALLY FULL CANS AFTER MIXING WITH FLAMMABLE MATERIAL IN A LICENSED HAZARDOUS WASTE FACILITY. THE FACILITY MUST BE CAPABLE OF HANDLING AEROSOL CANS. DO NOT PUNCTURE OR BURN CANS IN A HOUSHOLD INCINERATOR. EPA/RCRA #=D001.

Handling And Storage Precautions: STORE IN A COOL, DRY PLACE AWAY FROM SOURCES OF IGNITION. STORE BELOW 120F. EXTINGUISH AND DO NOT IGNITE ANY FLAME IN WORK/STORAGE AREA.

Other Precautions: KEEP OUT OF REACH OF CHILDREN. AVOID SKIN & EYE CONTACT.

VAPORS RELEASED MAY BE EASILY IGNITED AND BURN EXPLOSIVELY. AVOID PROLONGED BREATHING OF VAPORS AND SPRAY. USE ONLY IN WELL-VENTILATED AREAS. INTENTIONAL INHALATION MAY BE FATAL.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: -50F,-46C

Lower Limits: 1.0

Upper Limits: 7.0

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: TREAT AS A PRESSURIZED CONTAINER. WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: EXTREMELY FLAMMABLE. TREAT AS A PRESSURIZED CONTAINER. OVERHEATED, CLOSED CONTAINERS ADJACENT TO FIRE COULD EXPLODE DUE TO PRESSURE BUILD-UP.

=====
Control Measures
=====

Respiratory Protection: DLA-: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED . USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE EXPLOSION-PROOF MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: DLA-: IMPERVIOUS: NITRILE,PVA,BUTYL.

Eye Protection: DLA-: SAFETY GLASSES W'SDIE SHIELDS.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. DLA-: EYE WASH STATION & SAFETY SHOWER.

Work Hy

gienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING,
OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

=====
Physical/Chemical Properties
=====

HCC: V3
B.P. Text: GAS
M.P/F.P Text: UNKNOWN
Decomp Text: UNKNOWN
Vapor Pres: GAS
Vapor Density: 2.97
Spec Gravity: <1
Viscosity: UNKNOWN
Evaporation Rate & Reference: 1.90 (ETHER=1)
Solubility in Water: NEGLIGIBLE/NIL
Appearance and Odor: CLEAR LIQUID; HEXANE SOLVENT ODOR.
Percent Volatiles by Volume: 78
Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT
STORE ABOVE 120F.
Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND SMOKE
PARTICLE
S WHEN SUBJECTED TO EXCESSIVE HEAT OR FLAME.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
=====
Regulatory Information
=====
=====

=====
=====
Other Information
=====
=====

=====
=====
Transportation Information
=====
=====

Responsible Party Cage: 52157

Trans ID NO:

97262

Product ID: SPRAY TRIM ADHESIVE PART NO. 08074

MSDS Prepared Date: 03/06/1992

Review Date: 09/17/1996

MFN: 1

Tech Entry NOS Shipping Nm: CONTAINS PROPANE AND ISOBUTANE

Net Unit Weight: 1.5 LBS

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: CN

Container QTY: B

Additional Data: PSN ARE BEST GUESS BY DLA- STAFF.
=====
=====

=====
=====
Detail DOT Information
=====
=====

DOT PSN Code: DTJ

Symbols: D

DOT Proper S

Shipping Name: CONSUMER COMMODITY

Hazard Class: ORM-D

Label: NONE

Non Bulk Pack: 156,306

Bulk Pack: NONE

Max Qty Pass: 30KGGROSS

Max Qty Cargo: 30KGGROSS

Vessel Stow Req: A
=====
=====

=====
=====
Detail IMO Information
=====
=====

IMO PSN Code: EQB

IMO Proper Shipping Name: COMPRESSED GAS, FLAMMABLE, N.O.S. o

IMDG Page Number: 2124

UN Number: 1954

UN Hazard Class: 2(2.1)

IMO Packaging Group: -

Subsidiary Risk Label: -

E

MS Number: 2-02
MED First Aid Guide NUM: 620

=====
Detail IATA Information
=====

IATA PSN Code: HDW
IATA UN ID Num: 8000
IATA Proper Shipping Name: CONSUMER COMMODITY +
IATA UN Class: 9
IATA Label: MISCELLANEOUS
Packing Note Passenger: 910
Max Quant Pass: 25KG G
Max Quant Cargo: 25KG G
Packaging Note Cargo: 910
Exceptions: A112
=====

=====
Detail AFI In
formation
=====

AFI PSN Code: HEB
AFI Proper Shipping Name: CONSUMER COMMODITY
AFI Hazard Class: 9
AFI UN ID NUM: UN8000
Special Provisions: P5
Back Pack Reference: A13.13
=====

=====
HAZCOM Label
=====

Product ID: SPRAY TRIM ADHESIVE PART NO. 08074
Cage: 52157
Company Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV
Street: 3M CTR
City: ST PAUL
MN
Zipcode: 55144-1000
Health Emergency Phone: 770-859-2517
Label Required IND: Y
Date Of Label Review: 09/17/1996
Status Code: C
Label Date: 09/17/1996
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Moderate
Contact Hazard: Slight
Fire Hazard: Severe
Reactivity Hazard: None
Hazard And Precautions: FLAMMABLE! CONTENTS UNDER PRESSURE! INHALATION OF
VAPOR/MIST MAY CAUSE RESPIRATORY IRRITATION & TEMPORAR

Y NERVOUS SYSTEM

IMPAIRMENT. CONTACT MAY CAUSE SKIN & EYE IRRITATION. N-HEXANE MAY BE ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS. PROLONGED EXPOSURE MAY CAUSE DERMATITIS, NERVOUS SYSTEM DAMAGE. TARGET ORGANS: NERVOUS SYSTEM, LUNGS, SKIN, EYES. FIRST AID: EYES- IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 10 MINUTES. CALL PHYSICIAN. SKIN- WASH WITH MILD SOAP & WATER. INHALED- REMOVE TO UNCONTAMINATED AIR. CALL A PHYSICIAN IF NOT BREATHING. INGESTED- DO NOT INDUCE VOMITING! CONTACT POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.