

LHB INDUSTRIES -- 0872-870 SO-SURE CORRECTION FLUID

MSDS Safety Information

FSC: 7510

NIIN: 01-333-6242

MSDS Date: 03/01/1995

MSDS Num: CBSLH

Product ID: 0872-870 SO-SURE CORRECTION FLUID

MFN: 02

Responsible Party

Cage: 0FTT5

Name: LHB INDUSTRIES

Address: 8833 FLEISCHER PLACE

City: SAINT LOUIS

MO 63134

Info Phone Number: 314-522-3141

Emergency Phone Number: 314-522-3141 OR 800-424-9300

Preparer's Name: GREGORY M. MCGOWAN

Review Ind: Y

Published: Y

Contractor Summary

Cage: 0FTT5

Name: LHB INDUSTRIES

Address: 8833 FLEISCHER PLACE

City: ST. LOUIS MO 63134

Phone: 314-522-3141

Item Description Information

Item Manager: GSA

Item Name: CORRECTION FLUID,OPAQUE COATING

Specification Number: A-A-212B

Type/Grade/Class: TYPE III

Unit of Issue: DZ

UI Container Qty: 0

Ingredients

Cas: 142-82-5

RTECS #: MI7700000

Name: N-HEPTANE

% Wt: 30

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 500 PPM

ACGIH TLV: 400 PPM/500STEL;9596

Cas:

64742-89-8  
Name: VM & P NAPHTHA (LIGHT ALIPHATIC PETROLEUM SOLVENT NAPHTHA)  
% Wt: 15  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 61788-76-9  
Name: CHLORINATED PARAFFIN  
% Wt: <5  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

=====

Health Hazards Data

=====

LD50 LC50 Mixtu  
re: UNKNOWN  
Route Of Entry Inds - Inhalation: YES  
Skin: NO  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: INHALATION MAY CAUSE RESPIRATORY IRRITATION & CNS  
EFFECTS. EYE CONTACT AND PRROLONGED SKIN CONTACT MAY CAUSE IRRITATION.  
INGESTION MAY CAUSE IRRITATION OF MOUTH/THROAT/STOMACH. ASPIRATION MAY CAUSE  
LU NG INFLAMMATION AND/OR DAMAGE.  
Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR  
GREATER IS LISTED AS A CARCINOGEN OR  
SUSPECTED CARCINOGEN.  
Signs And Symptions Of Overexposure: INHALED-IRRITATION OF NOSE/THROAT,  
DIZZINESS, DROWSINESS, EUPHORIA, LOSS OF COORDINATION, DISORIENTATION,  
HEADACHE, NAUSEA, VOMITING. SKIN-IRRITATION. DISCOMFORT. EYES-IRRITATION.  
INGESTED-NAUSEA, ABD OMINAL & CHEST DISCOMFORT, DIARRHEA, WEAKNESS.  
Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN DISORDERS MAY INCREASE  
SENSITIVITY. PRE-EXISTING LUNG DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO  
THIS MATERIAL.  
First Aid:  
IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15  
MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER.  
INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RE SPIRATION AS  
NEEDED. INGESTED-DO NOT INDUCE VOMITING! GET IMMEDIATE EMERGENCY MEDICAL  
ATTENTION.

=====

Handling and Disposal

=====

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNIT

ION AND VENTILATE AREA.

PICK UP SPILLS WITH ABSORBENT MATERIAL. AVOID CONTACT WITH SKIN AND EYES.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN. USE WITH ADEQUATE VENTILATION. AVOID CONTACT WITH AND PROLONGED CONTACT WITH SKIN. DO NOT INGEST.

Other Precautions: DO NOT SMOKE OR EAT WHEN USING THIS PRODUCT. DO NOT USE NEAR

OPEN FLAMES, SPARKS OR OTHER IGNITION SOURCES.

=====

#### Fire and Explosion Hazard Information

=====

Flash Point Text: 14F,-10C

Autoignition Temp Text: 399F

Lower Limits: 1.0

Upper Limits: 7.0

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME. DURING EMERGENCY CONDITIONS, OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY POSE A HEALTH HAZARD.

=====

#### Control Measures

=====

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE

OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE EXPLOSION-PROOF MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: NITRILE.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: EYE WASH STATION.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: CONTRACT NUMBER

R GS-02F-59980.

Physical/Chemical Properties

HCC: F2  
Boiling Point: =85.C, 185.F  
M.P/F.P Text: UNKNOWN  
Decomp Text: UNKNOWN  
Vapor Pres: 53  
Vapor Density: 3.3  
Spec Gravity: 1.190  
Viscosity: UNKNOWN  
Evaporation Rate & Reference: >1 (N-BUTYL ACETATE=1)  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: OPAQUE WHITE LIQUID; MILD ODOR.  
Percent Volatiles by Volume: 44  
Corrosion Rate:  
UNKNOWN

Reactivity Data

Stability Indicator: YES  
Stability Condition To Avoid: EXTREME HEAT AND IGNITION SOURCES.  
Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG ALKALIS.  
Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE,  
IRRITATING ALDEHYDES AND KETONES.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: EXTREME TEMPERATU  
RES.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

=====  
=====  
Other Information  
=====  
=====  
Transportation Information  
=====  
Responsible Party Cage: 0FTT5  
Trans ID NO: 126350  
Product ID: 0872-870 SO-SURE CORRECTION FLUID  
MSDS Prepared Date: 03/01/1995  
Review Date: 09/30/1996  
MFN: 2  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: DZ  
Container QTY: 0  
Additional Data: PSN IS PER MFR MSDS.

=====  
Detail DOT Information  
=====  
DOT PSN Code: DTJ  
Symbols: D  
DOT Proper Shipping Name: CONSUMER COMMODITY  
Hazard Class: ORM-D  
Label: NONE  
Non Bulk Pack: 156,306  
Bulk Pack: NONE  
Max Qty Pass: 30KGGROSS  
Max Qty Cargo: 30KGGROSS  
Vessel Stow Req: A

=====  
Detail IMO Information  
=====  
IMO PSN Code: HXF  
IMO Proper Shipping Name: HEPTANES  
IMDG Page Number: 3235  
UN Number: 1206  
UN Hazard Class: 3.2  
IMO Packaging Group: II  
Subsidiary Risk Label: -  
EMS Number: 3-07  
MED First Aid Guide NUM: 310

=====  
Detail IATA Information  
=====  
IATA PSN Code: NDD  
IATA UN ID Num: 1206  
IATA Proper Shipping Name: HEPTANES

IATA UN Class: 3  
IATA Label: FLAMMABLE LIQUID  
UN Packing Group: II  
Packing Note Passenger: 305  
Max Quant Pass: 5L  
Max Quant Cargo: 60L  
Packaging Note Cargo: 307

=====

Detail AFI Information

=====

AFI PSN Code: NDD  
AFI Proper Shipping Name: HEPTANES  
AFI Hazard Class: 3  
AFI UN ID NUM: UN1206  
AFI Packing Group: II  
Special Provisions: P5  
Back Pack Reference: A7.3

=====

=====

HAZCOM Label

=====

Product ID: 0872-870 SO-SURE CORRECTION FLUID  
Cage: 0FTT5  
Company Name: LHB INDUSTRIES  
Street: 8833 FLEISCHER PLACE  
City: ST. LOUIS MO  
Zipcode: 63134  
Health Emergency Phone: 314-522-3141 OR 800-424-9300  
Label Required IND: Y  
Date Of Label Review: 09/30/1996  
Status Code: C  
Label Date: 09/30/1996  
Year Procured: 1996  
Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: DANGER  
Respiratory Protection IND: YES  
Health Hazard: Moderate  
Contact Hazard: Slight  
Fire Hazard: Severe  
Reactivity Hazard: None  
Hazard And Precautions: INHALATION MAY CAUSE RESPIRATORY IRRITATION & CNS EFFECTS. EYE CONTACT AND PROLONGED SKIN CONTACT MAY CAUSE IRRITATION. INGESTION MAY CAUSE IRRITATION OF MOUTH/THROAT/STOMACH. ASPIRATION MAY CAUSE LUNG INFLAMMATION AND/OR DAMAGE. FIRST AID: IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHING

LOTHERS. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR.  
ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-DO NOT INDUCE  
VOMITING! GET IMMEDIATE EMERGENCY MEDICAL ATTENTION.

=====

Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrant

that, states, or intends said information to have any application, use or  
liability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.