

WASHINGTON TRADING CO., INC -- BALLISTOL-LUBE -- 9150-01-391-7054
===== Product Identification =====

Product ID:BALLISTOL-LUBE

MSDS Date:11/01/1995

FSC:9150

NIIN:01-391-7054

MSDS Number: CBSPP

=== Responsible Party ===

Company Name:WASHINGTON TRADING CO., INC

Address:ONE CYPRESS KNEE TRAIL

City:KITTY HAWK

State:NC

ZIP:27949

Country:US

Info Phone Num:919-261-6181

Emergency Phone Num:919-261-6181

CA

GE:0ZKM2

=== Contractor Identification ===

Company Name:MEHRTRONICS INC

Address:134 E WILLIAMS AVE

Box:City:BARRINGTON

State:NJ

ZIP:08007

Country:US

Phone:856-672-0663

CAGE:01NQ2

Company Name:WASHINGTON TRADING CO, INC. (IMPORTER) BALLISTOL USA

Address:1 CYPRESS KNEE TRAIL

Box:City:KITTY HAWK

State:NC

ZIP:27949-9223

Country:US

Phone:252-261-6181

CAGE:0ZKM2

===== Composition/Information on Ingredients =====

Ingred Name:ISOBUTYL ALCOHOL (CERCLA)

CAS:78-83-1

RTECS #:NP9625000

Ot

her REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:50 PPM; 9596

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NO LD50 ORAL RATS/RABBITS COULD BE DETER

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MANUFACTURER CLASSIFIES PRODUCT AS
NON-TOXIC.PRODUCT DOES NOT CONTAIN BENZENE,KEROSEN,PETROLEUM.

Explanation of

Carcinogenicity:PER MSDS:NO NTP/IARC PUBLICATION.PROD

BASED ON MED GRADE NON-CHLORINATED PARAFFIN AIRC CLASS3.PROD

CONTAINS NO KNOWN CAR

Effects of Overexposure:NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:IN THE EVENT OF CONTACT W/EYES FLUSH W/LARGET QUANTITIES OF
WATER. IF INGESTED CONSULT W/PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:126

F,52C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:FOAM, CARBON DIOXIDE, WATER.

Fire Fighting Procedures:DO NOT USE DRYP POWDER AS EXTINGUISHING
MEDIUM. WEAR PROTECTIVE GEAR & SELF-CONTAINED BREATHING APPARATUS
AS NECESSARY UNDER CONDITIONS.

Unusual Fire/Explosion Hazard:SHOULD BE TREATED AS FLAMM AEROSOL
ALTHOUGH PRODUCT HAS NOT BEEN TESTED AS SUCH TO ASTM
STDS.BUTANE,PROPANE & COMPRESSED AIR USED AS PROPELLANTS.

=====

==== Accidental Release Measures =====

Spill Release Procedures:WIPE UP W/ABSORBENT RAGS. USE OIL ABSORBENT MATL. SWEEP UP & PLACE IN CONTAINER. WASH AREA W/WARM WATER & DETERGENT TO ELIMINATE SPILLERINESS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

==== Handling and Storage =====

Handling and Storage Precautions:AVOID EYE CONTACT.USE IN VENTILATED AREA.DO NOT USE AROUND FLAME/HOT SURFACE.DO NOT SPRAY INTO OPEN FLAME.D

O NOT PUNCTURE AEROSOL CONTAINER.

Other Precautions:STORE IN COOL DRY PALCES OUT OF SUNLIGHT. DO NOT STORE IN AREAS EXPO TO TEMP >49C(120F). STORE/USE IN VENTILATED ROOM. KEEP AWAY FROM HOT SURFACES. KEEP OUT OF REACH CHILDREN.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:LOCALLY AS NEEDED. MECHANICAL AS NEEDED.

Protective Gloves:NOT REQUIRED.

Eye Protection:NOT NORMALLY REQUIRED.

Other Protective Equipment:NOT NOR
MALLY REQUIRED.

Work Hygienic Practices:AVOID EYE CONTACT.

Supplemental Safety and Health

SPEC GRAV:OIL 0.865G/CM3;SPRAY 0.775G/CM3.

==== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:262F,128C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NP

Vapor Density:NP

Spec Gravity:SUPPLEMENTAL

pH:NP

Viscosity:NP

Evaporation Rate & Reference:MODERATE, NO REF GIVEN

Solubility in Water:EMULSIFIES

Appearance and Odor:YELLOWISH OIL, SL

IGHTLY SWEET OR FRAGRANT ODOR LIKE
LICORICE.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HMIS:AVOID
ALL SOURCES OF IGNITION.

Hazardous Decomposition Products:NONE KNOWN.

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW APPLICABLE FED/LOCAL REGULATION
S.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular sit
uation.