

J&M LABORATORIES, INC -- 1104 -- 6850-01-413-3083

===== Product Identification =====

Product ID:1104

MSDS Date:03/06/1995

FSC:6850

NIIN:01-413-3083

MSDS Number: CBSQB

=== Responsible Party ===

Company Name:J&M LABORATORIES, INC

Address:1717 ROWAN

City:LOUISVILLE

State:KY

ZIP:40203

Country:US

Info Phone Num:502-585-3176/FAX 502-585-3216

Emergency Phone Num:502-585-3176/800-473-6173

CAGE:NO621

=== C

Contractor Identification ===

Company Name:J AND M LABORATORIES, INC.

Address:1717 ROWAN ST

Box:City:LOUISEVILLE

State:KY

ZIP:40203

Country:US

Phone:800-473-6173/502-585-3176

CAGE:01VT9

Company Name:J&M LABORATORIES, INC

Address:1717 ROWAN

Box:City:LOUISVILLE

State:KY

ZIP:40203

Country:US

Phone:502-585-3176/FAX 502-585-3216

CAGE:NO621

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM BISULFITE (SASA III) (CERCLA)

CAS:7631-90-5

RTECS #:VZ2000000

Other REC L

imits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.  
HMIS:STRONG EYE & TISSUE IRRITANT.  
Explanation of Carcinogenicity:PER MSDS:MATL NOT CONSIDERED TO BE  
CARCINOGEN BY NTP/IARC/OSHA.  
Effects of Overex  
posure:NONE SPECIFIED BY MANUFACTURER. HMIS:STRONG EYE  
& TISSUE IRRITANT.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN:WASH W/PLENTY OF SOAP/WATER.REPEAT WASHING.RINSE EXPO  
AREA FOR @LEAST 15MINS.CONSULT HEALTH CARE PROFESSIONAL.CLOTHING IN  
CONTACT W/PRODUCT REMOVE IMMED.EYE:FLUSH IMMED W/COPIOUS AMTS OF  
TAP WATER/NORMAL SALINE(NIM)OF 15MINS.TAKE TO HEALTH CARE  
PROFE  
SSIONAL.INHAL:NAU,HEAD,DIZZ IMMED MOVE TO FRESH AIR.DIFFI  
BREATH/CYANOTIC ADMIN OXY IF AVAILABLE.CALL DR.INGEST:DO NOT INDUCE  
VOMIT.RINSE (SUPP)

===== Fire Fighting Measures =====

Flash Point:>212F,>100C  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IS  
REQUIRED.  
Unusual Fire/Explosion Hazard:NO

NE.

===== Accidental Release Measures =====

Spill Release Procedures:INITAILLY MIN AREA.BLCOK POT ROUTES TO WATER  
SYS.ASSESS IMPACE ON CONTAMIN ENVIR/MIN ADVERSE EFFECTS.CONTACT J&M  
REP IMMED.DETERMINE IF FED/STATE/LOC RELEASE NOTIFICATION  
REQUIRED.RECOVER AS MUCH OF P URE PROD AS POSSIBLE INTO APPROPRIATE  
CNTNR.(SUPP)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and

Storage Precautions:CLOSE CNTNRS TIGHTLY WHEN NOT IN USE.

Other Precautions:DISPOSAL:WASTE UNDER RCRA.J&M LAB WILL ACCEPT ANY  
EMPTY DRUM ASSUMING DRUM IS IN SATISFACTORY CONDITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FILTRATION MASKS MUST BE USED IF TLV RESIDUAL IS  
EXCEEDED.

Ventilation:GENERAL (MECHANICAL) ROOM VENTILATION IS EXPECTED TO BE  
SATISFACTORY.

Protective Gloves:IMPERVIOUS GLOVES AS STD HNDLG PRECAUT

Eye Protection:

SAF GLASSES,GOGG AS STD SAF PRECAUT

Other Protective Equipment:DO NOT WEAR CONTACTS. ACID RESISTANT APRON.

Work Hygienic Practices:CONTAMIN SHOULD BE LAUNDERED BEF REUSE.

Supplemental Safety and Health

1ST AID:MOUTH W/COPIOUS AMTS OF WATER/MILK 1ST.THEN SLOWLY DILUTE  
STOMACH CONTENTS W/6-8OZ OF WATER.IF SEMICONSC/COMATOSE/CONVULSING  
DO NOT GIVE FLUIDS BY MOUTH.CONTACT DR IMMED. SPILL:USE  
CLAY/SOIL/CO MMERCIALLY AVAI ABSORBENT RO RECOVER MATL NOT RECOVER  
AS PURE PROD.CONTACT FACI I

DUST SEWER SYS IF FLUSH/PUMP INTO SEWER

===== Physical/Chemical Properties =====

HCC:C3

Boiling Pt:B.P. Text:DECOM@>150C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:>302F,>150C

Vapor Pres:NP

Vapor Density:NP

Spec Gravity:1.48 G/ML

pH:3-5

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:NOT AVAILABLE.

Appearance and Odor:CLEAR, PINK, LIQUID, W/SULFUROUS ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability

and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
ACIDS, OXIDIZERS.  
Stability Condition to Avoid: WILL DECOMPOSE SLOWLY IN AIR.  
Hazardous Decomposition Products: OXIDES OF SULFUR & SODIUM.

===== Disposal Considerations =====

Waste Disposal Methods: FOLLOW ALL FED/STATE/LOC REGS. DETERMINE IF CAN  
BE HANDLED BY AVAILABLE INDUSTRIAL EFFLUENT SYSTEMS/OTHER ON-SITE WASTE  
MANAGEMENT. PRODUCT NOT SPECIFICALLY LISTED IN 40CFR261 AS RCRA HAZ  
WASTE. HOWEVER SOME  
PILLS/LEAK RESIDUALS MAY MEET CRITERIA OF  
CHARACTERISTIC HAZ (SEE OTHER PRECAUTIONS)

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume  
responsibility for the suitability of this information to their  
particular situation.