View NSN Online: https://aerobasegroup.de/nsn/6850-01-423-1699

VENUS LABORATORY -- 3K GPH ROWPU KIT (PART 10 OF 12 PART KIT)

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_

FSC: 6850

NIIN: 01-423-1699 MSDS Date: 11/01/1994 MSDS Num: CBSQV

Product ID: 3K GPH ROWPU KIT (PART 10 OF 12 PART KIT)

MFN: 01 Kit Part: Y

Responsible Party Cage: NO528

Name: VENUS LABORATORY Address: 15571 COMMERCE LA

NE

City: HUNTINGTON BEACH CA 92649-1600

Info Phone Number: 800-841-3100

Emergency Phone Number: 800-841-3100

Proprietary Ind: Y Review Ind: Y Published: Y

\_\_\_\_\_\_

Contractor Summary

\_\_\_\_\_

Cage: 02LX8

Name: DDRV STOCK MAINTENANCE DIV/DDRV-H Address: 8000 JEFFERSON-DAVIS HIGHWAY

City: RICHMOND VA 23297 Phone: 804-279-3125

Cage: 0N140

Name: VENUS LABORATORIES INC Address: 15571 COMMERCE LANE

City: HUN

**TINGTON BEACH CA 92649** 

Phone: 714-881-3100

Cage: NO528

Name: VENUS LABORATORY Address: 15571 COMMERCE LANE

City: HUNTINGTON BEACH CA 92649-1600

Phone: 800-841-3100

\_\_\_\_\_

Item Description Information

\_\_\_\_\_

Item Manager: S9G

Item Name: ROWPU REPLENISHMENT

Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: KT UI Container Qty: 0 Type of Container: BOX

\_\_\_\_\_

\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: ACUTE: TISSUE IRRITATION UPON CONTA

CT WITH SKIN AND EYES.

CHRONIC: PROLONGED OR REPEATED EYE AND SKIN CONTACT CAUSES IRRITATION. INJURY TO THE ESOPHAGUS FROM SCARRING MAY OCCUR. ALKALI EXPOSURES MAY N ECESSITATE IRRIGATION FOR EXTENDED DURATION.

Explanation Of Carcinogenicity: TRISODIUM PHOSPHATE IS NOT LISTED AS A CARCINOGEN PER MSDS.

Signs And Symptions Of Overexposure: INHALING THIS ALKALINE MATERIAL'S DUST OR MIST IRRITATES THE RESPIRATORY TRACT. AQUEOUS, HIGHLY ALKALINE SOLUTIONS MAY ALSO PRODUCE CAUSTIC BURNS.

M

edical Cond Aggravated By Exposure: PERNAMENT TISSUE DAMAGE TO THE SKIN AND EYES.

First Aid: EYE CONTACT: FLUSH IMMEDIATELY, INCLUDING UNDER THE EYE LIDS. GENTLY BUT THOROUGHLY FLOOD LARGE AMOUNTS OF RUNNING WATER FOR AT LEAST 15 MINUTES. SKIN: AFTER RINSING AFFECTED AREA WITH WATER, WASH IT WITH SOAP AND WATER. INHALATION: REMOVEEXPOSED PERSON TO FRESH AIR. INGESTION: IF INGESTED, HAVE CONSCIOUS PERSON DRINK 1 TO 2 GLASSES OF WATER OR MILK, THEN GIVE FRUIT JUICE. NEVER INDUCE VOMIT

ING.

\_\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release Procedures: WEAR PROTECTIVE CLOTHING TO PREVENT SKIN OR EYE CONTACT AND DUST INHALATION. FOR LIQUID SPILLS, COVER THE MATERIAL WITH AN INERT SOLID ABSORBENT (VERMICULITE OR SAND). SWEEP, VACUUM OR SCOOP THE SPILL ED SOLID, AVOIDING DUST GENERATION. FLUSH RESIDUE.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: S

CRAP MATERIAL CAN BE USED FOR NEUTRALIZING ACID WASTES

OR BURIED IN A APPROVED LANDFILL. IF REGULATIONS PERMIT, YOU MAY FLUSH SMALL AMOUNTS TO DRAIN. FOLLOW APPLICABLE FEDERAL, STATE AND LOCAL REGULA TIONS.

Handling And Storage Precautions: STORE IN TIGHTLY SEALED CONTAINERS AWAY FROM ACIDIC MATERIAL IN A CLEAN, DRY, VENTILATED AREA. PREVENT PHYSICAL DAMAGE TO CONTAINERS.

Other Precautions: NEVER WEAR CONTACT LENSES IN THE WORK AREA. LAUNDER CONTAMINATED CLOTHING BEFORE WEARING. REMOVE

THIS MATERIAL FROM YOUR SHOES

AND EQUIPMENT. NEVER EAT, DRINK, OR SMOKE IN WORK AREA.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Text: NONCOMBUSTIBLE

Lower Limits: NONE Upper Limits: NONE

Extinguishing Media: USE WHAT IS APPROPRIATE TO THE SURROUNDING FIRE SINCE THIS

MATERIAL IS NONCOMBUSTIBLE.

Fire Fighting Procedures: WEAR SCBA WITH FULL FACEPIECE OPERATED IN THE

**PRESS** 

URE-DEMAND OR POSITIVE-PRESSURE MODE.

Unusual Fire/Explosion Hazard: IN A FIRE SITUATION AT HIGH TEMPERATURE, PHOSPHATES CAN EMIT HIGHLY TOXIC PHOSPHOROUS OXIDES (POX) FUMES.

\_\_\_\_\_

## **Control Measures**

\_\_\_\_\_\_

Respiratory Protection: WEAR A NIOSH-APPROVED RESPIRATOR IF NECESSARY. FOLLOW OSHA RESPIRATOR REGULATIONS. FOR EMERGENCY OR NONROUTINE OPERATIONS, WEAR AN SCBA.

Ventilation: PROVIDE GENERAL

AND LOCAL EXPLOSION-PROOF VENTILATION SYSTEMS TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW OSHA PEL.

Protective Gloves: IMPERVIOUS

Eve Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment: BOOTS, APRONS, GAUNTLETS, EMERGENCY EYEWASH STATIONS, SAFETY/QUICK-DRENCH SHOWERS.

Work Hygienic Practices: PRACTICE GOOD PERSONAL HYGIENE AFTER USING THIS MATERIAL.

Supplemental Safety and Health: KEY 1: C4. MSDS DATED NOV. 1994. THIS ITEM IS

NSN: 6850-01-370-4209, CAGE 0N140. WHICH IS PART 10

OF A 12 PART KIT. (4 PARTS HAZARDOUS). \_\_\_\_\_ Physical/Chemical Properties \_\_\_\_\_\_ HCC: N1 Solubility in Water: YES (PER MSDS) Appearance and Odor: WHITE OR COLORLESS CRYSTALLINE SOLID (ALSO AS POWDER FLAKE, GRANULES; NO ODOR. \_\_\_\_\_\_ Reactivity Data \_\_\_\_\_\_ Stability Indicator: YES Stability Condit ion To Avoid: NEVER HEAT TO DECOMPOSITION. Materials To Avoid: THIS MATERIAL REACTS VIOLENTLY WITH STRONG ACIDS TO GENERATE HEAT. Hazardous Decomposition Products: HIGHLY TOXIC FUMES OF PHOSPHORUS OXIDES AND SODIUM OXIDE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT \_\_\_\_\_ Toxicological Information \_\_\_\_\_\_ \_\_\_\_\_\_ **Ecological Information** -----\_\_\_\_\_\_ **MSDS** Transport Information \_\_\_\_\_\_ Regulatory Information \_\_\_\_\_\_ \_\_\_\_\_ Other Information \_\_\_\_\_\_ \_\_\_\_\_ Transportation Information \_\_\_\_\_ Responsible Party Cage: NO528 Trans ID NO: 135977 Product ID: 3K GPH ROWPU KIT (PART 10 OF 12 PART KIT) MSDS Prepared Date: 11/01/1994 Review Date: 10/02/1996 MFN: 1 Multiple KIT Number: 0 Kit Part IND: Y

Review IND: Y Unit Of Issue: KT Container QTY: 0

Type Of Container: BOX

Additional Data: THIS ITEM IS PART 10 OF A 12 PART KIT. (10 PARTS ARE

HAZARDOUS). SEE

THIS NSN FOR ADDITIONAL INFORMATION FOR THE KIT.

\_\_\_\_\_

Detail DOT Information

\_\_\_\_\_

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

\_\_\_\_\_

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATIO

N

\_\_\_\_\_\_

Detail IATA Information

\_\_\_\_\_

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_\_

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

========

**HAZCOM Label** 

\_\_\_\_\_

Product ID: 3K GPH ROWPU KIT (PART 10 OF 12 PART KIT)

Cage: NO528 Assigned IND: Y

Company Name: VENUS LABORATORY

Street: 15571 COMMERCE LANE City: HUNTINGTON BEACH CA

Zipcode: 92649-1600

Health Emergency Phone: 800-841-3100

Label Required IND: Y

Date Of Label Review: 10/02/1996

Status Code: C

Label Date: 10/02/1996 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION

Respiratory

Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: None
Reactivity Hazard: None

Hazard And Precautions: ACUTE: TISSUE IRRITATION UPON CONTACT WITH SKIN AND EYES. CHRONIC: PROLONGED OR REPEATED EYE AND SKIN CONTACT CAUSES IRRITATION. INJURY TO THE ESOPHAGUS FROM SCARRING MAY OCCUR. STORE IN TIGHTLY SEALE D CONTAINERS AWAY FROM ACIDIC MATERIAL IN A CLEAN, DRY, VENTILATED AREA. FIRST AID: EYE CONTACT: FLUSH IMMEDIATELY, GENTLY BUT THOROUGHLY FLOOD LARGE AMOUNTS

OF RUNNING WATER. SKIN: AFTER RINSING AFFE CTED AREA WITH WATER, WASH IT WITH SOAP AND WATER. INHALATION: REMOVE EXPOSED PERSON TO FRESH AIR. INGESTION: HAVE CONSCIOUS PERSON DRINK 1 TO 2 GLASSES OF WATER OR MILK. NEVER INDUCE VOMITING. TARGET ORGANS: EYES, SKIN, RESPIRATORY TRACT.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should se

ek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.