View NSN Online: https://aerobasegroup.de/nsn/6750-01-281-5469

EASTMAN KODAK COMPANY -- 156 2537 T-MAX 100 FILM,803 1951 -- 6750-01-281-5469

Product ID:156 2537 T-MAX 100 FILM,803 1951

MSDS Date:09/20/1996

FSC:6750

NIIN:01-281-5469

MSDS Number: CBTGW === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-477-3194 MSDS:800-242-242

4

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Composition/Information on Ingredients ========

======================================
LD50 LC50 Mixture:NOT RELEVANT Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE AND CHRONIC- PRODUCT IS AN ARTICLE AND IS NOT HAZARDOUS. Explanation of Carcinogenicity:NONE Effects of Overexposure:NONE Medical Cond Aggravated by Exposur e:NOT RELEVANT
======================================
First Aid:NOT RELEVANT
======================================
Flash Point:NOT RELEVANT Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NOT KNO WN
========= Accidental Release Measures ==========
Spill Release Procedures:IF BROKEN, COLLECT AND TRANSFER TO PROPER CONTAINER FOR DISPOSAL. Neutralizing Agent:NOT RELEVANT
======================================
Handling and Storage Precautions:HANDLE WITH CARE. Other Precautions:WASH HANDS BEFORE EATING OR DRINKING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED IF USED AS INTEN

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED DED Ventilation: NONE REQUIRED IF USED AS INTENDED Protective Gloves:NONE Eye Protection: NONE REQUIRED IF USED AS INTENDED Other Protective Equipment: NONE REQUIRED IF USED AS INTENDED Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health THE MANUFACTURER STATES THESE T-MAX FILMS ARE ARTICLES AS DEFINED IN THE OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. AS SO DEFINED, THESE FILMS REQUIRE NO MATERIAL SAFETY D ATA SHEET (MSDS). ========= Physical/Chemical Properties =========== HCC:N1 NRC/State Lic Num: NOT RELEVANT Decomp Temp:Decomp Text:NOT KNOWN Spec Gravity: NOT RELEVANT Viscosity:NOT RELEVANT Evaporation Rate & Evaporation Reference: NOT RELEVANT Solubility in Water: NOT RELEVANT Appearance and Odor:PRODUCT IS AN ARTICLE ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES **NOT RELEVANT** Stability Condition to Avoid: EXCESSIVE HEAT Hazardous Decomposition Products: NOT RELEVANT

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disc

laims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.