

AUSTIN JAMES CO -- AUSTIN A-1 BLEACH -- 6810-00-598-7316

=====
Product Identification
=====

Product ID:AUSTIN A-1 BLEACH
MSDS Date:01/01/1987
FSC:6810
NIIN:00-598-7316
MSDS Number: CBTPY
=== Responsible Party ===
Company Name:AUSTIN JAMES CO
Address:BUTLER COUNTY
Box:I
City:MARS
State:PA
ZIP:16046
Country:US
Info Phone Num:412-625-1535
Emergency Phone Num:412-625-1535
CAGE:6Z316
=== Contractor Id
entification ===
Company Name:AUSTIN JAMES CO
Address:115 DOWNIEVILLE ROAD
Box:City:MARS
State:PA
ZIP:16046-0827
Country:US
Phone:724-625-1535
CAGE:6Z316

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYPOCHLORITE (CERCLA)
CAS:7681-52-9
RTECS #:NH3486300
Fraction by Wt: 5.375%
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:SODIUM HYDROXIDE (CAUSTIC SODA)(CERCLA)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 0.1-

0.2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Fire Fighting Measures =====

Flash Point:>300F,>149C; CC

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B1
Viscosity:1-5 CPS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.