View NSN Online: https://aerobasegroup.de/nsn/7930-01-393-6732

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- 10X GLASS & WINDOW CLEANER CONCENTRATE #1325 -- 7930-01-393-6732

============= Product Identification ========================

Product ID:10X GLASS & WINDOW CLEANER CONCENTRATE #1325

MSDS Date:01/01/1992

FSC:7930

NIIN:01-393-6732

MSDS Number: CBVCQ === Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

City:PHILADE

LPHIA State:PA

ZIP:19123-3803 Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803 Country:US

Phone:215-922-1200

CAGE:93607

======= Composition/Information on Ingredients =========

Ingred Name: ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: P

ROP

Other REC Limits: NONE RECOMMENDED

OSHA PEL:400 PPM ACGIH TLV:400 PPM

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: PROP

Other REC Limits: NONE RECOMMENDED

OSHA PEL:25 PPM ACGIH TLV:25 PPM

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: PROP

Other REC Limits: NONE RECOMMENDED

Ingred Name:2-AMINO ETHANOL

CAS:1336-21-6 RTECS #:BQ9625000 Fraction by Wt: PROP Other REC Limits: NONE RECOMMENDED **OSHA PEL:25 PPM ACGIH TLV:25 PPM** EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: VAPORS IRRITATE EYES, NOSE, THROAT. LIQUID WILL DAMAGE EYE TISSUE. IF INGESTED MAY CAUSE GASTRIC DISTR ESS & SYSTEMIC INTOXICATION. Medical Cond Aggravated by Exposure: MAY AGGRAVATE PREEXISTING PULMINARY CONDITIONS. First Aid:INHALATION: REMOVE TO FRESH AIR. IF BREATHING STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP PERSON CALM. CALL DR. EYES: FLUSH W/WATER AT LEAST 15 MINUTES. CALL DR. INGESTION: DO NOT INDUCE VOMITING. GIVE WATER, CALL DR. FI ash Point Method:TCC Flash Point:76.0F,24.4C Lower Limits:NOT EST. Upper Limits:NOT EST. Unusual Fire/Explosion Hazard: RESPIRATORY PROTECTION REQUIRED FOR FIREFIGHTING PERSONNEL STAY UPWIND IF POSSIBLE. COOL EXPOSED TANKS W/WATER, WATER SPRAY MAY BE INEFFECTIVE IN FIRE FIGHTING.

XIDE (CERCLA)

======== Accidental Release Measures ==========

Spill Release Procedures:SHUT OFF SOURCE IF SAFE. ELIMINATE IGNITION SOURCES. PREVENT LIQUID FROM ENTERING SEWERS, WATER COURSE OR LOW

======================================
Handling and Storage Precautions:STORE AWAY FROM HEAT, SPARKS, OTHER IGNITION SOURCES. DO NOT BLOCK ENTRANCES. Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY SERVICE PERSONNEL ONLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:GENERALLY NOT REQUIRED Ventilation:LOCAL Protective Gloves:LATEX RUBBER Eye Protection:CHEMICAL GOGGLES Oth er Protective Equipment:NONE Supplemental Safety and Health NK
========= Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:180F,82C Vapor Pres:120 @100F Vapor Density:2.0 Spec Gravity:0.840 pH:NA Evaporation Rate & mp; Reference:2:(N-BUAC=1) Solubility in Water:COMPLETE Appearance and Odor:THIN, CLEAR BLUE LIQUID Percent Volatiles by Volume:100.0
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ALKALI NE OXIDES/ACID ANHYDRIDES/INORGANIC ACIDS/ORGANIC ACIDS/HALOGENS/PHOSPHOROUS TRICHLORIDE/ALDEHYDES/MONOMERS*POLYMR Stability Condition to Avoid:NONE *POLYMERIZEABLE ESTERS, HYDROGEN W/PALLADIUM Hazardous Decomposition Products:NONE
======= Disposal Considerations ==========
Waste Disposal Methods:FOLLOW LOCAL, STATE, FEDERAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements

AREAS.

of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.