View NSN Online: https://aerobasegroup.de/nsn/7930-01-350-6442

Product ID:DIVERPAK, 09508 MSDS Date:03/18/1996 FSC:7930 NIIN:01-350-6442 MSDS Number: CCBHV === Responsible Party === Company Name: DIVERSEY CORP Address:12025 TECH CENTER DR City:LIVONIA State:MI ZIP:48150 Country:US Info Phone Num:313-458-5000 Emergency Phone Num:303-592-1024;800-424-9300(CHEMTREC) CAGE:73042 === Contractor Identification === Company Name: DIVERSEY CORP Address:12025 TECH CENTER DRIVE Box:City:LIVONIA State:MI ZIP:48150-5000 Country:US Phone:313-450-5000 CAGE:73042 Ingred Name:SODIUM CARBONATE (2:1) CAS:497-19-8 RTECS #:VZ4050000 OSHA PEL:N/K ACGIH TLV:N/K Ingred Name:SODIUM HYDROXIDE (CERCLA) CAS:1310-73-2 RTECS #:WB4900000 Fraction by Wt: 45% OSHA PEL:2 MG/M3 ACGIH TLV:C 2 MG/M3

EPA Rpt Qty:1000 LBS

DOT Rpt Q

ty:1000 LBS

Ingred Name:S-TRIAZINE-2,4,6(1H,3H,5H)-TRIONE, DICHLORO-, SODIUM SALT; (SODIUM DICHLORO-S-TRIAZINETRIONE) CAS:2893-78-9 RTECS #:XZ1900000 OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:TRIPHOSPHORIC ACID, PENTASODIUM SALT; (SODIUM PHOSPHATE, TRIBASIC) (CERCLA) CAS:7758-29-4 RTECS #:YK4570000 OSHA PEL:N/K ACGIH TLV:N/K EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:POLYOXYPROPYLENE GLYCOL CAS:9003-11-6 RTECS #:MD0911050 OSHA PEL:N/K ACGIH TLV:N/K

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: CORROSIVE TO SKIN AND EYES. MISTS ARE CORROSIVE TO SKIN, EYES AND RESPIRATORY TRACT. CHRONIC: NONE KNOWN. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:SENSITIVE EY ES, SKIN, IMPAIRED PULMONARY FUNCTION.

First Aid:INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYES: FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN: FLUSH WITH FRESH WATER FOR AT LEAST 15 MINUTES. WA SH WITH SOAP AND WATER. INGESTION: GIVEWATER, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====

Flash Point:NONE Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, DRY CHEMICALS. Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard: EXTREMELY HIGH TEMPERATURES COULD BREAK DOWN INORGANIC CHLORINE RELEASING AGENT. Spill Release Procedures: FLUSH SMALL AMOUNTS TO DRAIN AFTER DILUTION AND NEUTRAL IZATION. COLLECT AND RETURN LARGE AMOUNTS TO CONTAINER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: KEEP CONTAINERS CLOSED; KEEP FROM HEAT SOURCES. DO NOT REMOVE FROM DELIVERY CONTAINER. Other Precautions: DO NOT USE WATER GREATER THAN 140F FOR DISSOLVING PRODUCT IN CONTAINER. Respiratory Protection:NONE. USE NI **OSH APPROVED RESPIRATOR APPROPRIATE** FOR EXPOSURE OF CONCERN. Ventilation:LOCAL VENTILATION. Protective Gloves: RUBBER, ALKALI RESISTANT. Eye Protection: ANSI APPRVD CHEM WORKERS GOGGS (SUP DAT) Other Protective Equipment: ANSI APPROVED EMERGENCY EYEWASH & DELUGE SHOWER . CLOTHING AND FOOTWEAR TO PREVENT SKIN CONTACT. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health EYE PROTECTION: AND FULL LENGTH FACESHIELD . ========= Physical/Chemical Prop

Spec Gravity:1.35 Evaporation Rate & amp; Reference:>1 (BUTYL ACETATE=1) Solubility in Water:25% Appearance and Odor:WHITE POWDER, WITH MILD ODOR IN DISPENSING CONTAINER

Stability Indicator/Materials to Avoid:YES FLAMMABLE LIQUIDS, ACTIVE METALS, ORGANIC HALOGEN CMPDS, NITROGEN CMPDS, STRONG ACIDS CAUSE VIOLENT REACTIONS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: CHLORINE GASES IF HEATED ABOVE 250F.

Waste Disposal Methods:REMOVE/DEFACE LABEL BEFORE SELLING CONTR/DISP CONCENTRATE PH ADJUSTMENT, DISCHARGE TO DRAIN. TRIPLE RINSE EMPTY CONTR, RETURN TO OPERATION. CONTAINS PHOSPHATES. CONSULT LOC/STATE REGS FOR HAZ WASTE DI SP. DISPOSE OF I/A/W LOC, STATE & FED REGS.

Disclaimer (provided with this information by the compiling agencies): This informatio

n is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.